

SOLICITATION, OFFER, AND AWARD			1. Caption Ford F-250 4 X 4 HD Crew Cab		Page of Pages 1 13		
2. Contract Number CW44417		3. Solicitation Number Doc256808		4. Type of Solicitation <input checked="" type="checkbox"/> Sealed Bid (IFB) <input type="checkbox"/> Sealed Proposals (RFP) <input type="checkbox"/> Sole Source <input type="checkbox"/> Human Care Agreements <input type="checkbox"/> Emergency		5. Date Issued 05/18/16	
7. Issued By: Office of Contracting and Procurement (OCP) Transportation and Specialty Equipment Commodity Group 2000 14 th Street, NW, 6 th Floor Washington, DC 20009				8. Address Offer to: Submit electronically through OCP E-Sourcing Process			
NOTE: In sealed bid solicitations "offer" and offeror" means "bid" and "bidder"							
SOLICITATION							
9. Offers must be received in the E-Sourcing system prior to the event closing date and time. CAUTION: Late Submissions, Modifications and Withdrawals: See 27 DCMR chapters 15 & 16 as applicable. All offers are subject to all terms & conditions contained in this solicitation.							
10. For Information Contact		A. Name Janet C. Concepcion, CPPB		B. Telephone (Area Code) 202 (Number) 671-2328		C. E-mail Address Janet.concepcion2@dc.gov	
OFFER							
11. Acknowledgement of Amendments (The offeror acknowledges receipt of amendments to the SOLICITATION):		Amendment Number		Date		Amendment Number	
12A. Name and Address of Offeror Criswell Chevrolet, Inc 503 Quince Orchard Rd Gaithersburg, MD 20878		13A. Name and Title of Person Authorized to Sign Offer/Contract Frank Brewer Asst Fleet Mgr.		13B. Email alt-Proc@criswellauto.com			
12B. Telephone (Area Code) 301 (Number) 370-6537 (Ext)		12C. Check if remittance address is different from above - Refer to Section G <input type="checkbox"/>		14. Signature <i>Frank Brewer</i>		15. Offer Date 5/25/16	
AWARD (TO BE COMPLETED BY GOVERNMENT)							
16. Accepted as to Items Numbered			17. Amount \$42,344.00		18. Accounting and Appropriation		
19. Name of Contracting Officer (Type or Print) Maureen Hill			21. Signature of Contracting Officer (District of Columbia) <i>Maureen Hill</i>			22. Award Date 6/2/16	
 Government of the District of Columbia			 Office of Contracting & Procurement				

SECTION A: DESCRIPTION/SPECIFICATION/WORK STATEMENT

A.1 SCOPE

The District of Columbia, Office of Contracting and Procurement, Transportation and Specialty Equipment Commodity Group on behalf of the Office of Unified Communications (OUC) (the "District"), seeks a contractor to provide one (1) Ford F-250 4X4 HD Crew Cab, 6.75 ft. box, B-20 Diesel "OR EQUAL" that meet the specifications stated in Section A.3.

A.2 BACKGROUND

The Office of Unified Communications (OUC) manages all public and non-public safety communications which includes 9-1-1 emergency call taking and dispatching and 3-1-1 city services call taking. These services are provided on a 24x7x365 basis and require a vehicle for transporting the public safety radio cache as well as transporting OUC personnel especially during severe weather events.

A.3 SPECIFICATIONS

The Contractor shall provide one (1) Ford F-250 4X4 HD Crew Cab, 6.75 ft. box, B-20 Diesel "OR EQUAL" that meets or exceeds the specifications listed below. Bidder shall respond to each statement with a "YES" or "NO" answer whether the proposed vehicle will be supplied exactly as specified. If "NO" is answered, the bidder shall explain precisely the item number and attach to the bid.

1. Contractor Data

- | | |
|--|----------|
| 1.1 One (1) copy of manufacture's statement of origin for the motor vehicle ✓ | Required |
| 1.2 One (1) copy of the operators manual ✓ | Required |
| 1.3 One (1) copy of the shop manual ✓ | Required |
| 1.4 One (1) copy mounted equipment. Shop manual ✓ | Required |
| 1.5 One (1) copy of the electrical and vacuum technical manual ✓ | Optional |
| 1.6 One (1) copy of the parts book with illustrated parts breakdown (IPB) ✓ | Optional |
| 1.7 One (1) copy of mounted equipment. Parts book with (IPB) ✓ | Optional |
| 1.8 One (1) CD Rom (to include the shop manual, electrical and vacuum technical manual and parts book with (IPB) ✓ | Optional |
| 1.9 Four (4) sets of keys ✓ | Required |

2. Warranty

- | | |
|--|----------|
| 2.1 36/36,000 Basic warranty (months/miles) ✓ | Required |
| 2.2 60/60,000 powertrain warranty (months/miles) 60/100K | Required |
| 2.3 60/unlimited corrosion perforation warranty (months/miles) | Required |
| 2.4 60/60,000 roadside assistance warranty (months/miles) | Required |

3. Safety Equipment

- 3.1 First Aid Kit: Shall be Johnson & Johnson model 8161 or equal ✓ Required
- 3.2 Fire extinguisher: 5 pound, dry chemical type, mounted in cab ✓ Required
- 3.3 Class IV trailer hitch and electrical connections ✓ Required
- 3.4 Air bag front passenger ✓ Required
- 3.5 Seat belts for all passengers ✓ Required
- 3.6 Triangle Kit ✓ Required
- 3.7 Back-up alarm: horn or buzzer type ✓ Required
- 3.8 Dual note horn ✓ Required

4. Vehicle

- 4.1 Crew Cab, with Spray-in Bedliner ✓ Required
- 4.2 Wheelbase: (State Wheelbase offered) *Ches 153.7"* Required
- 4.3 Color: Bright White ✓ Required
- 4.4 Running Boards(mounted) *Tube Steps* Required

5. Gross Vehicle Weight Rating (GVWR)

- 5.1 Minimum: 6,000 pounds *10,000.* Required
- 5.2 State front axle weight rating *5200* Required
- 5.3 State rear axle weight rating *6700* Required

6. Chassis

- 6.1 Frame Type: State Offering *Full, fully boxed, hydroformed front* Required
- 6.2 Resisting bending moment (RBM): 96,000 PSI steel Required
- 6.3 Color: Manufacturer's standard *Summit White* Required
- 6.4 Front bumper: Manufacture's standard ✓ Required
- 6.5 Rear bumper: DOT approved ✓ Required
- 6.6 Class IV trailer hitch ✓ Required

7. Suspension

- 7.1 Front shocks: Manufacturer's heavy duty ✓ Required
- 7.2 Front springs type: Multi-leaf ✓ Required
- 7.3 Bidder shall state front springs capacity ✓ *4000#* Required
- 7.4 Front stabilizer bar ✓ Required
- 7.5 Rear shocks: Manufacturer's heavy duty ✓ Required
- 7.6 Rear springs type: Multi-leaf ✓ Required
- 7.7 Bidder shall state rear springs capacity ✓ *6200#* Required
- 7.8 Auxiliary rear springs type: Single leaf ✓ Required
- 7.9 Bidder shall state aux. springs capacity ✓ *6200#* Required

8. Wheels

- 8.1 Wheels: 17" Painted Steel ✓ Required

9. Tires

- 9.1 Front: LT275/65R18" minimum *LT245/75R17E* Required
9.2 Rear: LT275/65R18 minimum *LT245/75R17E* Required

10. Steering

- 10.1 Power steering Required
10.2 State turning radius curb to curb *25.75* Required

11. Brakes

- 11.1 Type: Dual hydraulic circuit, ABS ALL WHEELS ✓ Required
11.2 Front: Disc ✓ Required
11.3 Size: Minimum DOT requirement ✓ Required
11.4 Rear Drum ✓ Required
11.5 Size: minimum: DOT requirement ✓ Required
11.6 Parking brake mechanical, foot operated ✓ Required

12. EPA Fuel Economy Ratings

- 12.1 State Offering *NO EPA RATING @ this weight class* Required

13. Engine

- 13.1 Type: Water cooled, (6.6 liter V-8 Turbo Diesel or equal) Required
(State make and model offered) *Duramax 6.6L*
13.2 Configuration: Minimum: 6.6L V-8 Required
13.3 Net S.A.E. Horse Power: Min. 440 rated 2,800 @ rated RPM Required
(State horse power offered) *397 @ 3000*
13.4 Torque: Minimum: 860 @ rated 1,600 RPM Required
(State torque offered) *765 @ 1600*

14. Transmission

- 14.1 Type: Automatic, 6 speed, Auto w/OD *Allison 1000 6spd* Required
14.2 Transmission cooler ✓ Required

15. Transfer Case

- 15.1 Type: 2 speed, 4x4 on demand ✓ Required
15.2 Gear ratio: (State gear ratio offered) *3.73* *TC 1.00 H 2.72 L* Required

16. Rear End

- 16.1 Gear ratio: 3.42: 1 minimum *3.73* Required

17. Electrical

- 17.1 12 Volt negative ground ✓ Required
- 17.2 Battery: Dual maintenance free 750 CCA 730×2 Required
- 17.3 Alternator: 200 amps/with external regulator $150 + 220 = 370$ Required
- 17.4 Trailer harness with receptacle ✓ Required
- 17.5 Power windows ✓ Required
- 17.6 Electric door locks ✓ Required

18. Fuel System

- 18.1 Fuel tank: minimum: 34 U.S. gallons (State capacity offered) 36 Required
- 18.2 Fuel tank type/location: regular gas/dual or single (State dual or single) Single ✓ Required
- 18.3 EJ Ward Candometer Automated fuel system For inquiry, contact: Lee Christensen (EJ Ward) at 210- 824-7383 ✓ Required
- 18.4 Fuel tank must be full of fuel at time of delivery ✓ Required

19. Exhaust System

- 19.1 Horizontal ✓ Required

20. Exterior

- 20.1 Color: Bright white ✓ Required
- 20.2 Vehicle must be equipped with side step running boards on each side ✓ Required

21. Interior

- 21.1 Color: Grey ✓ Required

22. Seating

- 22.1 Maximum seating capacity of 6 ✓ Required
- 22.2 Front bench seats ✓ Required
- 22.3 Rear bench seats ✓ Required

23. Floor Covering

- 23.1 Rubber through-out cab ✓ Required

24. Insulation

- 24.1 Manufacturer's sound not to exceed 84lbs ✓ Required

25. Heat/Defrost

- 25.1 Multi-speed ✓ Required

26. Air Conditioning

26.1 Manual CFC free ✓ Required

27. Instrumentation

27.1 Speed-o-meter ✓ Required

27.2 Odometer 1 million mile ✓ Required

27.3 Tachometer ✓ Required

27.4 Fuel gauge ✓ Required

27.5 Oil pressure gauge ✓ Required

27.6 Battery condition gauge ✓ Required

27.7 Water temperature gauge ✓ Required

27.8 Blue Tooth or hands free device ✓ Required

28. Radio

28.1 AM/FM Stereo w/Digital Clock/CD ✓ Required

29. Mirrors

29.1 In cab day/night mirror ✓ Required

29.2 Dual door low swing mount mirrors ✓ Required

A.4 PRODUCT REMOVAL AND MODIFICATION

If any product delivered to the District requires modification, is removed or recalled by the contractor or manufacturer, or if any required modification, removal or recall is suggested or mandated by a regulatory or official agency, the contractor shall immediately notify the Contracting Officer in writing, within five (5) days of the contractor's knowledge or recall or modification and provide two (2) copies of the notification which shall include, but not limited to the following:

A.4.1 Complete item description and/or identification, order numbers from customer, and the contract number assigned as a result of an award on this invitation.

A.4.2 Reasons for modifications, removal or recall.

A.4.3 Necessary instructions for return for credit, replacement or corrective action.

A.4.4 Provide the above information to all agencies as well as to those District of Columbia facilities that have purchased the product.

A.5 WARRANTY

Unless specified otherwise in this contract, the contractor's standard commercial warranty as stated in the contractor's commercial pricelist, will apply to this contract. In addition to the contractor's standard commercial warranty, the contractor warrants

and implies that the items delivered hereunder are merchantable and fit for use for the particular purpose described in this contract. Except as otherwise provided by an express or implied warranty, the contractor will not be liable to the District for consequential damages resulting from any defect of deficiencies in accepted items.

A.6 INSPECTION AND ACCEPTANCE

The inspection and acceptance requirements for this contract shall be governed by clause number five (5) Inspection of Supplies of the Government of the District of Columbia's Standard Contract Provisions for use with Supplies and Services Contracts, dated July 2010. (Attachment D.1)

A.7 DELIVERY

A.7.1 The unit shall be delivered within thirty (30) days from date of contract award to:

DPW-Fleet Management Administration
1725 15th Street, NE
Washington, DC 20002

A.7.2 For delivery schedule, the Contractor shall give a minimum of 48 hour advance notice to the Contract Administrator listed on Section A.10.

A.8 CONTRACTING OFFICER (CO)

Contracts/BPAs will be entered into and signed on behalf of the District only by Contracting Officers. The name, address and telephone number of the Contracting Officer is:

Maureen Hill
Office of Contracting and Procurement
Transportation and Specialty Equipment Commodity Group
2000 14th Street, NW, 6th floor
Washington, DC 20009
(202) 671-2328

A.9 AUTHORIZED CHANGES BY THE CONTRACTING OFFICER

A.9 The Contracting Officer is the only person authorized to approve changes in any of the requirements of this contract.

A.9 The Contractor shall not comply with any order, directive or request that changes or modifies the requirements of this contract unless issued in writing and signed by the Contracting Officer.

A.9 In the event the Contractor effects any change at the instruction or request of any person other than the Contracting Officer, the change will be considered to have been

made without authority and no adjustment will be made in the contract price to cover any cost increase incurred as a result thereof.

A.10 CONTRACTING ADMINISTRATOR (CA)

A.10.1 The CA is responsible for the general administration of the contract and advising the Contracting Officer as to the Contractor's compliance or noncompliance with the agreement. In addition, the CA is responsible for the day-to-day monitoring and supervision of the agreement, of ensuring that the work conforms to the requirements of this contract and such other responsibilities and authorities as may be specified in the contract. The CA for this contract is:

Kipling Ross
Office of Unified Communications
(202) 730-0569
Kipling.ross@dc.gov

A.10.2 The Contracting Administrator shall not have authority to make any changes in the specifications or scope of work or terms and conditions of this contract.

A.10.3 The Contractor may be held fully responsible for any changes not authorized in advance, in writing, by the Contracting Officer; may be denied compensation or other relief for any additional work performed that is not so authorized; and may also be required, at no additional cost to the District, to take all corrective action necessitated by reason of the unauthorized changes.

A.11 INVOICES

A.11.1 Invoices shall be prepared and submitted to the address identified on each Purchase Order in accordance with the instructions delineated in the Purchase Order.

A.11.2 The format for the invoice shall, at a minimum, contain the following information:

A.11.2.1 The name of Contractor, billing address and telephone number;

A.11.2.3 The contract number and purchase order number;

A.11.2.4 Delivery Date;

A.11.2.5 The unit price for each individual item/service and total dollar amount due; and

A.11.2.6 The itemized list of materials/services delivered, to include part numbers.

Doc256808
Ford F-250 4X4 Crew Cab

SECTION B: PRICE SCHEDULE

Contract Line Item No. (CLIN)	Item Description	Price Per Unit	Quantity	Total Price
0001	Ford F-250 4X4 HD Crew Cab, 6.75 ft. box, B-20 Diesel "OR EQUAL"	42344. ⁰⁰ 41844.⁰⁰ FSB	1	42344. ⁰⁰ 41844.⁰⁰ FSB

SECTION C: NOTICE TO CONTRACTOR AND SUBMISSION INSTRUCTIONS

C.1 METHOD OF AWARD

- C.1.1** The District of Columbia, Office of Contracting and Procurement, Transportation and Specialty Equipment Commodity Group on behalf of the Office of Unified Communications (OUC) (the "District"), seeks a contractor to provide one (1) Ford F-250 4X4 HD Crew Cab, 6.75 ft. box, B-20 Diesel "OR EQUAL" that meet the specifications stated in Section A.3.
- C.1.2** The District reserves the right to accept/reject any/all bids resulting from this solicitation. The Contracting Officer may reject all bids or waive any minor informality or irregularity in bids received whenever it is determined that such action is in the best interest of the District.
- C.1.3** The District intends to award a single contract resulting from this solicitation to the responsive and responsible contractor who has the lowest bid.
- C.1.4** Under the provisions of the "Small and Certified Business Enterprise Development and Assistance Act of 2014", D.C. Official Code § 2-218.01 *et seq.*, as amended ("Act", as used in this section), the District shall apply preferences in evaluating bids from businesses that are certified by the Department of Small and Local Business Development (DSLBD) pursuant to Part D of the Act.

C.2 APPLICABILITY OF STANDARD CONTRACT PROVISIONS

The Standard Contract Provisions for use with District of Columbia Government Supply and Services Contracts dated July 2010 is hereby incorporated and shall be applicable to the contacts resulting from this solicitation. (Attachment D.1)

C.3 POINT OF CONTACT

Any prospective Contractor desiring an explanation or interpretation of this invitation must request it in writing. Request should be directed to the individual identified below. Any information given to a prospective Contractor concerning an invitation will be furnished promptly to all other prospective Contractors as an amendment to the invitation, if that information is necessary in submitting responses or if the lack of it would be prejudicial to any other prospective contractors. Oral explanation or instructions given before the award of the agreement will not be binding. Written requests for explanation or information regarding this invitation must refer to the specific invitation number and be received five (5) days prior to the event closing date and time. All inquiries should be directed to:

Janet C. Concepcion, CPPB
Office of Contracting and Procurement
Transportation and Specialty Equipment Commodity Group

2000 14th Street, NW, 6th floor
Washington, DC 20009
(202) 671-2328
Janet.concepcion2@dc.gov

C.4 PREPARATION AND SUBMISSION OF BIDS

- C.4.1** This Request for Quote will be conducted electronically using the District's Ariba E-Sourcing system. To be considered, a bidder must submit its bid via the Ariba E-Sourcing system before the closing date and time. Paper, telephonic, telegraphic, and facsimile bids may not be accepted.
- C.4.2** All attachments shall be submitted as a pdf file. The District will not be responsible for corruption of any file submitted. If the submitted file cannot be viewed and printed as submitted, it will not be considered.
- C.4.3** Contractor must provide a copy of the Department of Small and Local Business Development (DSLBD) certification, if applicable.
- C.4.4** Contractor must submit a Tax Certification Affidavit (Attachment D.2)
- C.4.5** The District may reject as non-responsive any bid that fails to conform in any material respect to this solicitation.
- C.4.6** The District may also reject as non-responsive any bids submitted on forms not included in or required by the solicitation. Bidders shall make no changes to the requirements set forth in the solicitation.
- C.4.7** Bidders must supply Payment Identification Information:

Federal Taxpayer ID: 520950184

Legal Name of Entity Assigned this Number: Crowell Chevrolet Inc.

Mailing Address: 503 Quince Orchard Rd
Gaithersburg, MD 20878

PAYMENT UNDER TERMS OF ANY BPA RESULTING FROM THIS SOLICITATION WILL BE HELD IN ABEYANCE PENDING RECEIPT OF A VALID FEDERAL TAXPAYER ID.

C.5 SIGNING RESPONSES AND CERTIFICATIONS

- C.5.1** Each response must show a full business address and telephone number of the contractor and **BE SIGNED BY THEIR PERSON OR PERSONS LEGALLY**

AUTHORIZED TO SIGN CONTRACTS. All correspondence concerning the response or resulting contract will be mailed to the address shown on the response in the absence of written instructions from the contractor to the contrary. Any response submitted by a partnership must be signed with the partnership name by a general partner with authority to bind the partnership. Any response submitted by a corporation must be signed with the name of the corporation, followed by the signature and title of the person having authority to sign for the corporation. Upon request, a contractor shall provide to the District satisfactory evidence of authority of the person signing on behalf of the corporation. If an agent signs a response, the contractor shall submit to the contracting officer the agent's authority to bind the contractor. Contractor shall complete and sign all documents required as part of their response. Failure to do so may result in a response being rejected.

C.6 BID SUBMISSION DATE AND TIME

Bids must be submitted into the District's E-Sourcing system no later than the closing date and time. The system will not allow late bids, modifications to bids, or request for withdrawals after the exact closing date and time.

C.7 WITHDRAWAL OR MODIFICATION OF BIDS

A bidder may modify or withdraw its bid via the District E-Sourcing system at any time before the closing date and time for receipt of bids.

C.8 LATE SUBMISSIONS, LATE MODIFICATIONS, & LATE WITHDRAWALS

C.8.1 Late Submissions

The District's E-Sourcing system will not accept late bids or modifications to bids after the closing date and time receipt of bids.

C.8.2 Late Modifications

A late modification of a successful bid which makes its terms more favorable to the District will be considered at any time it is received and may be accepted.

C.9 ACKNOWLEDGEMENT OF AMENDMENTS

The bidder shall acknowledge receipt of any amendment to this solicitation by: (a) identifying the amendment number and date in the space provided for this purpose in Section 11, Solicitation, Offer and Award form; or: (b) electronically via the District's E-Sourcing system's messaging process. The District must receive the acknowledgement by the date and time specified for receipt of its bids. A bidder's failure to acknowledge an amendment may result in rejection of its bid.

Doc256808
Ford F-250 4X4 Crew Cab

SECTION D: ATTACHMENTS

- D.1** **Standard Contract Provisions for use with the District of Columbia Government
Supply and Services Contract dated July 2010.**
- D.2** **Tax Affidavit**

Prepared For:
 DC DPW FM
 DOC256808
 OUC Truck
 Requested Quantity: 1

Prepared By:
 Frank Brewer
 Criswell Automotive, Inc.
 Gaithersburg, MD 20878
 Phone: (301) 370-6537
 Fax: (301) 948-1381
 Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>	<u>Invoice</u>
CK25743	2016 Chevrolet Silverado 2500HD 4WD Crew Cab 153.7" Work Truck	\$39,695.00	\$37,313.31

SELECTED VEHICLE COLORS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: Dark Ash with Jet Black Interior Accents
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>	<u>Invoice</u>
Z85	SUSPENSION PACKAGE, STANDARD includes 51mm twin tube shock absorbers and 33mm front stabilizer bar (STD)	\$0.00	\$0.00
NE1	EMISSIONS, CONNECTICUT, DELAWARE, MAINE, MARYLAND, MASSACHUSETTS, NEW JERSEY, NEW YORK, OREGON, PENNSYLVANIA, RHODE ISLAND, VERMONT AND WASHINGTON STATE REQUIREMENTS	\$0.00	\$0.00
LML	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B20-DIESEL COMPATIBLE (397 hp [296.0 kW] @ 3000 rpm, 765 lb-ft of torque [1032.8 N-m] @ 1600 rpm) (Requires (MW7) Allison 1000 6-speed automatic transmission and (GT4) 3.73 rear axle ratio. Includes (K40) exhaust brake and (K05) engine block heater.)	\$8,595.00	\$7,821.45
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED with overdrive, electronic engine grade braking and tow/haul mode (Requires (LML) Duramax 6.6L Turbo Diesel V8 engine.)	\$0.00	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
 DC DPW FM
 DOC256808
 OUC Truck
 Requested Quantity: 1

Prepared By:
 Frank Brewer
 Criswell Automotive, Inc.
 Gaithersburg, MD 20878
 Phone: (301) 370-6537
 Fax: (301) 948-1381
 Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>	<u>Invoice</u>
C7A	GVWR, 10,000 LBS. (4536 KG) (Requires Crew Cab or Double Cab model and (LML) Duramax 6.6L Turbo Diesel V8 engine. Requires CC25903 model and (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (compressed natural gas) engine, 2WD model and (UB7) Higher Payload Performance Package.)	\$0.00	\$0.00
GT4	REAR AXLE, 3.73 RATIO (Standard with (LML) Duramax 6.6L Turbo Diesel V8 engine.)	\$0.00	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP includes standard equipment	\$0.00	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (STD)	\$0.00	\$0.00
QHQ	TIRES, LT245/75R17E ALL-SEASON, BLACKWALL (STD)	\$0.00	\$0.00
ZY1	PAINT, SOLID	\$0.00	\$0.00
GAZ	SUMMIT WHITE	\$0.00	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER RECLINE with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (STD) (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)	\$0.00	\$0.00
H2R	DARK ASH WITH JET BLACK INTERIOR ACCENTS, CLOTH SEAT TRIM	\$0.00	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO with USB port and auxiliary jack (Not available with (AZ3) 40/20/40 split-bench seat. Upgradeable to (IOB) 7" diagonal color display radio with Chevrolet MyLink.) (STD)	\$0.00	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE includes (DL8) outside heated power-adjustable mirrors, (A91) remote locking tailgate and (AQQ) Remote Keyless Entry (Upgradeable to (DPN) Mirror. Not available with (DF2) Mirror. If (ZW9) pickup box delete is ordered (A91) remote locking tailgate will not be included.)	\$360.00	\$327.60

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
 DC DPW FM
 DOC256808
 OUC Truck
 Requested Quantity: 1

Prepared By:
 Frank Brewer
 Criswell Automotive, Inc.
 Gaithersburg, MD 20878
 Phone: (301) 370-6537
 Fax: (301) 948-1381
 Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>	<u>Invoice</u>
K05	ENGINE BLOCK HEATER (Included with (LML) Duramax 6.6L Turbo Diesel V8 engine.)	INC	INC
—	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS/70 AMP-HR, MAINTENANCE-FREE with rundown protection and retained accessory power (Included and only available with (LML) Duramax 6.6L Turbo Diesel V8 engine.)	INC	INC
KHB	ALTERNATORS, DUAL, 150 AMPS AND 220 AMPS EACH (Requires (LML) Duramax 6.6L Turbo Diesel V8 engine.)	\$380.00	\$345.80
K40	EXHAUST BRAKE (Included and only available with (LML) Duramax 6.6L Turbo Diesel V8 engine.)	INC	INC
RVS	LPO, ASSIST STEPS - 4" BLACK ROUND (dealer-installed) (Not available with (VXJ) 4" round chrome tubular assist steps, LPO, (S6V) cargo box retractable side assist step, LPO or (VXH) 6" rectangular chrome tubular assist steps, LPO.)	\$630.00	\$573.30
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE (Includes driver's side spotter mirror) (Black. Included and only available with (PCM) WT Convenience Package or (PCN) Silverado HD Custom.)	INC	INC
A91	REMOTE LOCKING TAILGATE (Included and only available with (AQQ) Remote Keyless Entry.)	INC	INC
CGN	BED LINER, SPRAY-ON Pickup box bed liner with bowtie logo. consisting of high pressure, chemically bonded, sprayed-on polyurea & polyurethane liner formulation. Liner is permanently bonded to the truck bed providing a water tight seal. The textured, non-skid surface is black in color. Spray-on liner covers entire bed interior surface below side rails, including tailgate, front box top rail, gauge hole plugs and lower tie down loops. (Included with (PCN) Silverado HD Custom. Not available with (ZW9) pickup box delete, (VZX) bed liner, LPO or (LC8) 6.0L V8 SFI Gaseous CNG (compressed natural gas) engine. Not available with any ship thru code.)	\$495.00	\$450.45
AQQ	REMOTE KEYLESS ENTRY (Included and only available with (PCR) WT Fleet Convenience Package or (PCN) Silverado HD Custom. Includes (A91) remote locking tailgate.)	INC	INC
VQ2	FLEET PROCESSING OPTION	\$0.00	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
DC DPW FM
DOC256808
OUC Truck
Requested Quantity: 1

Prepared By:
Frank Brewer
Criswell Automotive, Inc.
Gaithersburg, MD 20878
Phone: (301) 370-6537
Fax: (301) 948-1381
Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>	<u>Invoice</u>
8S3	BACKUP ALARM, 97 DECIBELS (Not available with SEO (SFW) back-up alarm calibration, (ZW9) pickup box delete or (UY2) trailer wiring provisions.)	\$138.00	\$125.58
OPTIONS TOTAL		\$10,598.00	\$9,644.18

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
DC DPW FM
DOC256808
OUC Truck
Requested Quantity: 1

Prepared By:
Frank Brewer
Criswell Automotive, Inc.
Gailthersburg, MD 20878
Phone: (301) 370-6537
Fax: (301) 948-1381
Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

PRICING SUMMARY

PRICING SUMMARY - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

	<u>MSRP</u>	<u>Invoice</u>
Base Price	\$39,895.00	\$37,313.31
Total Options:	\$10,598.00	\$9,644.18
Vehicle Subtotal	\$50,293.00	\$46,957.49
Advert/Adjustments	\$0.00	\$0.00
Destination Charge	\$1,195.00	\$1,195.00
GRAND TOTAL	\$51,488.00	\$48,152.49

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
DC DPW FM
DOC256808
OUC Truck
Requested Quantity: 1

Prepared By:
Frank Brewer
Criswell Automotive, Inc.
Gaithersburg, MD 20878
Phone: (301) 370-6537
Fax: (301) 948-1381
Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

WEIGHT RATINGS

WEIGHT RATINGS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

Front Gross Axle Weight Rating:	* 5,200.00
Rear Gross Axle Weight Rating:	* 6,700.00
Gross Vehicle Weight Rating:	* 10,000.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
DC DPW FM
DOC256808
OUC Truck
Requested Quantity: 1

Prepared By:
Frank Brewer
Criswell Automotive, Inc.
Gaithersburg, MD 20878
Phone: (301) 370-6537
Fax: (301) 948-1381
Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

WARRANTY INFORMATION

WARRANTY INFORMATION - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Roadside Assistance:

5 Years/60,000 Miles

HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance:

2 Years/24,000 Miles

2 visits

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
DC DPW FM
DOC256808
OUC Truck
Requested Quantity: 1

Prepared By:
Frank Brewer
Criswell Automotive, Inc.
Gaithersburg, MD 20878
Phone: (301) 370-6537
Fax: (301) 948-1381
Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"


QUOTE WORKSHEET

QUOTE WORKSHEET - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

MSRP	\$39,695.00
Destination Charge	\$1,195.00
Optional Equipment	\$10,598.00
Dealer Advertising	\$0.00
PRE-TAX ADJUSTMENTS:	
GM & Criswell local govt discount	(\$9,144.00)
Total Pre-Tax Adjustments	(\$9,144.00)
Taxable Price	\$42,344.00
TOTAL	\$42,344.00

Customer Signature / Date

Dealer Signature / Date

 5/25/16

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
DC DPW FM
DOC256808
OUC Truck
Requested Quantity: 1

Prepared By:
Frank Brewer
Criswell Automotive, Inc.
Gaithersburg, MD 20878
Phone: (301) 370-6537
Fax: (301) 948-1381
Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2016 Fleet/Non-Retail CK26743 4WD Crew Cab 153.7" Work Truck

ENGINE

Engine Order Code	* LML
Engine Type	* Turbocharged Diesel V8
Displacement	* 6.6L/403 CID
SAE Net Horsepower @ RPM	* 397 @ 3000
SAE Net Torque (lb ft) @ RPM	* 765 @ 1600

TRANSMISSION

Transmission order code	* MW7
Transmission Type Description	6-Speed Automatic
Drive Train	Four Wheel Drive

MILEAGE

City EPA fuel economy estimate (MPG)
Hwy EPA fuel economy estimate (MPG)
City cruising range (mi)
Hwy cruising range (mi)

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
 DC DPW FM
 DOC256808
 OUC Truck
 Requested Quantity: 1

Prepared By:
 Frank Brewer
 Criswell Automotive, Inc.
 Galtersburg, MD 20878
 Phone: (301) 370-6537
 Fax: (301) 948-1381
 Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truc

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	* 3.10
Second Gear Ratio (:1)	* 1.81
Third Gear Ratio (:1)	* 1.41
Fourth Gear Ratio (:1)	* 1.00
Fifth Gear Ratio (:1)	* 0.71
Sixth Gear Ratio (:1)	* 0.61
Reverse Ratio (:1)	* 4.49
Clutch size (in)	
Power Take-Off	

TRANSFER CASE

Transfer case model	Magna MP1222/5/6
Gear Ratio (:1)	
Transfer case high gear ratio	1.00
Transfer case low gear ratio	2.72
Transfer case power take off	

DIFFERENTIAL

	Front	Rear
Axle Ratio (:1)	* 3.73	* 3.73

ELECTRICAL

Battery	1	2	3	Total
Battery cold cranking Amps @ 0 F	* 730.00			* 730.00
Alternator				
Alternator Amps	* 150/220			

COOLING SYSTEM

Cooling system capacity	* 25.40
Engine oil cooler	Yes

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
 DC DPW FM
 DOC256808
 OUC Truck
 Requested Quantity: 1

Prepared By:
 Frank Brewer
 Criswell Automotive, Inc.
 Gaithersburg, MD 20878
 Phone: (301) 370-6537
 Fax: (301) 948-1381
 Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Wt Rating (lbs)	* 5,200.00	* 6,700.00	
Curb Weight (lbs)	* 4,511.00	* 2,872.00	* 7,383.00
Total Option Weight (lbs)	0.00	0.00	0.00
As Spec'd Curb Weight (lbs)	* 4,511.00	* 2,872.00	* 7,383.00
As spec'd payload (lbs)			* 2,617.00
Total Weight (lbs)	* 4,511.00	* 2,872.00	* 7,383.00
Reserve Axle Capacity (lbs)	* 689.00	* 3,828.00	* 4,517.00
Gross Vehicle Wt Rating (lbs)			* 10,000.00
Gross Combined Wt Rating (lbs)			* 25,100.00
 TRAILERING	Max Trailer Wt.	Max Tongue Load	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	* 13,000.00	* 1,560.00	
Fifth Wheel Hitch (lbs)	* 13,900.00	* 2,617.00	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
 DC DPW FM
 DOC256808
 OUC Truck
 Requested Quantity: 1

Prepared By:
 Frank Brewer
 Criswell Automotive, Inc.
 Galthersburg, MD 20878
 Phone: (301) 370-6537
 Fax: (301) 948-1381
 Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

SUSPENSION		Front	Rear	
Spring				
	Spring Type	Independent	Multi-Leaf	
	Spring Capacity	4,800.00	6,200.00	
Axle				
	Axle Type	Independent	Semi Floating	
	Axle Capacity	4,800.00	6,200.00	
	Shock Absorber Diameter (mm)	51.00	51.00	
	Stabilizer Bar Diameter (in)	1.31		
BRAKES				
	Brake type	Pwr		
	ABS System	4-Wheel		
		Front	Rear	
Disc		Yes	Yes	
	Rotor Diam x Thickness (in)	13.98 x 1.57	14.17 x 1.34	
Drum				
	Drum Diam x Width (in)			
TIRES				
		Front	Rear	Spare
	Tire Order Code	QHJ	QHJ	
	Tire Size	LT245/75R17E	LT245/75R17E	
	Capacity	- TBD -	- TBD -	
	Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
WHEELS				
		Front	Rear	Spare
	Wheel Size	17 x 7.5	17 x 7.5	17 x 7.5
	Wheel Type	Steel	Steel	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
 Customer File:

Prepared For:
 DC DPW FM
 DOC256808
 OUC Truck
 Requested Quantity: 1

Prepared By:
 Frank Brewer
 Criswell Automotive, Inc.
 Gaithersburg, MD 20878
 Phone: (301) 370-6537
 Fax: (301) 948-1381
 Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 163.7" Work Truck

STEERING

Steering type	Pwr
Ratio (:1)	
On Center	16.10
At Lock	- TBD -
Turning Diameter	
Curb-to-Curb	51.50
Wall-to-Wall	N/A

FUEL TANK

	Main	Auxiliary
Capacity	36.00	
Location	- TBD -	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
DC DPW FM
DOC256808
OUC Truck
Requested Quantity: 1

Prepared By:
Frank Brewer
Criswell Automotive, Inc.
Gaithersburg, MD 20878
Phone: (301) 370-6537
Fax: (301) 948-1381
Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

EXTERIOR DIMENSIONS

Wheelbase (in)	153.70
Length, Overall w/o rear bumper (in)	239.50
Width, Max w/o mirrors (in)	80.51
Height, Overall (in)	78.23
Overhang	
Overhang, Front	- TBD -
Front Bumper to Back of Cab (in)	150.10
Cab to Axle (in)	41.26
Cab to End of Frame (in)	- TBD -
Ground to Top of Load Floor (in)	- TBD -
Ground to Top of Frame (in)	- TBD -
Frame Width, Rear (in)	- TBD -
Ground Clearance	
Ground Clearance, Front	9.75
Ground Clearance, Rear	8.20

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	78.90
Width	
Cargo Box Width @ Top, Rear	- TBD -
Cargo Box Width @ Floor	64.9
Cargo Box Width @ Wheelhousings	51.02
Cargo Box (Area) Height (in)	21.10
Tailgate Width (in)	62.20
Cargo Volume (ft ³)	61.00
Ext'd Cab Cargo Volume (ft ³)	- TBD - w/o Rear

INTERIOR DIMENSIONS

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
DC DPW FM
DOC256808
OUC Truck
Requested Quantity: 1

Prepared By:
Frank Brewer
Criswell Automotive, Inc.
Gaithersburg, MD 20878
Phone: (301) 370-6537
Fax: (301) 948-1381
Email: alt-fuel@criswellauto.com

2016 Fleet/Non-Retail Chevrolet Silverado 2500HD 4WD Crew Cab 153.7"

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2016 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

INTERIOR DIMENSIONS

Passenger Capacity	6	
Seating Position	Front	Second
Head Room (in)	42.80	40.50
Leg Room (in)	45.27	40.93
Shoulder Room (in)	64.84	64.33
Hip Room (in)	60.73	60.24

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 439.0, Data updated 5/17/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

May 25, 2016 12:18:39 PM

Page 15