


AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. Contract Number	Page of Pages 1 1	
2. Amendment/Modification Number DCAM-2011-B-0117-002		3. Effective Date 17-Mar-11		4. Requisition/Purchase Request No.	
5. Solicitation Caption Build –Out of Office Space for Contracts Appeals Board at 3rd Floor of One Judiciary Square					
6. Issued By: Department of Real Estate Services Contracting and Procurement Division 2000 14th Street N.W., Suite 500 Washington, D.C. 20009			Code	03B	
7. Administered By (If other than line 6) Department of Real Estate Services Contracting and Procurement Division 2000 14th Street N.W., Suite 500 Washington, D.C. 20009					
8. Name and Address of Contractor (No. Street, city, country, state and ZIP Code)			(X)	9A. Amendment of Solicitation No. DCAM-2011-B-0117	
				9B. Dated (See Item 11) 11-Feb-11	
				10A. Modification of Contract/Order No.	
				10B. Dated (See Item 13)	
Code			Facility		
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<p>The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or fax which includes a reference to the solicitation and amendment number. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or fax, provided each letter or telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>					
12. Accounting and Appropriation Data (If Required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14					
(X)	A. This change order is issued pursuant to: (Specify Authority) The changes set forth in Item 14 are made in the contract/order no. in item 10A.				
	B. The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data, etc.) set forth in item 14, pursuant to the authority of 27 DCMR, Chapter 36, Section 3601.2.				
	C. This supplemental agreement is entered into pursuant to authority of:				
	D. Other (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copy to the issuing office.					
14. Description of amendment/modification (Organized by UCF Section headings, including solicitation/contract subject matter where feasible.)					
<p>1. DRES Drawings for the Contract Appeals Board at One Judiciary Square (OJS), Suite 350N is hereby amended to delete Sheets A1.1, A2.1, A5.1, A6.2, A7.1, A10.1, & D1.1 and replace with the sheets in Attachment A; A1.1, A2.1, A5.1, A6.2, A7.1, A10.1, & D1.1</p> <p>2. DRES Drawings for the Contract Appeals Board at One Judiciary Square (OJS), Suite 350N sheet GF1.1 - General Notes is hereby amended to delete Note 1 and replace with "Furniture, fixtures, and equipment are shown for reference only. See Contracts Appeals Board Furniture Specification and Requirements dated February 11, 2011 and Attachment #1: Contracts Appeals Board furniture List to be included in the Contract." and A6.2 sheet –detail 3. : include vinyl Contract's Appeals Board LOGO Box with 12" by 12" dimension.</p> <p>3. All other terms and conditions remain the same.</p>					
Except as provided herein, all terms and conditions of the document referenced in Item (9A or 10A) remain unchanged and in full force and effect					
15A. Name and Title of Signer (Type or print)			16A. Name of Contracting Officer		
			Diane Wooden		
15B. Name of Contractor		15C. Date Signed	16B. District of Columbia		16C. Date Signed
			Diane Wooden		3/17/2011
(Signature of person authorized to sign)				(Signature of Contracting Officer)	


ATTACHMENT A:
DRES SPECIFICATIONS REVISED SHEETS

GENERAL NOTES:

1. THE GENERAL CONTRACTOR SHALL PROVIDE APPROPRIATELY RATED PROTECTION AT EXISTING PENETRATIONS IN EXISTING FIRE RATED PARTITIONS. THE SCOPE OF WORK SHALL INCLUDE SEALING ALL EXISTING AND PROPOSED PENETRATIONS SUCH AS DUCTS, CONDUITS, PIPES, ETC. THAT PENETRATE THE EXISTING AND PROPOSED FIRE RATED PARTITIONS AND FLOOR/CEILING ASSEMBLIES.
2. ALL INTERIOR OPEN Joints, PENETRATIONS AND OTHER OPENINGS IN THE BUILDING ENVELOPE SHALL BE SEALED, CALKED, GASKETED AND WEATHERSTRIPPED TO LIMIT AIR AND WATER LEAKAGE.
3. PATCH AND REPAIR ALL EXISTING COLUMN FLUSSING, CORNER AND PERIMETER WALLS AS REQUIRED TO MATCH NEW CONSTRUCTION.
4. ALL FINISH WALLS AND COLUMNS SHALL EXTEND VERTICALLY THROUGH THE CEILING WHERE INDICATED ON THE DRAWING OR TO THE STRUCTURE ABOVE WHERE NO CEILING OCCURS U.O.N.
5. FUR OUT EXISTING BASE BUILDING WALLS AS NECESSARY TO ACCOMMODATE NEW ELECTRICAL AND DATA/TELEPHONE OUTLETS, PLUMBING LINES, AND ALIGNMENT WITH PROPOSED WALLS OR DETAILS.
6. ALL PARTITIONS TO BE TYPE "A" U.O.N.
7. PARTITIONS SHALL ALIGN FLUSH WITH EXISTING COLUMNS AND PARTITIONS OR SHALL ALIGN WITH THE CENTERLINES OF EXISTING COLUMNS OR WINDOW MULLING U.O.N. WHERE FACE OF PROPOSED DRYWALL MEETS EXISTING DRYWALL CONSTRUCTION, REMOVE METAL CORNER BRAD PRIOR TO PROCEEDING WITH CONSTRUCTION.
8. CONTRACTOR SHALL MARK LOCATION OF PARTITIONS AND DOORS FOR FIELD REVIEW BY ARCHITECT PRIOR TO INSTALLATION. ARCHITECT SHALL REVIEW FOR DESIGN INTENT ONLY.
9. CONTRACTOR SHALL PROVIDE MOISTURE RESISTANT GYPSUM BOARD AT PANTRY WALL WHERE AREA EXPOSED TO GREATER CONCENTRATIONS OF MOISTURE.
10. THE CONTRACTOR SHALL PROVIDE BLOCKING AND SUPPORTS FOR ALL CASEWORK, COUNTERS, AND SPECIAL EQUIPMENT UNLESS OTHERWISE NOTED. VERIFY MOUNTING HEIGHTS OF BLOCKING WITH SUPPLIERS AND MANUFACTURERS BEFORE INSTALLATION.
11. CONTRACTOR TO SUBMIT PROPOSED THERMOSTAT LOCATIONS TO ARCHITECT AND BUILDING ENGINEER FOR APPROVAL PRIOR TO INSTALLATION.
12. ALL TELEPHONE, SECURITY AND ELECTRICAL WORK SHALL BE COORDINATED AND VERIFIED BY THE GENERAL CONTRACTOR WITH DBE. THIS SHALL INCLUDE BUT BE NOT LIMITED TO FURNITURE, TELEPHONE, DATA AND SECURITY.
13. OCTO TO SUPPLY AND INSTALL DATA TELEPHONE CABLE UNLESS NOTED OTHERWISE.
14. XRAY EXISTING SLAB BEFORE ANY CORE DRILLING. ALL XWAYS FOR CORE DRILL ARE TO BE REVIEWED AND APPROVED BY A CERTIFIED STRUCTURAL ENGINEER IN THE DISTRICT OF COLUMBIA.
15. CORE DRILL LOCATIONS ARE TO BE APPROVED BY DBE.



B PARTIAL FLOOR PLAN @ EXISTING PANTRY
SCALE: 1/4" = 1'-0"



A FLOOR PLAN - 3RD FLOOR
SCALE: 1/8" = 1'-0"

SHEET NOTES:

- EXISTING SUITE ENTRY STOREFRONT SYSTEM TO REMAIN.
- EXISTING INTERCHANGEABLE STORAGE TO REMAIN.


LEGEND



Atelier

1000 K Street NW
Suite 500
Washington, DC 20005
Tel: 202 898 9070
Fax: 202 898 9077
www.atelierarchitects.com

DESIGNED BY	DATE	APPROVED BY	DATE
DRAWN BY	DATE	CHECKED BY	DATE
FLOOR PLAN - 3RD FLOOR			
CONTRACT APPEALS BOARD ONE JUDICIARY SQUARE, SUITE 350N WASHINGTON, DC			A1.1
GOVERNMENT OF THE DISTRICT OF COLUMBIA DEPARTMENT OF GENERAL SERVICES			
PROJECT NO.	DATE	SCALE	DATE
1000000000	01/15/11	1/8" = 1'-0"	01/15/11



A ENLARGED PLAN
SCALE: 1/4" = 1'-0"

GENERAL NOTES:

1. SEE SHEET A1.1 FOR GENERAL NOTES.


SHEET NOTES:

1. 3/4" TONGUE & GROOVE FIRE RETARDANT TREATED PLYWOOD ON 2X8 FIRE RETARDANT TREATED FLOOR JOISTS WITH 1 HOUR FIRE RATED INSULATION IN ALL OPEN SPACES BETWEEN THE EXISTING CONCRETE SLAB AND THE UNDERSIDE OF THE WOOD FLOORING.


LEGEND

■ NC

□ RAISED FLOOR SYSTEM - 2 X 8 DOUGLAS FIR #1 @ 12" O.C. - SPAN FLOOR JOIST IN SHORTEST DIRECTION WITH 3/4" PLYWOOD INSTALLED PERPENDICULAR TO FLOOR JOISTS.



1 MILLION DETAIL
SCALE: 3/4" = 1'-0"




2 RAISED FLOOR/RAMP DETAIL
SCALE: 1" = 1'-0"


Atelier
1000 K Street NW
Suite 500
Washington, DC 20001
Tel: 202 898 8078
Fax: 202 898 8077
www.atelierarchitect.com

DESIGNED BY	DATE	APPROVED BY	DATE
DRAWN BY	DATE	CHECKED BY	DATE
PROJECT NO.	PROJECT NAME		SCALE
ENLARGED PLAN			DATE PLOTTED
CONTRACT APPEALS BOARD ONE AUSTIN SQUARE, SUITE 350W WASHINGTON, DC			A5.1
GOVERNMENT OF THE DISTRICT OF COLUMBIA Department of Recovery & Resilience			PROJECT NO.
DATE PLOTTED			SCALE







2 PLASTIC LAMINATE PANEL DETAIL
SCALE: 3" = 1'-0"



1 INTERIOR ELEVATION @ DIAS
SCALE: 1/2" = 1'-0"



3 MULTIUSE ROOM STOREFRONT
SCALE: 3/4" = 1'-0"



4 SUITE ENTRY STOREFRONT DOOR
SCALE: 3/4" = 1'-0"

VINYL SIGNAGE AND LOGO, GC TO VERIFY SIZE, FONT AND COLOR WITH ORES STANDARDS, TYP.

NOTE: SIGNAGE FOR SUITE ENTRY DOOR IS REDUCED 50% OF THE MULTIUSE ROOM SIGNAGE, GC TO VERIFY IN FIELD.

Atelier
1005 N Street NW
Suite 200
Washington, DC 20001
Tel: 202.898.3070
Fax: 202.898.3077
www.atelierarchitects.com

NO.	REVISION	DATE	BY	APPROVED BY
1	ISSUE FOR PERMIT	05/11	MM	MM
2	REVISION	05/11	MM	MM
3	REVISION	05/11	MM	MM

INTERIOR ELEVATIONS		DATE: 05/11
CONTRACT APPEALS BOARD		PROJECT NO: A6.2
ONE JUDICIARY SQUARE, SUITE 350N		DATE: 05/11
WASHINGTON, DC		SCALE: AS SHOWN
GOVERNMENT OF THE DISTRICT OF COLUMBIA		PROJECT NO: 10-031
GENERAL CONTRACTOR: [REDACTED]		DATE: 05/11
ARCHITECT: [REDACTED]		SCALE: AS SHOWN
DATE: 05/11		PROJECT NO: 10-031
SCALE: AS SHOWN		DATE: 05/11

