

AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT			1. Contract Number		Page of Pages	
					1 3	
2. Amendment/Modification Number A002		3. Effective Date See 16C Below		4. Requisition/Purchase Request No. DCCF-2011-T-6852		5. Solicitation Caption ONE STOP CENTER FURNITURE AND INSTALLATION
6. Issued by: Office of Contracting and Procurement 441 4th Street, NW, Suite 700S Washington, DC 20001			Code KTO	7. Administered by (If other than line 6) Department of Employment Services (DOES) DOES, 609-625 H Street, N.E. WASHINGTON, DC 20002		
8. Name and Address of Contractor (No. street, city, county, state and zip code) ALL PROSPECTIVE OFFERORS				X	9A. Amendment of Solicitation No. DCCF-2011-T-6852	
Code					9B. Dated (See Item 11) October 26, 2010	
Facility					10A. Modification of Contract/Order No.	
					10B. Dated (See Item 13)	
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS						
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended. <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) BY separate letter or fax which includes a reference to the solicitation and amendment number. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such may be made by letter or fax, provided each letter or telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.						
12. Accounting and Appropriation Data (If Required)						
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14						
A. This change order is issued pursuant to (Specify Authority): The changes set forth in Item 14 are made in the contract/order no. in item 10A.						
B. The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data etc.) set forth in item 14, pursuant to the authority of 27 DCMR, Chapter 36, Section 3601.2.						
C. This supplemental agreement is entered into pursuant to authority of: 27 DCMR 3601.2						
D. Other (Specify type of modification and authority) Modification to Exercise Option (option year two (2) of two (2) one (1) year options).						
E. IMPORTANT: Contractor <input type="checkbox"/> is not <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.						
14. Description of Amendment/Modification (Organized by UCF Section headings, including solicitation/contract subject matter where feasible.)						
A. The responses to offeror's written questions submitted regarding Request for Task Order Proposal No. DCCF-2011-T-6852 are hereby described:						
1) Question: Please clarify the submission requirements. In Section 1 you request one original and one copy with the proposal to be submitted in a sealed envelope. In Section 2 Delivery of Solicitation you note Email or Fax Solicitations with your email address and fax number. Do you prefer a hard copy delivered to you in a sealed envelope in addition to an email or faxed copy? If so, to what specific address is the original hard copy to be sent?						
Answer: Section 2 is revised to read: bids are to be submitted via mail or in person to: Office of Contracting and Procurement- Attn: Bid Counter, 441 4 th Street, N.W. Suite 700 South, Washington, DC 20001- NLT 2:00 PM, Local Time, Friday, November 5, 2010.						
2) Question: For Reeves Center Conference Room 12, located in the center section of offices, please confirm that the conference table is staying and the requirement is for 10 conference room chairs only.						

AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT			1. Contract Number	Page of Pages
				2 3
2. Amendment/Modification Number	3. Effective Date	4. Requisition/Purchase Request No.	5. Solicitation Caption	
A002	See Below	DCCF-2011-T-6852	ONE STOP CENTER FURNITURE AND INSTALLATION	

Answer: Yes, in accordance with the Layout for the Reeves Center, the requirement for Room 12 is ten (10) guest chairs only.

3) **Question:** I just wanted to check the status of when the questions will be answered in anticipation of the bid due date of Monday at 2pm.?

Answer: The closing date has been extended from October 29, 2010 to November 5, 2010. Any questions as a result of this Amendment must be submitted by November 1, at 2:00 PM.

4) **Question:** Upon contract award additional access can be coordinated with the COTR.

Answer: See Section Attachment A-Statement of Work-Section 3.5-Requirements.

5) **Question:** Is it your intention to sole source this bid to Kimball or would you view the Mayline product attached as an approved equal?

Answer: The Kimball line is preferred, however, equivalent products may be accepted. Bidders must provide photos and specifications for equivalent items.

6) **Question:** Are the reception desks systems or case goods?

Answer: The reception desks are system goods.

7) **Question:** Can we bid on our own sheet and not your spreadsheet, since our items will be different. Assuming we can bid non-Kimball?

Answer: Bidders shall utilize the pricing sheet provided (Attachment B), however, it is the bidder option to attach supporting documentation to Attachment B.

8) **Question:** There is no installation line on your sheet, add it?

Answer: Line 348 is added to include a line for installation. Please see Revised Attachment B.

9) **Question:** Does the furniture have to be Kimball?

Answer: Please refer to Answer #5.

10) **Question:** Do we need to match the fabric and finishes exactly?


Answer: Yes, fabric and finishes should match.

AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT			1. Contract Number	Page of Pages
			2	3
2. Amendment/Modification Number	3. Effective Date	4. Requisition/Purchase Request No.	5. Solicitation Caption	
A002	See Below	DCCF-2011-T-6852	ONE STOP CENTER FURNITURE AND INSTALLATION	

11) **Question:** Can we get a copy of the layout of the rooms, since they have already decided where they want the furniture to be placed? We just want to make sure we quote what and where they want it?

Answer: The layouts are provided; please see revised Attachment F.

Except as provided herein, all terms and conditions of the document is referenced in Item 9A or 10A remain unchanged and in full force and effect.

15A. Name and Title of Signer (Type or print)		16A. Name of Contracting Officer	
		Courtney Lattimore	
15B. Name of Contractor	15C. Date Signed	16B. District of Columbia	16C. Date Signed
(Signature of person authorized to sign)			10/29/10
		(Signature of Contracting Officer)	

ATTACHMENT A

Attachment A STATEMENT OF WORK

INTRODUCTION

The District of Columbia Government, Office of Contracting and Procurement (OCP), on behalf of The D.C. Department of Employment Services (DOES) is requesting the services of a contractor to provide all labor, supervision, tools, materials, equipment, transportation and management necessary for the delivery and installation of furniture for two (2) One Stop Career Centers.

1. SCOPE

The Contractor shall provide final design, delivery and installation of furniture goods for DC Government properties located at 3720 Martin Luther King Avenue S.E., and 2000 14th Street N.W., by November 30, 2010 and installation and removal and disposal of any debris by completion of project November 30, 2010.

2. BACKGROUND

In efforts to maximize employee efficiency, and to establish an agency customer service unit the Department of Employment Services is seeking assistance in the design and project management of furniture for two (2) One Stop Centers.

3. REQUIREMENTS

- 3.1** The Contractor shall provide full-service space planning, including but not limited to a complete project plan inclusive of a timeline through installation, design drawings for furniture installation, receipt and security of all products at the (2) work sites.
- 3.2** The Contractor shall deliver and install furniture for two (2) D.C. Government facilities. The furniture at each facility shall consist of items identified in Attachment B and approved by the Contracting Officer's Technical Representative (COTR) or his or her designee.
- 3.3** The Contractor shall provide a layout that depicts the location of the furniture, with the proposal submission to the Contracting Officer. In addition, the Contractor shall provide a timeline, displaying the entire process from delivery through installation.

- 3.4 Upon contract award, the Contractor shall provide the final detailed design of the furniture layout within two (2) calendar days to the COTR or designee. Upon final written approval by the COTR, the Contractor shall place the furniture order.
- 3.5 The Contractor shall ensure the installation of the furniture is in accordance with the District's needs with minimal disruption to DOES personnel. The Contractor timeline shall outline the completion of the majority of this project during normal business hours (8:30 AM to 5:00 PM). DOES operations are to be maintained during normal business hours.
- 3.6 The Contractor shall be responsible for complete project management services, including but not limited to daily oversight of the project, daily cleaning, interfacing with COTR and DOES personnel, protection of occupied areas
- 3.7 The Contractor shall coordinate with DOES regarding the removal and disposal of debris to disposal site.
- 3.8 The Contractor shall ensure the installation of the furniture in accordance with all American with Disability Act (ADA) codes and regulations. The Contractor shall ensure that the furniture design is completed by trained staff and that furniture installation is completed by factory trained and certified staff.
- 3.9 The Contractor shall ensure all work is completed in cooperation with the COTR and the existing occupants of DOES office space, to minimize disruption.

4. INSPECTION AND ACCEPTANCE

The District will review all services and deliverables to determine acceptability. If neither the services nor deliverables conform to the contract requirements or District standards, the District may require the Contractor to repeat these services at no increase in the contract amount. When defects in services or deliverables cannot be corrected by performance, the District may require the Contractor to take necessary action to ensure that future performance conforms to contract requirements. If the Contractor fails to promptly perform the services again or take the necessary action to ensure future performance in conformity to contract requirements, the District may (1) by contract or otherwise, perform the services and charge the Contractor any cost incurred, or (2) terminate the contract for default.

5. BUILDING ACCESS

Building access will be between the hours of 8:00AM -5:00PM

The Contractor shall note the following for both locations:

-Passenger elevators are rated at 3500 pounds

-Freight elevator is rated at 4500 pounds

6. DISTRICT RESPONSIBILITY

All work is to be performed at 3720 MLK Avenue S.E., Washington, D.C. and 2000 14th Street N.W., Washington, DC. The COTR shall provide the Contractor with required access site location.

7. CONTRACTOR RESPONSIBILITY

The Contractor shall participate in mandatory site visits scheduled for **Tuesday, October 19, 2010 from 10:00AM to 12:00 Noon at 2000 14th Street N.W., Washington, DC. and Wednesday, October 20, 2010 at 3720 MLK Avenue S.E., Washington, D.C..** During visits, the Contractor will have an opportunity to inspect the site and thoroughly discuss the conditions and details of the project, prior to proposal submission. Information provided at the site visit shall not be considered final and obligatory unless followed up in writing by instructions from the Contracting Officer (CO). The District will coordinate the effort between the Contractor and the required personnel for the installation of all data feeds.

8. DELIVERABLES

SOW Item	Deliverable	Quantity	Format/Method of Delivery	Due Date	To Whom
1	Questions		Electronic	10/21/10 NLT 5PM	Antwanette Murphy
2	Proposal		Electronic or hard copy	10/25/10	Antwanette Murphy
3	Draft design of layout	1	Electronic or hard copy	With proposal submission	Contracting Officer and COTR
4	Final design of layout	1	Electronic or hard copy	Within two (2) days of contract award	COTR

ATTACHMENT B- DCCF-2010-T-6852 -OSC FURNITURE AND INSTALLATION

Reeves Building:

ITEM #	QTY	Description	Unit Price	Amount
1	6	Marquis Monitor Arm - Silver	\$ -	\$ -
2	6	Revolution Keyboard Arm with Lift-Lock, 5-1/2" Neck, Easy Track 19" with Tilt Guage & Height Guage	\$ -	\$ -
3	18	EVENT,SIDE,4 LEG,ARMS,3/4 FLAIR BACK,WITH CASTERS GRADE 2 METALLIX BLACK SAND GRADE 2 METALLIX BLACK SAND STD STANDARD GROUP 1,NON-METALLIC CINDER BLACK HARD DUAL WHEEL	\$ -	\$ -
4	36	EVENT,SIDE,4 LEG,ARMS,3/4 FLAIR BACK,WITH CASTERS GRADE 2 METALLIX BLACK SAND GRADE 2 METALLIX BLACK SAND STD STANDARD GROUP 1,NON-METALLIC CINDER BLACK SOFT DUAL WHEEL	\$ -	\$ -
5	4	STATURE,SIDE,MID-BACK,WOOD,ALL WOOD ARMS MAHARAM GRADE D MEDIUM LASER STANDARD GROUP 1 HONEY	\$ -	\$ -
6	4	WISH,TASK,SYNCRO-TILT,LUMBAR,HGT ADJBL ARMS,CONTRASTING GRADE 2 METALLIX BLACK SAND GRADE 2 METALLIX BLACK SAND CINDER SLIDER STANDARD PNEUMATIC CYLINDER CINDER BLACK HARD DUAL WHEEL	\$ -	\$ -
7	2	WISH,TASK,SYNCRO-TILT,LUMBAR,HGT ADJBL ARMS,CONTRASTING GRADE 2 METALLIX BLACK SAND GRADE 2 METALLIX BLACK SAND CINDER SLIDER	\$ -	\$ -

DOES ONE STOP FURNITURE

		STANDARD PNEUMATIC CYLINDER CINDER BLACK SOFT DUAL WHEEL		
8	6	NONGSA BEO,TANDEM,ONE SEAT,FULLY UPHOLSTERED BACK GRADE 4 ECHO HENNA STANDARD GROUP 1 HONEY	\$ -	\$ -
9	1	PRIORITY,24DX72W,SURFACE,RECTANGULAR,LAMINATE/ WOOD RIM EXTENSION SOFTENED CENTER,MATTE BLACK STANDARD GROUP 1 HONEY STANDARD GROUP 1 HONEY	\$ -	\$ -
10	1	PRIORITY,30DX66W,SURFACE,DESK,RECTANGULAR,LAMI NATE/WOOD RIM SOFTENED G1,RIGHT,MATTE BLACK STANDARD GROUP 1 HONEY STANDARD GROUP 1 HONEY	\$ -	\$ -
11	1	PRIORITY,50WX9H,MODESTY PANEL FOR P & U SHAPE,PARTIAL,GLASS OPAQUE FROST SILVER FROST	\$ -	\$ -
12	10	FOOTPRINT,24DX15WX27H,STOR,PEDESTAL,BBF,FLAT PROFILE,PAINT EXTENDED SPECIFY CORE SEPARATELY STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
13	18	FOOTPRINT,SURFACE,FLAT BRACKET	\$ -	\$ -
14	4	FOOTPRINT,GUSSET BRACKET FOR END PANEL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
15	3	FOOTPRINT,INTERWORKS,CANTILEVER BRACKET,LEFT HAND	\$ -	\$ -

DOES ONE STOP FURNITURE

16	3	FOOTPRINT,INTERWORKS,CANTILEVER BRACKET,RIGHT HAND	\$ -	\$ -
17	9	FOOTPRINT,INTERWORKS,SURFACE BRACKET,EDGE,LEFT HAND	\$ -	\$ -
18	6	FOOTPRINT,INTERWORKS,SURFACE BRACKET,EDGE,RIGHT HAND	\$ -	\$ -
19	9	FOOTPRINT,INTERWORKS,BRACKET,TRANSACTION COUNTER,LEFT HAND STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
20	9	FOOTPRINT,INTERWORKS,BRACKET,TRANSACTION COUNTER,RIGHT HAND STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
21	1	FOOTPRINT,8DX27H,SUPPORT,RETURN PANEL,METAL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
22	1	FOOTPRINT,12DX27H,SUPPORT PANEL,METAL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
23	3	FOOTPRINT,30DX27H,SUPPORT,END PANEL,METAL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
24	2	FOOTPRINT,50WX23H,SUPPORT,MODESTY PANEL,METAL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
25	1	FOOTPRINT,56WX23H,SUPPORT,MODESTY PANEL,METAL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
26	3	SYSTEMS,ACCESSORY,PEDESTAL,NON DEFACE KIT	\$ -	\$ -
27	3	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 2	\$ -	\$ -
28	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 3	\$ -	\$ -
29	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 4	\$ -	\$ -
30	2	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 5	\$ -	\$ -
31	2	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 6	\$ -	\$ -

DOES ONE STOP FURNITURE

32	2	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 7	\$ -	\$ -
33	2	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 10	\$ -	\$ -
34	3	FOOTPRINT,36DX36W,SURFACE,1 3/16T,COR,CRVD,THERM,WIRE MGR PF SLOPED STANDARD GROUP 1 ANTIQUÉ WHITE ANTIQUÉ WHITE	\$ -	\$ -
35	6	FOOTPRINT,24DX36W,SURF,1 3/16T,STRAIGHT,THERMOFOIL,WIRE MGR SLOPED STANDARD GROUP 1 ANTIQUÉ WHITE ANTIQUÉ WHITE	\$ -	\$ -
36	1	FOOTPRINT,30DX66W,SURF,1 3/16T,STR,LAM,SGL RIM PF 1/8" MOLDED PVC STANDARD GROUP 1 WHITE TIGRIS CINDER GROMMET,RIGHT FACTORY INSTALL 99KG50	\$ -	\$ -
37	1	FOOTPRINT,30DX66W,SURF,1 3/16T,STR,LAM,SGL RIM PF 1/8" MOLDED PVC STANDARD GROUP 1 WHITE TIGRIS CINDER GROMMET,LEFT FACTORY INSTALL 99KG50	\$ -	\$ -
38	6	Transaction Counter, Thermofoil, 15x36, sloped edge front, back, and left SLOPED STANDARD GROUP 1 ANTIQUÉ WHITE	\$ -	\$ -
39	1	FUNDAMENTAL,18DX36W,LATERAL FILE,THREE HIGH EXTENDED SPECIFY CORE SEPARATELY STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
40	2	FUNDAMENTAL,18DX36W,STORAGE CABINET,FIVE HIGH,HINGE DOORS SPECIFY CORE SEPARATELY STANDARD GROUP M,METALLIC	\$ -	\$ -

DOES ONE STOP FURNITURE

		PLATINUM METALLIC		
41	8	FUNDAMENTAL,18DX36W,STORAGE,OVERFILE SHELF,PAINTED STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
42	3	FUNDAMENTAL,COUNTER WEIGHT	\$ -	\$ -
43	3	18D,FILE BARS,FRONT TO BACK	\$ -	\$ -
44	5	INTERWORKS EQ,42H,FINISH CHANNEL,L C CROWNED PLATINUM GRADE B H2O SLEET	\$ -	\$ -
45	2	INTERWORKS EQ,42H,FINISH CHANNEL,S AND T CROWNED PLATINUM GRADE B H2O SLEET	\$ -	\$ -
46	6	INTERWORKS EQ,42H,FULL END TRIM,POLYMER CROWNED PLATINUM	\$ -	\$ -
47	3	INTERWORKS EQ,PANEL CONNECTOR KIT,IN LINE,PKG OF 2 CROWNED PLATINUM	\$ -	\$ -
48	2	INTERWORKS EQ,ELECTRICAL,JUMPER,PANEL-TO-PANEL,ADJACENT 8 WIRE,4 CIRCUIT	\$ -	\$ -
49	5	INTERWORKS EQ,ELECTRICAL,JUMPER,CORNER 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
50	6	INTERWORKS EQ,ELECTRICAL,DUPLEX RECEPTACLE,8-WIRE 8 WIRE,4 CIRCUIT	\$ -	\$ -
51	3	10PER4 INTERWORKS EQ,ELECTRICAL,DUPLEX RECEPTACLE,8-WIRE RM 300 \$ 28.00 \$ 84.00 78.500 \$ 6.02 \$ 18.06 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
52	2	INTERWORKS EQ,ELECTRICAL,FLOOR POWER ENTRY,SIDE,PLUG-IN 8 WIRE,4 CIRCUIT	\$ -	\$ -
53	4	INTERWORKS EQ,24WX42H,PANEL,TACKABLE ACOUSTICAL CROWNED NON-PUNCHED	\$ -	\$ -

DOES ONE STOP FURNITURE

		PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET		
54	2	INTERWORKS EQ,24WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 8 WIRE,4 CIRCUIT CROWNED PUNCHED POWER & DATA,1 BLANK PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET	\$ -	\$ -
55	3	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL CROWNED NON-PUNCHED PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET	\$ -	\$ -
56	4	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 8 WIRE,4 CIRCUIT CROWNED PUNCHED,1 BLANK PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET	\$ -	\$ -
57	1	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 8 WIRE,4 CIRCUIT CROWNED 2 PUNCHED PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET	\$ -	\$ -
58	1	INTERWORKS EQ,36WX42H,PANEL,TACKABLE	\$ -	\$ -

DOES ONE STOP FURNITURE

		ACOUSTICAL,PWRD 8 WIRE,4 CIRCUIT CROWNED 1 PUNCHED POWER & DATA,1 BLANK PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET		
59	1	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 8 WIRE,4 CIRCUIT CROWNED 2 PUNCHED POWER & DATA PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET	\$ -	\$ -
60	27	SCENARIO,VERTICAL CABLE MANAGER,462	\$ -	\$ -
61	2	SCENARIO,VERTICAL CABLE MANAGER,XBASE,462	\$ -	\$ -
62	2	SCENARIO,21DX24W,TOP,PODIUM CART,LAMINATE PDC POWER DATA CENTER STANDARD GROUP 1 WHITE TIGRIS	\$ -	\$ -
63	2	SCENARIO,27WX42H,X BASE,HEIGHT ADJUSTABLE,MOBILE,462	\$ -	\$ -
64	27	SCENARIO,30DX60W,TOP,RECTANGULAR,LAMINATE POWER DATA CENTER,CENTER STANDARD GROUP 1 WHITE TIGRIS	\$ -	\$ -
65	27	SCENARIO,24DX60WX28H,NESTING LEGS,W/ELECTRICAL CHANNEL,462	\$ -	\$ -
66	2	SCENARIO,ELECTRICAL,POWER DATA CENTER,SURFACE MOUNTED	\$ -	\$ -
67	27	SCENARIO,ELECTRICAL,POWER DATA CENTER,SURFACE MOUNTED	\$ -	\$ -
68	27	SCENARIO,GANGING MECHANISM,462	\$ -	\$ -
69	2	ARRAY,30DX72W,TABLE,RECTANGULAR,FLDG T	\$ -	\$ -

DOES ONE STOP FURNITURE

		LEGS,THIN PF RIM MOBILE NO GROMMET STANDARD GROUP 1 WHITE TIGRIS CINDER STANDARD GROUP 1,NON-METALLIC 462 CINDER		
70	1	CONF SOL,34DX34WX28H,X BASE,FINISH GROUP ONE S STATIC 462 CINDER	\$ -	\$ -
71	1	CONF SOL,42DIA,TOP,ROUND,LAMINATE,RIM GROUP 1 J FLAT NO GROMMET STANDARD GROUP 1 HONEY	\$ -	\$ -
72	10	PERKS,6DX12W,PENCIL TRAY,BLACK	\$ -	\$ -
73	1	PERKS,19DX22W,CENTER DRAWER,PLASTIC	\$ -	\$ -
74	3	Perks Load Bar, 36W, Paint: Tango Red #112 STANDARD GROUP 1,NON-METALLIC HUM TANGO RED	\$ -	\$ -
75	3	Perks Binder Shelf, Paint: Tango Red #112 STD STANDARD GROUP 1,NON-METALLIC HUM TANGO RED	\$ -	\$ -
76	3	Perks Slanted Sorter, Paint: Tango Red #112 STD STANDARD GROUP 1,NON-METALLIC HUM TANGO RED	\$ -	\$ -
77	3	Thinline Keyboard Tray - QC Over-Even, Swv/Tilt Mouse Tray, Gel Palm, GELMP, Black	\$ -	\$ -
78	3	Marquis Monitor Arm - Silver	\$ -	\$ -
79	3	Revolution Keyboard Arm with Lift-Lock, 5-1/2" Neck, Easy Track 19" with Tilt Guage & Height Guage	\$ -	\$ -
80	4	EVENT,SIDE,4 LEG,ARMS,3/4 FLAIR BACK,WITH CASTERS GRADE 2 METALLIX BLACK SAND GRADE 2 METALLIX BLACK SAND STANDARD GROUP 1,NON-METALLIC CINDER BLACK HARD DUAL WHEEL	\$ -	\$ -

DOES ONE STOP FURNITURE

81	8	EVENT,SIDE,4 LEG,ARMS,3/4 FLAIR BACK,WITH CASTERS GRADE 2 METALLIX BLACK SAND GRADE 2 STANDARD GROUP 1,NON-METALLIC CINDER BLACK SOFT DUAL WHEEL	\$ -	\$ -
82	3	STATURE,SIDE,MID-BACK,WOOD,ALL WOOD ARMS MEDIUM LASER STANDARD GROUP 1 HONEY	\$ -	\$ -
83	2	WISH,TASK,SYNCRO-TILT,LUMBAR,HGT ADJBL ARMS,CONTRASTING GRADE 2 METALLIX BLACK SAND GRADE 2 METALLIX BLACK SAND CINDER SLIDER STANDARD PNEUMATIC CYLINDER CINDER BLACK HARD DUAL WHEEL	\$ -	\$ -
84	1	85 1 WISH,TASK,SYNCRO-TILT,LUMBAR,HGT ADJBL ARMS,CONTRASTING GRADE 2 METALLIX BLACK SAND GRADE 2 METALLIX BLACK SAND CINDER SLIDER STANDARD PNEUMATIC CYLINDER CINDER BLACK SOFT DUAL WHEEL	\$ -	\$ -
85	11	NONGSA BEO,TANDEM,ONE SEAT,FULLY UPHOLSTERED BACK GRADE 4 ECHO HENNA STANDARD GROUP 1 HONEY	\$ -	\$ -
86	2	PRIORITY,24DX72W,SURFACE,RECTANGULAR,LAMINATE/ WOOD RIM EXTENSION SOFTENED G1,CENTER,MATTE BLACK STANDARD GROUP 1 HONEY STANDARD GROUP 1 HONEY	\$ -	\$ -

DOES ONE STOP FURNITURE

87	1	PRIORITY,30DX66W,SURFACE,DESK,RECTANGULAR,LAMI NATE/WOOD RIM SOFTENED G1,LEFT, MATTE BLACK STANDARD GROUP 1 HONEY STANDARD GROUP 1 HONEY	\$ -	\$ -
88	1	PRIORITY,30DX66W,SURFACE,DESK,RECTANGULAR,LAMI NATE/WOOD RIM SOFTENED G1,RIGHT,MATTE BLACK STANDARD GROUP 1 HONEY STANDARD GROUP 1 HONEY	\$ -	\$ -
89	2	PRIORITY,50WX9H,MODESTY PANEL FOR P & U SHAPE,PARTIAL,GLASS OPAQUE FROST SILVER FROST	\$ -	\$ -
90	5	FOOTPRINT,24DX15WX27H,STOR,PEDESTAL,BBF,FLAT PROFILE,PAINT EXTENDED SPECIFY CORE SEPARATELY STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
91	5	FOOTPRINT,GUSSET BRACKET FOR END PANEL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
92	2	I FOOTPRINT,12DX27H,SUPPORT PANEL,METAL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
93	3	FOOTPRINT,30DX27H,SUPPORT,END PANEL,METAL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
94	1	FOOTPRINT,50WX23H,SUPPORT,MODESTY PANEL,METAL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
95	1	SYSTEMS,ACCESSORY,PEDESTAL,NON DEFACE KIT	\$ -	\$ -
96	3	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 3	\$ -	\$ -

DOES ONE STOP FURNITURE

97	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 4	\$ -	\$ -
98	3	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 5	\$ -	\$ -
99	1	FOOTPRINT,30DX66W,SURF,1 3/16T,STR,LAM,SGL RIM PF P 1/8" MOLDED PVC STANDARD GROUP 1 WHITE TIGRIS CINDER GROMMET,LEFT FACTORY INSTALL 99KG50 GROMMET,RIGHT FACTORY INSTALL 99KG50	\$ -	\$ -
100	2	FUNDAMENTAL,18DX36W,LATERAL FILE,THREE HIGH EXTENDED SPECIFY CORE SEPARATELY STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
101	2	FUNDAMENTAL,COUNTER WEIGHT RM 326A	\$ -	\$ -
102	6	FILING,18D,FILE BARS,FRONT TO BACK	\$ -	\$ -
103	4	SCENARIO,VERTICAL CABLE MANAGER,462	\$ -	\$ -
104	4	SCENARIO,30DX60W,TOP,RECTANGULAR,LAMINATE POWER DATA CENTER,CENTER STANDARD GROUP 1 WHITE TIGRIS	\$ -	\$ -
105	4	SCENARIO,24DX60WX28H,NESTING LEGS,W/ELECTRICAL CHANNEL,462	\$ -	\$ -
106	4	SCENARIO,ELECTRICAL,POWER DATA CENTER,SURFACE MOUNTED	\$ -	\$ -
107	4	SCENARIO,GANGING MECHANISM,462	\$ -	\$ -
108	1	CONF SOL,34DX34WX28H,X BASE,FINISH GROUP ONE STATIC CINDER	\$ -	\$ -
109	2	CONF SOL,34DX34WX28H,X BASE,FINISH GROUP ONE STATIC CINDER	\$ -	\$ -
110	2	CONF SOL,36DIA,TOP,ROUND,LAMINATE,RIM GROUP 1 FLAT NO GROMMET STANDARD GROUP 1 HONEY	\$ -	\$ -

DOES ONE STOP FURNITURE

111	1	CONF SOL,42DIA, TOP,ROUND,LAMINATE,RIM GROUP 1 FLAT NO GROMMET STANDARD GROUP 1 HONEY	\$ -	\$ -
112	5	PERKS,6DX12W,PENCIL TRAY,BLACK	\$ -	\$ -
113	2	PERKS,19DX22W,CENTER DRAWER,PLASTIC	\$ -	\$ -
114	5	PERKS,GROMMET,SATIN NICKEL	\$ -	\$ -
115	1	Thinline Keyboard Tray - QC Over-Even, Swv/Tilt Mouse Tray, Gel Palm, GELMP, Black	\$ -	\$ -
116	1	Marquis Monitor Arm - Silver	\$ -	\$ -
117	1	Revolution Keyboard Arm with Lift-Lock, 5-1/2" Neck, Easy Track 19" with Tilt Guage & Height Guage	\$ -	\$ -
118	38	STATURE,SIDE,MID-BACK,WOOD,ALL WOOD ARMS MAHARAM GRADE D MEDIUM LASER STANDARD GROUP 1 HONEY	\$ -	\$ -
119	20	WISH,TASK,SYNCRO-TILT,LUMBAR,HGT ADJBL ARMS,CONTRASTING GRADE 2 METALLIX BLACK SAND GRADE 2 METALLIX BLACK SAND CINDER SLIDER STANDARD PNEUMATIC CYLINDER CINDER BLACK HARD DUAL WHEEL	\$ -	\$ -
120	1	PRIORITY,24DX72W,SURFACE,RECTANGULAR,LAMINATE/ WOOD RIM EXTENSION SOFTENED G1,CENTER,MATTE BLACK STANDARD GROUP 1 HONEY STANDARD GROUP 1 HONEY	\$ -	\$ -
121	1	PRIORITY,30DX66W,SURFACE,DESK,RECTANGULAR,LAMI NATE/WOOD RIM SOFTENED G1,LEFT, MATTE BLACK STANDARD GROUP 1	\$ -	\$ -

DOES ONE STOP FURNITURE

		HONEY STANDARD GROUP 1 HONEY		
122	1	PRIORITY,50WX9H,MODESTY PANEL FOR P & U SHAPE,PARTIAL,GLASS OPAQUE FROST SILVER FROST	\$ -	\$ -
123	2	FOOTPRINT,24DX15WX27H,STOR,PEDESTAL,BBF,FLAT PROFILE,PAINT EXTENDED SPECIFY CORE SEPARATELY STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
124	2	FOOTPRINT,GUSSET BRACKET FOR END PANEL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
125	1	IFOOTPRINT,12DX27H,SUPPORT PANEL,METAL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
126	1	FOOTPRINT,30DX27H,SUPPORT,END PANEL,METAL STDM STANDARD GROUP M,METALLIC 501 PLATINUM METALLIC	\$ -	\$ -
127	3	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 4	\$ -	\$ -
128	1	FUNDAMENTAL,18DX36W,LATERAL FILE,TWO HIGH EXTENDED RANDOM CORE INCL,NOT INSTALLED STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
129	1	FUNDAMENTAL,18DX36W,LATERAL FILE,THREE HIGH EXTENDED SPECIFY CORE SEPARATELY STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
130	2	FUNDAMENTAL,COUNTER WEIGHT	\$ -	\$ -
131	2	FILING,18D,FILE BARS,FRONT TO BACK	\$ -	\$ -
132	3	FILING,18D,FILE BARS,FRONT TO BACK	\$ -	\$ -
133	1	UNIVERSAL,18DX36W,SURFACE,1 3/16T,LATERAL FILE,LAMINATE 1/8" MOLDED PVC STANDARD GROUP 1 HONEY CINDER	\$ -	\$ -

DOES ONE STOP FURNITURE

134	1	CONF SOL,34DX34WX28H,X BASE,FINISH GROUP ONE RM 335 \$ 541.00 \$ 541.00 64.000 \$ 194.76 \$ 194.76 STATIC CINDER	\$ -	\$ -
135	1	CONF SOL,42DIA, TOP,ROUND,LAMINATE,RIM GROUP 1 FLAT NO GROMMET STANDARD GROUP 1 HONEY	\$ -	\$ -
136	2	PERKS,6DX12W,PENCIL TRAY,BLACK	\$ -	\$ -
137	1	PERKS,19DX22W,CENTER DRAWER,PLASTIC	\$ -	\$ -

3720 Martin Luther King Ave (MLK)

First Floor:

	Quantity	Description		
138	2	INTERWORKS EQ,ELECTRICAL,FLOOR POWER ENTRY,END 8 WIRE,4 CIRCUIT	\$ -	\$ -
139	2	INTERWORKS EQ,ELECTRICAL,FLOOR POWER ENTRY,SIDE,PLUG-IN 8 WIRE,4 CIRCUIT	\$ -	\$ -
140	22	Thinline Keyboard Tray - QC Over-Even, SwvTilt/Mouse Tray, Gel Palm, GELMP, Black	\$ -	\$ -
141	22	Marquis Pole Mount Monitor Arm	\$ -	\$ -
142	22	Revolution Keyboard Arm with Lift-Lock, 5-1/2" Neck, Easy Track 19" with Tilt Guage & Height Guage	\$ -	\$ -
143	66	EVENT,SIDE,4 LEG,ARMS,3/4 FLAIR BACK,WITH CASTERS GRADE 2 GRADE 2 METALLIX BLACK SAND GRADE 2 METALLIX BLACK SAND STD STANDARD GROUP 1,NON-METALLIC CINDER BLACK SOFT DUAL WHEEL	\$ -	\$ -
144	4	EVENT,TRANSPORT DOLLY	\$ -	\$ -
145	2	WISH,TASK,SYNCRO-TILT,LUMBAR,3D ARMS,CONTRASTING GRADE 2 METALLIX BLACK SAND GRADE 2 CINDER SLIDER STANDARD PNEUMATIC CYLINDER CINDER	\$ -	\$ -

DOES ONE STOP FURNITURE

		BLACK SOFT DUAL WHEEL		
146	10	NONGSA BEO,TANDEM,ONE SEAT,FULLY UPHOLSTERED BACK GRADE 4 ECHO HENNA STANDARD GROUP 1 HONEY	\$ -	\$ -
147	2	FOOTPRINT,30DX15WX27H,STOR,PEDESTAL,BBF,FLAT PROFILE,PAINT EXTENDED SPECIFY CORE SEPARATELY STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
148	3	SYSTEMS,ACCESSORY,WIRE MANAGER FILL CAP ANTIQUÉ WHITE	\$ -	\$ -
149	16	FOOTPRINT,INTERWORKS,CANTILEVER BRACKET,LEFT HAND	\$ -	\$ -
150	16	FOOTPRINT,INTERWORKS,CANTILEVER BRACKET,RIGHT HAND	\$ -	\$ -
151	2	FOOTPRINT,30DX27H,SPRT,END PANEL,INTERWORKS ATTACHMENT,METAL STANDARD GROUP M,METALLIC PLATINUM METALLIC	\$ -	\$ -
152	4	FOOTPRINT,SURFACE,FLAT BRACKET	\$ -	\$ -
153	4	FOOTPRINT,INTERWORKS,SURFACE BRACKET,EDGE,LEFT HAND	\$ -	\$ -
154	3	FOOTPRINT,INTERWORKS,SURFACE BRACKET,EDGE,RIGHT HAND	\$ -	\$ -
155	14	FOOTPRINT,24DX36W,SURF,1 3/16T,STRAIGHT,THERMOFOIL,WIRE MGR SLOPED STANDARD GROUP 1 ANTIQUÉ WHITE ANTIQUÉ WHITE	\$ -	\$ -
156	2	FOOTPRINT,30DX42W,SURF,1 3/16T,STR,THERML,WIRE MGR PROFILE SLOPED STANDARD GROUP 1	\$ -	\$ -

DOES ONE STOP FURNITURE

		ANTIQUE WHITE ANTIQUE WHITE		
157	1	FOOTPRINT,30DX96W,SURF,1 3/16T,STR,THERM,WIRE MGR PF,COPEDEDGE RIGHT TO ADJOIN 30D RETURN SLOPED STANDARD GROUP 1 ANTIQUE WHITE ANTIQUE WHITE	\$ -	\$ -
158	1	FOOTPRINT,30DX96W,SURF,1 3/16T,STR,THERM,WIRE MGR PF,COPEDEDGE LEFT TO ADJOIN 30D RETURN SLOPED STANDARD GROUP 1 ANTIQUE WHITE ANTIQUE WHITE	\$ -	\$ -
159	11	INTERWORKS EQ,42H,FINISH CHANNEL,L CROWNED PLATINUM GRADE B H2O SLEET	\$ -	\$ -
160	10	INTERWORKS EQ,42H,FINISH CHANNEL,S AND T CROWNED PLATINUM GRADE B H2O SLEET	\$ -	\$ -
161	22	INTERWORKS EQ,42H,FULL END TRIM,POLYMER CROWNED PLATINUM	\$ -	\$ -
162	2	INTERWORKS EQ,PANEL CONNECTOR KIT,IN LINE,PKG OF 2 CROWNED PLATINUM	\$ -	\$ -
163	2	INTERWORKS EQ,ELECTRICAL,JUMPER,PANEL-TO- PANEL,ADJACENT 8 WIRE,4 CIRCUIT	\$ -	\$ -
164	10	INTERWORKS EQ,ELECTRICAL,JUMPER,PANEL-TO- PANEL,BRDG 8 WIRE,4 CIRCUIT	\$ -	\$ -
165	8	INTERWORKS EQ,ELECTRICAL,JUMPER,CORNER 8 WIRE,4 CIRCUIT	\$ -	\$ -

DOES ONE STOP FURNITURE

166	1	INTERWORKS EQ,ELECTRICAL,DUPLEX RECEPTACLE,8-WIRE 8 WIRE,4 CIRCUIT	\$ -	\$ -
167	1	INTERWORKS EQ,ELECTRICAL,DUPLEX RECEPTACLE,8-WIRE 8 WIRE,4 CIRCUIT	\$ -	\$ -
168	8	INTERWORKS EQ,ELECTRICAL,DUPLEX RECEPTACLE,8-WIRE 8 WIRE,4 CIRCUIT	\$ -	\$ -
169	8	INTERWORKS EQ,ELECTRICAL,DUPLEX RECEPTACLE,8-WIRE 8 WIRE,4 CIRCUIT	\$ -	\$ -
170	3	INTERWORKS EQ,24WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 8 WIRE,4 CIRCUIT CROWNED 1 PUNCHED POWER & DATA,1 BLANK PLATINUM STORM GRADE B H2O SLEET	\$ -	\$ -
171	3	INTERWORKS EQ,30WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 8 WIRE,4 CIRCUIT CROWNED 1 PUNCHED POWER & DATA,1 BLANK PLATINUM STORM GRADE B H2O SLEET	\$ -	\$ -
172	13	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL CROWNED 2 NON-PUNCHED PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET	\$ -	\$ -
173	16	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD	\$ -	\$ -

DOES ONE STOP FURNITURE

		CROWNED 2 NON-PUNCHED 1 PUNCHED POWER & DATA,1 BLANK PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET		
174	2	INTERWORKS EQ,42WX42H,PANEL,TACKABLE ACOUSTICAL CROWNED 2 NON-PUNCHED PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET	\$ -	\$ -
175		INTERWORKS EQ,48WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 8 WIRE,4 CIRCUIT CROWNED 1 PUNCHED,1 BLANK STORM STORM GRADE B H2O SLEET GRADE B H2O SLEET	\$ -	\$ -
176	27	SCENARIO,VERTICAL CABLE MANAGER,462	\$ -	\$ -
177	2	SCENARIO,VERTICAL CABLE MANAGER,XBASE,462	\$ -	\$ -
178	2	SCENARIO,21DX24W,TOP,PODIUM CART,LAMINATE POWER DATA CENTER,CENTER STANDARD GROUP 1 WHITE TIGRIS	\$ -	\$ -
179	2	SCENARIO,27WX42H,X BASE,HEIGHT ADJUSTABLE,MOBILE,462	\$ -	\$ -
180	6	SCENARIO,30DX48W,TOP,RECTANGULAR,LAMIANTE POWER DATA CENTER,CENTER STANDARD GROUP 1 WHITE TIGRIS	\$ -	\$ -
181	23	SCENARIO,30DX60W,TOP,RECTANGULAR,LAMINATE POWER DATA CENTER,CENTER STANDARD GROUP 1	\$ -	\$ -

DOES ONE STOP FURNITURE

		WHITE TIGRIS		
182	6	SCENARIO,24DX48WX28H,NESTING LEGS,W/ELECTRICALCHANNEL,462	\$ -	\$ -
183	23	SCENARIO,24DX60WX28H,NESTING LEGS,W/ELECTRICAL CHANNEL,462	\$ -	\$ -
184	25	SCENARIO,ELECTRICAL,POWER DATA CENTER,SURFACE MOUNTED	\$ -	\$ -
185	27	SCENARIO,GANGING MECHANISM,462	\$ -	\$ -
186	2	PERKS,6DX12W,PENCIL TRAY,BLACK	\$ -	\$ -
187	2	PERKS,19DX22W,CENTER DRAWER,PLASTIC	\$ -	\$ -
188	2	Perks Binder Shelf, Paint: Tango Red #112 STANDARD GROUP 1,NON-METALLIC Tango Red	\$ -	\$ -
189	2	Perks Load Bar, 48W, Painted: Tango Red #112 INTERWORKS EQ STANDARD GROUP 1,NON-METALLIC Tango Red	\$ -	\$ -
190	2	Perks Slanted Sorter, Paint: Tango Red #112 STANDARD GROUP 1,NON-METALLIC Tango Red	\$ -	\$ -
Second Floor:				
191	24	Thinline Keyboard Tray - QC Over-Even, Swv/Tilt Mouse Tray, Gel Palm, Black	\$ -	\$ -
192	24	Marquis Monitor Arm - Silver	\$ -	\$ -
193	24	Revolution Keyboard Arm with Lift-Lock, 5-1/2" Neck, Easy Track 19" with Tilt Gauge & Height Gauge	\$ -	\$ -
194	24	STATURE,SIDE,MID-BACK,WOOD,ALL WOOD ARMS MAHARAM GRADE D MEDIUM LASER STANDARD GROUP 1 HONEY	\$ -	\$ -
195	24	WISH,TASK,SYNCRO-TILT,LUMBAR,HGT ADJBL ARMS,CONTRASTING GRADE 2 METALLIX BLACK SAND GRADE 2 METALLIX BLACK SAND	\$ -	\$ -

DOES ONE STOP FURNITURE

		CINDER SLIDER STANDARD PNEUMATIC CYLINDER CINDER BLACK HARD DUAL WHEEL		
196	1	PRIORITY,24DX60W,SURFACE,RECTANGULAR,LAMINATE/ WOOD RIM EXTENSION SOFTENED G1,CENTER,MATTE BLACK STANDARD GROUP 1 HONEY STANDARD GROUP 1 HONEY	\$ -	\$ -
197	1	PRIORITY,24DX72W,SURFACE,RECTANGULAR,LAMINATE/ WOOD RIM EXTENSION SOFTENED G1,CENTER,MATTE BLACK STANDARD GROUP 1 HONEY STANDARD GROUP 1 HONEY	\$ -	\$ -
198	11	PRIORITY,30DX66W,SURFACE,DESK,RECTANGULAR,LAMI NATE/WOOD RIM SOFTENED G1,LEFT, MATTE BLACK STANDARD GROUP 1 HONEY STANDARD GROUP 1 HONEY	\$ -	\$ -
199	13	PRIORITY,30DX66W,SURFACE,DESK,RECTANGULAR,LAMI NATE/WOOD RIM SOFTENED G1,RIGHT,MATTE BLACK STANDARD GROUP 1 HONEY STANDARD GROUP 1 HONEY	\$ -	\$ -
200	24	PRIORITY,50WX9H,MODESTY PANEL FOR P & U SHAPE,PARTIAL,GLASS OPAQUE FROST SILVER FROST	\$ -	\$ -
201	26	FOOTPRINT,24DX15WX27H,STOR,PEDESTAL,BBF,FLAT PROFILE,PAINT EXTENDED SPECIFY CORE SEPARATELY	\$ -	\$ -

DOES ONE STOP FURNITURE

		STANDARD GROUP M,METALLIC PLATINUM METALLIC		
202	26	FBG FOOTPRINT,GUSSET BRACKET FOR END PANEL STD STANDARD METALLIC PLATINUM METALLIC	\$ -	\$ -
203	2	SYSTEMS,72WX20H,ACCESSORY,TACKBOARD,HIGHBACK GRADE B H2O SLEET	\$ -	\$ -
204	2	FOOTPRINT,12DX27H,SUPPORT PANEL,METAL STD STANDARD GROUP METALLIC PLATINUM METALLIC	\$ -	\$ -
205	24	FOOTPRINT,30DX27H,SUPPORT,END PANEL,METAL STD STANDARD METALLIC PLATINUM METALLIC	\$ -	\$ -
206	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO	\$ -	\$ -
207	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 2	\$ -	\$ -
208	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 3	\$ -	\$ -
209	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 4	\$ -	\$ -
210	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 5	\$ -	\$ -
211	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 6	\$ -	\$ -
212	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 11	\$ -	\$ -
213	4	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 12	\$ -	\$ -
214	2	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 12	\$ -	\$ -
215	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 13	\$ -	\$ -
216	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 15	\$ -	\$ -
217	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 16	\$ -	\$ -
218	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 17	\$ -	\$ -
219	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 18	\$ -	\$ -
220	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 22	\$ -	\$ -
221	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 23	\$ -	\$ -
222	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 24	\$ -	\$ -

DOES ONE STOP FURNITURE

223	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 25	\$ -	\$ -
224	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 26	\$ -	\$ -
225	1	CORE,STYLE D,KEYED NO 27	\$ -	\$ -
226	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 28	\$ -	\$ -
227	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 29	\$ -	\$ -
228	5	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 33	\$ -	\$ -
229	3	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 33	\$ -	\$ -
230	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 46	\$ -	\$ -
231	1	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 47	\$ -	\$ -
232	2	SYSTEMS,49W,TASK LIGHT	\$ -	\$ -
233	2	Highback Organizer, Square Profile, Laminate Chassis and Doors, 72Wx39H INTEGRATED SPECIFY CORE SEPARATELY HONEY	\$ -	\$ -
234	1	FUNDAMENTAL,18DX36W,LATERAL FILE,THREE HIGH E EXTENDED KSB SPECIFY CORE SEPARATELY STDM STANDARD GROUP M,METALLIC 501 PLATINUM METALLIC	\$ -	\$ -
235	6	FUNDAMENTAL,18DX36W,LAT FILE,FIVE HIGH,ONE LIFT-DOOR E EXTENDED KSB SPECIFY CORE SEPARATELY STDM STANDARD GROUP M,METALLIC 501 PLATINUM METALLIC	\$ -	\$ -
236	7	FUNDAMENTAL,COUNTER WEIGHT	\$ -	\$ -
237	3	FILING,18D,FILE BARS,FRONT TO BACK	\$ -	\$ -
238	24	FILING,18D,FILE BARS,FRONT TO BACK	\$ -	\$ -
239	6	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 7	\$ -	\$ -
240	2	CONF SOL,34DX34WX28H,X BASE,FINISH GROUP ONE S STATIC 462 CINDER	\$ -	\$ -
241	1	CONF SOL,36DIA,TOP,ROUND,LAMINATE,RIM GROUP J FLAT X NO GROMMET STD STANDARD GROUP 1	\$ -	\$ -

DOES ONE STOP FURNITURE

	HN HONEY		
242	1 CONF SOL,42DIA, TOP,ROUND,LAMINATE,RIM GROUP J FLAT X NO GROMMET STD STANDARD GROUP 1 HN HONEY	\$ -	\$ -
243	26 PERKS,6DX12W,PENCIL TRAY,BLACK	\$ -	\$ -
244	2 PERKS,19DX22W,CENTER DRAWER,PLASTIC	\$ -	\$ -
245	3 INTERWORKS EQ,ELECTRICAL,FLOOR POWER ENTRY,END 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
246	3 Thinline Keyboard Tray - QC Over-Even, Swv/Tilt Mouse Tray, Gel Palm, GELMP, Black	\$ -	\$ -
247	3 Marquis Monitor Arm - Silver Track 19" with Tilt Guage & Height Guage	\$ -	\$ -
248	3 WISH,TASK,SYNCRO-TILT,LUMBAR,3D ARMS,CONTRASTING 2 GRADE 2 22433 METALLIX BLACK SAND 2 GRADE 2 22433 METALLIX BLACK SAND 462 CINDER SL SLIDER STD STANDARD PNEUMATIC CYLINDER 462 CINDER C1 BLACK HARD DUAL WHEEL	\$ -	\$ -
249	32 NONGSA BEO,ADD,CTR ARM, UPHOLSTERED SEAT,FULLY UPHOLSTERED B 4 GRADE 4 41114 ECHO HENNA STD STANDARD GROUP 1 HN HONEY	\$ -	\$ -
250	4 NONGSA BEO,TANDEM,ONE SEAT,FULLY UPHOLSTERED BACK 4 GRADE 4 41114 ECHO HENNA STD STANDARD GROUP 1 HN HONEY	\$ -	\$ -
251	5 NONGSA BEO,START,L/R ARM,UPHOLSTERED SEAT,FULLY UPHOLSTERED 4 GRADE 4 41114 ECHO HENNA STD STANDARD GROUP 1 HN HONEY	\$ -	\$ -

DOES ONE STOP FURNITURE

252	2	NONGSA BEO,25DX21WX20H,END TABLE,WOOD STD STANDARD GROUP 1 HN HONEY PROFILE,PAINT E EXTENDED KSB SPECIFY CORE SEPARATELY STDM STANDARD GROUP M,METALLIC 501 PLATINUM METALLIC	\$ -	\$ -
253	14	FOOTPRINT,SURFACE,FLAT BRACKET	\$ -	\$ -
254	4	FOOTPRINT,INTERWORKS,CANTILEVER BRACKET,LEFT HAND	\$ -	\$ -
255	3	FOOTPRINT,INTERWORKS,CANTILEVER BRACKET,RIGHT HAND	\$ -	\$ -
256	9	FOOTPRINT,INTERWORKS,SURFACE BRACKET,EDGE,LEFT HAND	\$ -	\$ -
257	6	FOOTPRINT,INTERWORKS,SURFACE BRACKET,EDGE,RIGHT HAND	\$ -	\$ -
258	7	FOOTPRINT,INTERWORKS,BRACKET,TRANSACTION COUNTER,LEFT HAND STDM STANDARD GROUP M,METALLIC 501 PLATINUM METALLIC	\$ -	\$ -
259	7	FOOTPRINT,INTERWORKS,BRACKET,TRANSACTION COUNTER,RIGHT HAND STDM STANDARD GROUP M,METALLIC 501 PLATINUM METALLIC	\$ -	\$ -
260	2	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 10	\$ -	\$ -
261	2	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 32	\$ -	\$ -
262	2	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 41	\$ -	\$ -
263	2	FOOTPRINT,24DX30W,SURF,1 3/16T,STR,THERMOFOIL,WIRE MGR PF S SLOPED STD STANDARD GROUP 1 480 ANTIQUE WHITE 480 ANTIQUE WHITE	\$ -	\$ -
264	3	FOOTPRINT,36DX36W,SURFACE,1 3/16T,COR,CRVD,THERM,WIRE MGR PF S SLOPED STD STANDARD GROUP 1 480 ANTIQUE WHITE 480 ANTIQUE WHITE	\$ -	\$ -

DOES ONE STOP FURNITURE

265	3	FOOTPRINT,24DX36W,SURF,1 3/16T,STRAIGHT,THERMOFOIL,WIRE MGR S SLOPED STD STANDARD GROUP 1 480 ANTIQUE WHITE 480 ANTIQUE WHITE	\$ -	\$ -
266	1	FOOTPRINT,24DX72W,SURFACE,1 3/16T,STR,THERM,WIRE MGR PF S SLOPED STD STANDARD GROUP 1 480 ANTIQUE WHITE 480 ANTIQUE WHITE	\$ -	\$ -
267	1	Transaction Counter, Thermofoil, 15x72, sloped edge front, back, and left S SLOPED STD STANDARD GROUP 1 480 ANTIQUE WHITE	\$ -	\$ -
268	3	Transaction Counter, Thermofoil, 15x36, sloped edge front, back, and left S SLOPED STD STANDARD GROUP 1 480 ANTIQUE WHITE	\$ -	\$ -
269	7	FUNDAMENTAL,18DX30W,LAT FILE,FIVE HIGH,ONE LIFT-DOOR E EXTENDED KSB SPECIFY CORE SEPARATELY STDM STANDARD GROUP M,METALLIC 501 PLATINUM METALLIC	\$ -	\$ -
270	7	FUNDAMENTAL,COUNTER WEIGHT \$ 158.00	\$ -	\$ -
271	8	FILING,18D,FILE BARS,FRONT TO BACK \$ 23.00	\$ -	\$ -
272	7	UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 44	\$ -	\$ -
273	9	INTERWORKS EQ,42H,FINISH CHANNEL,L C CROWNED 501 PLATINUM B GRADE B 1119 H2O SLEET	\$ -	\$ -
274	6	INTERWORKS EQ,42H,FULL END TRIM,POLYMER C CROWNED 501 PLATINUM	\$ -	\$ -
275	4	INTERWORKS EQ,PANEL CONNECTOR KIT,IN LINE,PKG OF 2 C CROWNED 501 PLATINUM	\$ -	\$ -

DOES ONE STOP FURNITURE

276	5	INTERWORKS EQ,ELECTRICAL,JUMPER,PANEL-TO-PANEL,ADJACENT 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
277	5	10PEJC INTERWORKS EQ,ELECTRICAL,JUMPER,CORNER 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
278	7	INTERWORKS EQ,ELECTRICAL,DUPLEX RECEPTACLE,8-WIRE 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
279	2	INTERWORKS EQ,18WX42H,PANEL,TACKABLE ACOUSTICAL C CROWNED NP2 2 NON-PUNCHED 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
280	3	INTERWORKS EQ,24WX42H,PANEL,TACKABLE ACOUSTICAL C CROWNED NP2 2 NON-PUNCHED 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
281	3	INTERWORKS EQ,24WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 84 8 WIRE,4 CIRCUIT C CROWNED PD1 1 PUNCHED POWER & DATA,1 BLANK 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
282	1	INTERWORKS EQ,30WX42H,PANEL,TACKABLE ACOUSTICAL C CROWNED NP2 2 NON-PUNCHED 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B	\$ -	\$ -

DOES ONE STOP FURNITURE

		1119 H2O SLEET		
283	1	INTERWORKS EQ,30WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 84 8 WIRE,4 CIRCUIT C CROWNED PD1 1 PUNCHED POWER & DATA,1 BLANK 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
284	1	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL C CROWNED NP2 2 NON-PUNCHED 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
285	6	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 84 8 WIRE,4 CIRCUIT C CROWNED P1 1 PUNCHED,1 BLANK 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
286	3	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 84 8 WIRE,4 CIRCUIT C CROWNED PD1 1 PUNCHED POWER & DATA,1 BLANK 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
287	6	PERKS,6DX12W,PENCIL TRAY,BLACK	\$ -	\$ -
288	2	PERKS,19DX22W,CENTER DRAWER,PLASTIC	\$ -	\$ -
289	2	Perks Load Bar, 36W, Paint: Tango Red #112	\$ -	\$ -
290	3	Perks Binder Shelf, Paint: Tango Red #112	\$ -	\$ -

DOES ONE STOP FURNITURE

291	1	Perks Load Bar, 48W, Painted: Tango Red #112	\$ -	\$ -
292	3	Perks Slanted Sorter, Paint: Tango Red #112	\$ -	\$ -
293	4	INTERWORKS EQ,ELECTRICAL,FLOOR POWER ENTRY,SIDE,PLUG-IN 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
294	3	INTERWORKS EQ,ELECTRICAL,FLOOR POWER ENTRY,END 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
295	48	Thinline Keyboard Tray - QC Over-Even, SwvTilt/Mouse Tray, Gel Palm, GELMP, Black	\$ -	\$ -
296	48	Marquis Pole Mount Monitor Arm	\$ -	\$ -
297	109	Revolution Keyboard Arm with Lift-Lock, 5-1/2" Neck, Easy Track 19" with Tilt Guage & Height Guage	\$ -	\$ -
298	69	95-6R EVENT,SIDE,4 LEG,ARMS,3/4 FLAIR BACK,WITH CASTERS 2 GRADE 2 22433 METALLIX BLACK SAND 2 GRADE 2 22433 METALLIX BLACK SAND STD STANDARD GROUP 1,NON-METALLIC 462 CINDER C4 BLACK SOFT DUAL WHEEL	\$ -	\$ -
299	3	WISH,TASK,SYNCRO-TILT,LUMBAR,3D ARMS,CONTRASTING 2 GRADE 2 22433 METALLIX BLACK SAND 2 GRADE 2 22433 METALLIX BLACK SAND 462 CINDER SL SLIDER STD STANDARD PNEUMATIC CYLINDER 462 CINDER C2 BLACK SOFT DUAL WHEEL	\$ -	\$ -
300	3	FOOTPRINT,30DX15WX27H,STOR,PEDESTAL,BBF,FLAT PROFILE,PAINT E EXTENDED KSB SPECIFY CORE SEPARATELY STDM STANDARD GROUP M,METALLIC 501 PLATINUM METALLIC	\$ -	\$ -
301	3	SYSTEMS,ACCESSORY,WIRE MANAGER FILL CAP 480 ANTIQUE WHITE	\$ -	\$ -
302	47	FOOTPRINT,INTERWORKS,CANTILEVER BRACKET,LEFT	\$ -	\$ -

DOES ONE STOP FURNITURE

	HAND		
303	49 FOOTPRINT,INTERWORKS,CANTILEVER BRACKET,RIGHT HAND	\$ -	\$ -
304	3 FOOTPRINT,30DX27H,SPRT,END PANEL,INTERWORKS ATTACHMENT,METAL STDM STANDARD GROUP M,METALLIC 501 PLATINUM METALLIC	\$ -	\$ -
305	6 FOOTPRINT,SURFACE,FLAT BRACKET	\$ -	\$ -
306	6 FOOTPRINT,INTERWORKS,SURFACE BRACKET,EDGE,LEFT HAND	\$ -	\$ -
307	6 FOOTPRINT,INTERWORKS,SURFACE BRACKET,EDGE,RIGHT HAND	\$ -	\$ -
308	1 UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 34	\$ -	\$ -
309	1 UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 43	\$ -	\$ -
310	1 UNIVERSAL,LOCK CORE,STYLE D,KEYED NO 48	\$ -	\$ -
311	45 FOOTPRINT,24DX36W,SURF,1 3/16T,STRAIGHT,THERMOFOIL,WIRE MGR S SLOPED STD STANDARD GROUP 1 480 ANTIQUE WHITE 480 ANTIQUE WHITE	\$ -	\$ -
312	3 FOOTPRINT,30DX42W,SURF,1 3/16T,STR,THERML,WIRE MGR PROFILE S SLOPED STD STANDARD GROUP 1 480 ANTIQUE WHITE 480 ANTIQUE WHITE	\$ -	\$ -
313	1 FOOTPRINT,30DX96W,SURF,1 3/16T,STR,THERM,WIRE MGR PF, COPEDEDGE RIGHT TO ADJOIN 30D RETURN S SLOPED STD STANDARD GROUP 1 480 ANTIQUE WHITE 480 ANTIQUE WHITE	\$ -	\$ -
314	2 FOOTPRINT,30DX96W,SURF,1 3/16T,STR,THERM,WIRE MGR PF, COPEDEDGE LEFT TO ADJOIN 30D RETURN S SLOPED STD STANDARD GROUP 1 480 ANTIQUE WHITE 480 ANTIQUE WHITE	\$ -	\$ -
315	17 INTERWORKS EQ,42H,FINISH CHANNEL,L C CROWNED	\$ -	\$ -

DOES ONE STOP FURNITURE

		501 PLATINUM B GRADE B 1119 H2O SLEET		
316	30	INTERWORKS EQ,42H,FINISH CHANNEL,S AND T C CROWNED 501 PLATINUM B GRADE B 1119 H2O SLEET	\$ -	\$ -
317	58	INTERWORKS EQ,42H,FULL END TRIM,POLYMER C CROWNED 501 PLATINUM	\$ -	\$ -
318	4	INTERWORKS EQ,PANEL CONNECTOR KIT,IN LINE,PKG OF 2 C CROWNED 501 PLATINUM	\$ -	\$ -
319	5	INTERWORKS EQ,TRIM TOP CAP,X,TYPE 1 C CROWNED 501 PLATINUM	\$ -	\$ -
320	3	INTERWORKS EQ,ELECTRICAL,JUMPER,PANEL-TO-PANEL,ADJACENT 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
321	32	INTERWORKS EQ,ELECTRICAL,JUMPER,PANEL-TO-PANEL,BRDG 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
322	16	INTERWORKS EQ,ELECTRICAL,JUMPER,CORNER 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
323	27	INTERWORKS EQ,ELECTRICAL,DUPLEX RECEPTACLE,8-WIRE 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
324	24	INTERWORKS EQ,ELECTRICAL,DUPLEX RECEPTACLE,8-WIRE 84 8 WIRE,4 CIRCUIT	\$ -	\$ -
325	1	INTERWORKS EQ,24WX42H,PANEL,TACKABLE ACOUSTICAL C CROWNED NP2 2 NON-PUNCHED 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
326	4	INTERWORKS EQ,24WX42H,PANEL,TACKABLE	\$ -	\$ -

DOES ONE STOP FURNITURE

		ACOUSTICAL,PWRD 84 8 WIRE,4 CIRCUIT C CROWNED PD1 1 PUNCHED POWER & DATA,1 BLANK 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET		
327	2	INTERWORKS EQ,30WX42H,PANEL,TACKABLE ACOUSTICAL C CROWNED NP2 2 NON-PUNCHED 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
328	4	INTERWORKS EQ,30WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 84 8 WIRE,4 CIRCUIT C CROWNED PD1 1 PUNCHED POWER & DATA,1 BLANK 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
329	41	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL C CROWNED NP2 2 NON-PUNCHED 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
330	41	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 84 8 WIRE,4 CIRCUIT C CROWNED PD1 1 PUNCHED POWER & DATA,1 BLANK 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -

DOES ONE STOP FURNITURE




331	5	INTERWORKS EQ,36WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 84 8 WIRE,4 CIRCUIT C CROWNED PD2 2 PUNCHED POWER & DATA 501 PLATINUM 460 STORM B GRADE B 1119 H2O SLEET B GRADE B 1119 H2O SLEET	\$ -	\$ -
332	5	INTERWORKS EQ,42WX42H,PANEL,TACKABLE ACOUSTICAL CROWNED 2 NON-PUNCHED PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET	\$ -	\$ -
333	6	INTERWORKS EQ,48WX42H,PANEL,TACKABLE ACOUSTICAL,PWRD 8 WIRE,4 CIRCUIT CROWNED PUNCHED,1 BLANK PLATINUM STORM GRADE B H2O SLEET GRADE B H2O SLEET	\$ -	\$ -
334	12	SCENARIO,VERTICAL CABLE MANAGER,462	\$ -	\$ -
335	1	SCENARIO,VERTICAL CABLE MANAGER,XBASE,462	\$ -	\$ -
336	1	SCENARIO,21DX24W, TOP,PODIUM CART,LAMINATE POWER DATA CENTER,CENTER STANDARD GROUP 1 WHITE TIGRIS	\$ -	\$ -
337	1	SCENARIO,27WX42H,X BASE,HEIGHT ADJUSTABLE,MOBILE,462	\$ -	\$ -
338	12	SCENARIO,30DX60W, TOP,RECTANGULAR,LAMINATE POWER DATA CENTER,CENTER STANDARD GROUP 1 WHITE TIGRIS	\$ -	\$ -
339	12	SCENARIO,24DX60WX28H,NESTING LEGS,W/ELECTRICAL	\$ -	\$ -

DOES ONE STOP FURNITURE

	CHANNEL,462		
340	1 SCENARIO,ELECTRICAL,POWER DATA CENTER,SURFACE MOUNTED	\$ -	\$ -
341	12 SCENARIO,ELECTRICAL,POWER DATA CENTER,SURFACE MOUNTED	\$ -	\$ -
342	12 SCENARIO,GANGING MECHANISM,462	\$ -	\$ -
343	3 PERKS,6DX12W,PENCIL TRAY,BLACK	\$ -	\$ -
344	3 PERKS,19DX22W,CENTER DRAWER,PLASTIC	\$ -	\$ -
345	3 Perks Binder Shelf, Paint: Tango Red #112	\$ -	\$ -
346	3 Perks Load Bar, 48W, Painted: Tango Red #112	\$ -	\$ -
347	3 Perks Slanted Sorter, Paint: Tango Red #112	\$ -	\$ -
348	1 Installation	\$ -	\$ -

ATTACHMENT F


REEVES CENTER - 2000 14th Street N.W.



3RD FLOOR
SCALE: 3/16" = 1'-0"


DC CITY - 3013
ARCHITECTURAL PLAN

3720-MLK 1st Floor



1ST FLOOR
SCALE: 3/16" = 1'-0"

DC COV - DOCS
FURNITURE PLAN

AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT			1. Contract Number	Page of Pages	
				1	1
2. Amendment/Modification Number M001	3. Effective Date See 16C Below	4. Requisition/Purchase Request No. DCCF-2011-T-6852	5. Solicitation Caption ONE STOP CENTER FURNITURE AND INSTALLATION		
6. Issued by: Office of Contracting and Procurement 441 4 th Street, NW, Suite 700S Washington, DC 20001		Code KTO	7. Administered by (If other than line 6) Office of Cable Television 3007 Tilden Street, NW, POD-P WASHINGTON, DC 20009		
8. Name and Address of Contractor (No. street, city, county, state and zip code)			9A. Amendment of Solicitation No. DCCF-2011-T-6852		
ALL PROSPECTIVE OFFERORS			X	9B. Dated (See Item 11) October 15, 2010	
				10A. Modification of Contract/Order No.	
Code	Facility			10B. Dated (See Item 13)	
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input checked="" type="checkbox"/> is extended. <input type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) BY separate letter or fax which includes a reference to the solicitation and amendment number. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such may be made by letter or fax, provided each letter or telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. Accounting and Appropriation Data (If Required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS , IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14					
A. This change order is issued pursuant to (Specify Authority): The changes set forth in Item 14 are made in the contract/order no. in item 10A.					
B. The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data etc.) set forth in item 14, pursuant to the authority of 27 DCMR, Chapter 36, Section 3601.2.					
C. This supplemental agreement is entered into pursuant to authority of: 27 DCMR 3601.2					
D. Other (Specify type of modification and authority) Modification to Exercise Option (option year two (2) of two (2) one (1) year options).					
E. IMPORTANT: Contractor <input type="checkbox"/> is not <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.					
14. Description of Amendment/Modification (Organized by UCF Section headings, including solicitation/contract subject matter where feasible.)					
A. DCCF-2011-T-6852 is hereby modified as follows: Solicitation due date has been extended from October 25, 2009 to October 29, 2009. Project completion date remains unchanged, November 30, 2010. Submit bids to: Office of Contracting and Procurement- Attn: Antwanette Murphy, 441 4 th Street, N.W. Suite 700 South, Washington, DC 20001- BY: 2:00 PM					
B. DCCF-2011-T-6852 is hereby also modified as follows: Attachment A, Section #7- Contractor Responsibility The Contractor shall participate in a mandatory site visit scheduled for Monday, October 25, 2010 at 4 PM. -This site visit is ONLY for those contractors who attended the initial site visit on Tuesday, October 19 th . -During the site visit, the contractor will view additional space to be included in this solicitation. Note: The site visit will begin promptly at 4:00 PM and end promptly at 5:00 PM.					
Except as provided herein, all terms and conditions of the document is referenced in Item 9A or 10A remain unchanged and in full force and effect.					
15A. Name and Title of Signer (Type or print)			16A. Name of Contracting Officer Courtney Lattimore		
15B. Name of Contractor	15C. Date Signed	16B. District of Columbia	16C. Date Signed		
(Signature of person authorized to sign)			10/22/10		(Signature of Contracting Officer)