AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT	1. Contract Number	Page of Pages	
		1	3

2. Amendment/Modification Number	3. Effective Date	4. Requisition/Purchase Request No.	5. Solicitation Caption
A03	October 28, 2010		MPD Police Uniforms and Equipment

6. Issued by: Code	7. Administered by (If other than line 6)
Office of Contracting and Procurement 441 4th Street, NW Suite 700 South Washington, DC 20001	

8. Name and Address of Contractor (No. street, city, county, state and zip code)		
All Prospective Bidders		9A. Amendment of Solicitation No. DCFA-2010-B-0235
	X	9B. Dated (See Item 11) 10/01/2010
		10A. Modification of Contract/Order No.
Code Facility		10B. Dated (See Item 13)

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☒ The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers ☒ is extended. ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning ___1___ copies of the amendment: (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) BY separate letter or fax which includes a reference to the solicitation and amendment number. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such may be made by letter or fax, provided each letter or telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting and Appropriation Data (If Required)

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14

	A. This change order is issued pursuant to (Specify Authority): 27 DCMR 3601.2 The changes set forth in Item 14 are made in the contract/order no. in item 10A.
	B. The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data etc.) set forth in item 14, pursuant to the authority of 27 DCMR, Chapter 36, Section 3601.2.
	C. This supplemental agreement is entered into pursuant to authority of:
	D. Other (Specify type of modification and authority)

E. IMPORTANT: Contractor ☐ is not ☒ is required to sign this document and return ___1___ copies to the issuing office.

14. Description of Amendment/Modification (Organized by UCF Section headings, including solicitation/contract subject matter where feasible.)

Solicitation No. DCFA-2010-B-0235 is amended on pages 2 and 3:

(Continuation on page 2)

Except as provided herein, all terms and conditions of the document is referenced in Item 9A or 10A remain unchanged and in full force and effect.

15A. Name and Title of Signer (Type or print)		16A. Name of Contracting Officer Courtney B. Lattimore	
15B. Name of Contractor (Signature of person authorized to sign)	15C. Date Signed	16B. District of Columbia (Signature of Contracting Officer)	16C. Date Signed 10/28/10

1. The closing date is extended until 10:00 a.m., Wednesday, November 3, 2010.

2. Attachment A replaces six (6) technical specifications in Attachment J.10 of the solicitation with the following product items: tropical trousers, blue unisex; battle dress uniform pants; battle dress uniform shirt, long sleeve; battle dress uniform shirt, short sleeve; tropical blouse coat, blue, female/male; and reflective raincoat, unisex. The CLINs indicating the revised specifications are referenced in Section B.

3. Attachment J.8, Cost/Price Certification and Data Package is hereby deleted from the solicitation.

4. **Section C.5.1.5 is revised to read as follows:**

   C.5.1.5 The Contractor shall maintain a composite stock of uniforms to equal a minimum of twenty-five percent (25) of the total annual requirements at contractor's own secured facility site. At the start of the last month of this contract, and each option year, the composite stock may decline to 15% of total annual requirement. MPD will not purchase remaining stock at the end of the contract or option years.

5. **Section C.5.1.8 (2) is revised to read as follows:**

   (2) Have ten (10) off-street parking places for their customers.

6. **Sections C.5.5.3 through C.5.5.6 are incorporated into the solicitation and read as follows:**

   C.5.5.3 The Contractor shall provide alterations of uniforms as deemed necessary by the CA and only when the employee has been unable to obtain a properly fitted uniform.

   C.5.5.4 The Contractor shall provide uniform alterations at the contractor's facility site as requested by agency and return repaired garment to agency within 10 days of fitting. Pricing for individual alterations of previously purchased uniforms shall be charged in accordance to fixed unit prices specified in price schedule on Section B of the contract. The fixed unit price for previous purchased uniforms shall include the delivery, labor, and material costs.

   C.5.5.5 For individual task orders of previous purchased uniform alternations, the Contractor shall submit at a minimum the following information on all invoices:

   (a) Name of Contractor;
   (b) Contract Number;
   (c) Date of Purchase;
   (d) Purchase Order Number;
   (e) Itemized list of alteration services provided;
   (f) Quantity, unit price, and
   (g) Date of delivery or shipment.

   C.5.5.6 The Contractor shall apply any applicable alteration costs for previously purchased uniforms but shall not charge any fees for alteration of new uniforms to the District.

7. **Section C.5.1.9 is incorporated into the solicitation and reads as follows:**

C.5.1.9 MPD has provided the specification for each custom made item in the contract. The contract shall ensure that all custom-made items are manufactured in manner in which the items are indistinguishable from the same item currently in service

8. **Section L.2.1 is revised to read as follows:**

L.2.1 Bidders shall submit a signed original and two (2) copies. The District will not accept a facsimile copy of a bid as an original bid. All items accepted by the District, all pages of the Invitation for Bids (IFB), all attachments and all documents containing the bidder's offer shall constitute the formal contract. **Each bid shall be submitted as specified in Section A.9 in a sealed envelope conspicuously marked:**

"Bid in Response to Solicitation No. DCFA-2010-B-0235
MPD Police Uniforms and Equipment".

9. **Responses to questions from the pre-solicitation conference are provided below:**

Question A: B.4.1.1 – How is comparable determined?

Answer A: The item(s) in question would be sent by MPD to an independent laboratory to be tested at the expense of the contractor to determine if the item(s) meet or exceed the specifications. MPD will reimburse the contractor for the cost of testing if the item(s) meet or exceed the specification.

Question B: C.5.1.5 – Clarification is needed for this clause.

Answer B: The intent of this section is to make sure the contractor carries a sufficient quantity in inventory of every item (25% of the yearly estimated quantities required). It also allows the contractor to go as low as 15% in the last month of each the contract year. In the event the option year is not exercised, see item number 4 of this amendment.

Question C: C.5.5 –What are the requirements for lifetime alterations should be and how pricing will be handled?

Answer C: See item number 6 of this amendment.

Question D: Cost-Price Data form; is this applicable?

Answer D: No it is not. Please see item number 3 of this amendment.

Attachment A

Revision to Attachment J.8

<u>Trousers, Tropical, Blue, Unisex</u>
CLIN # 0001, 0041, 0042, 0043

Style:	French-fly tailored summer trousers.
Color:	Dark blue.
Color:	Navy Blue #96 fabric
Fabric:	75% Dacron polyester / 25% wool blend.
Fabric:	Raeford #3933-96, 55%Dacron, 45% Wool Tropical Weave. 10-101/2 CIZ/ linear yard (60" width), three (3) ply in wrap and filling breaking strength: 110lbs. warp, 100lbs. construction: 50 ends/inch, 40 picks/inch.
Thread:	Vat-dyed spun polyester.
Seams:	Center back turn-under shall be no less than 2-1/2" to take care of any allowances for alterations, and shall be sewn on a double needle chain stitch machine having tandem needles with an offset of 1/32". Inseam is to be sewn with a single needle chain stitch.
Lining:	Crotch to be lined front and back (four quarters with a single thickness of the same matching lining and having a pinked miter edge).
Closures:	Zipper and slider closure at waist.
Buttons:	One (1) inside button. One (1) button on left back pocket.
Buttonholes:	Tab closure add-on piece with vertical buttonhole, at fly for men's style. Internal loop tab closure with horizontal buttonhole, inside the fly for women's style.
Zipper:	Zipper closing with a locking slider in machine tape to match trouser. Zipper stay shall be cut matching Silesia to exact size as the fly and will be serge-stitched together.
Fly:	French fly is to be full 3" under the opening and made of same fabric as the trousers.

Pockets:	Two angled side pockets on men's style have matching facing. Left pocket has center button, welt stitching. Loop tab closing. Right back pocket has welt-seamed opening.
Waistband:	No-roll waistband to prevent shirt pullout.
Belt Loops:	Measure 2" high and 1-1/4" wide. Double thickness of matching fabric with edges butted at the back. A minimum of seven (7) belt loops, with additional belt loops proportional to larger sizes.
Bar-Tacks:	Bar-tacks are to be placed at each end of hip pocket and side pockets. All points of strain in crotch area are also to be bar-tacked.
Bottoms:	Bottoms to be un-hemmed and plain with no flare.
Bottoms:	Bottoms to be un-hemmed and plain with no flare. Inseam length shall be at least 36".
Pressing:	Pressed and folded crease over crease.
Crease Retention:	Permanent crease process.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.
Standard Sample:	In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.
Pre-Bid Sample:	Samples may be provided at the time of the bid opening.
Testing Pre-Bid Sample:	Samples submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to

Officer may select. The bidder shall pay for all costs in connection with any such tests.

Stock Product: To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an "as needed" basis. The pre-bid sample must provide from current manufacturer's stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Packaged folded crease over crease in standard manner.

Trousers, Tropical, Blue, Unisex-continued

Size Chart					
Male Summer Trousers Size Dimensions (Inches)					
Size	**Seat**	**Thigh**	**Knee**	**Bottom**	**Rise**
28	36	23-5/8	18-1/8	18-1/14	9-1/8
30	38	24-5/8	18-1/8	18-1/4	9-3/8
32	40	25	19	18-1/4	9-1/2
34	42	26	19-1/2	18-1/4	9-7/8
36	44	27	19-3/4	18-3/4	9-7/8
38	46	28	20-3/4	19-1/4	10
40	47	29-1/4	21	20	10-3/8
42	49	30-1/4	21-3/4	20-3/4	10-3/8
44	51	31	22-1/2	21	11

46	53	32	23-1/4	21	11-1/4
48	55	33	24	21	11-1/4
50	57	34-1/2	24	21	11-3/4
52	59	36	24-1/2	21-1/4	12
54	63	36	24-1/2	21-1/4	12-1/4
56	64-1/2	36-1/2	25-1/4	21-1/2	12/1/2
58	65-1/2	37-1/2	25	21-1/2	12-1/2
60	66	38	25	21-1/2	12-3/4

Trousers, Tropical, Blue, Unisex-continued

Size Chart						
Female Summer Trousers Size Dimensions (Inches)						
Size	**Seat**	**Hip**	**Thigh**	**Knee**	**Bottom**	**Rise**
4	23-1/2	34	23	18-1/2	17-1/2	9
6	25-1/2	36	23	19	18-1/4	9-1/4
8	27-1/2	38	23-1/2	19-1/4	18-1//2	9-5/8
10	29-1/2	40	24	20	19	9-3/4
12	31-1/2	42	25-1/2	20	19	9-3/4
14	33-1/3	44	26-1/4	20-1/4	19	10-1/4
16	35-1/2	46	27	21	19	10-1/4

18	37-1/2	47	27-1/2	21	19	11
20	39-1/2	50	29	21-1/4	19-1/2	11
22	41-1/2	52	29-1/2	21-3/4	19-3/4	11
24	43-1/2	54	30	22	19-3/4	11-3/8
26	45-1/2	56	31	23	20	11-3/4

<u>Battle Dress Uniform, Pants</u>
Black CLIN # 0007, 0052, 0053
Blue CLIN # 0006, 0050, 0051
Tan CLIN # 0012, 0058, 0059

Color:
Black CLIN # 0007, 0052, 0053
Blue CLIN # 0006, 0050, 0051
Tan CLIN # 0012, 0058, 0059

Color:
Black CLIN # 0007, 0052, 0053-Black
Blue CLIN # 0006, 0050, 0051-Dark Navy
Tan CLIN # 0012, 0058, 0059-Khaki

Fabric:
Stretch-filled 65% polyester/35%, pre-cured for wrinkle-resistance and treated with a soil-resistant finish.

Fabric:
65% polyester and 35% cotton Ripstop. Weight: 6.5 oz./sq. yard. Construction: 105 x 48. Yard Size: 20 RS x 12.50 OE. Tear: 9.5 x 120. Crocking Dry: 4.0. Crocking Wet: 3.0. Colorfastness to Light: 4. Shrinkage: 2.5%.

Pockets:
Front pockets:
Two (2) quarter pockets, one (1) on each side with 1-3/4" slant from top of waistband to side seam, finishing approximately 7-1/2" at the bottom of pocket where pocket is sewn into waistband. Bar-tacked support at top and bottom of opening.

Pockets:
Two front slash pockets, two rear inset pockets with 30 ligne (GST) covered buttons with fused button down flaps. Two partial bellows pockets each leg, with 3 pleat cargo (GST) with finished eyelet drain foles and size 30 ligne (GST) covered buttons with fused button down flaps.

Seams:
Double needle tailoring at all seams.
Tailored split seam construction.
Bar-tack reinforcement at points of strain.

Seams:
All seams 10-12 stitches per inch. Inseam, outseam, and seatseam must be two needle felled construction. All seam settings must be accomplished with no "puckering" in the seam panel.

Side adjustment tabs shall consist of one each side, minimum of 2" adjust each side (GST) 100% cotton with black buckles, black enamel finish per US Military specification. All side adjustments tabs must have four bar tacks per tab for durability.

Fly:	Four (4) button fly closing
Fly:	Four buttons, size 30 ligne (GST)
Leg Hem:	Leg hem drawstrings shall consist of 3/8" nylon drawstrings (GST) fused and knotted ends, with sewn eyelet exit holes will be cause for rejection.
Belt Loops:	Belt loops shall be of double fabric thickness, butted on reverse side and blind stitched minimum of 7/16 wide by minimum 2" long per US Military specification.
Size Label:	The size label is located in the waistband near the center back, sewn under the waistband. In addition the care label, located on the right rear pocket bag with four sides sewn down must include laundering instructions.
GST/GSD:	Where noted GST-Government Specified Trim and GSD-Government Specified Dimensions, must be adhered to fully. All products offered must be offered by a current US Military Contract holder.
Lining:	Interlining of 100% polyester. Crotch shall be lined in the front quarters with two (2) plies of 100% polyester, bias cut with a folded edge.
Closures:	Four-button fly closing. Two (2) double-button closed back pockets.
Buttons:	Four (4) 22-ligne four-hole pure melamine plastic buttons conforming to Type II, class D, Style 20 and 21, of U.S. Military Specifications V-B-871D, spaced vertically at front fly closing. Four (4) 22-ligne four-hole pure melamine plastic buttons conforming to Type II, class D, Style 20 and 21, of U.S. Military Specifications V-B-871D, two (2) at each back pocket Four (4) 22-ligne four-hole pure melamine plastic buttons conforming to Type II, class D, Style 20 and 21, of U.S. Military Specifications V-B-871D, two (2) at each side pocket.
Buttonholes:	Buttonholes are straight cut-after type. Corresponding pocket buttonholes are vertical. Corresponding fly buttonholes are horizontal.

Hip pockets:	Set of two (2) half bellows style 9"x9" pockets with flap top above and button down closure, one on each leg. Buttons sewn at each end. Side bellows outlets achieved with stitched down tapered pleats at the right of each pocket.
Side pockets:	Set of two (2) 6" inset side pockets, one (1) on each side with double button closings and additional covering pocket flap. Buttons set at each end.
Flaps:	Corresponding flaps to cover all button pockets. Each flap has an inner attached piece with buttonholes. The top part measures 6" wide, with a slightly smaller, shorter under part that contains vertical buttonholes. These serve to correspond to the buttons on the leg of the trousers.
Waistband:	Waistband is 2" wide. Adjustable waistband tab has metal slide closing at each side. Belt Loops: Seven (7) belt loop minimum with proportional additional loops for larger sizes.
Bar-Tacks:	Bar-tack reinforcement at top and bottom of front pocket openings, inside belt loops, and at crotch stress points.
Bottoms:	Each leg has hemmed bottoms.
Outlet:	Generous seat and thigh outlet to accommodate alterations and athletic build. The seat outlet shall measure 1-1/2' on each side at the waistband tapering to .0375 inches at the crotch. There shall be thigh outlets with the back side of the inseam measuring 1" at the crotch tapering to 0.375 inch at the knee.
Pressing:	Loose threads shall be trimmed and trousers must be pressed completely and properly with seat seam, inseam, and outseam pressed open.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be

defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.

Standard Sample: In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.

Pre-Bid Sample: Samples may be provided at the time of the bid opening.

Testing Pre-Bid Sample: submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.

Stock Product: To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an "as needed" basis. The pre-bid sample must provide from current manufacturer's stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Folded and individually poly-bagged.

Battle Dress Uniform, Pants-continued

Size Chart							
Unisex, BDU Pant, Combat Cloth Size Dimensions (Inches)							
	Waist	Hip	Thigh	Inseam	Front Rise	Back Rise	Leg Opening
Regular							
XSmall	27	39	26	32	11-1/2	17	15-1/2
Small	27-31	43	28	32	12	17-1/2	16-1/2
Medium	31-35	47	30	32	12-1/2	18	17-1/2
Large	35-39	51	32	32	13	18-1/2	18-1/2
XLarge	39-43	55	34	32	13-1/2	19	19-1/2
2XLarge	43-47	59	36	32	14	19-1/2	20-1/2
3XLarge	47-51	63	38	32	14-1/2	20	21-1/2
Long							
XSmall	27	39	26	35	12	17	15-1/2
Small	27-31	43	28	35	12-1/2	17-1/2	16-1/2
Medium	31-35	47	30	35	13	18	17-1/2
Large	35-39	51	32	35	13-1/2	18-1/2	18-1/2
XLarge	39-43	55	34	35	14	19	19-1/2
2XLarge	43-47	59	36	35	14-1/2	19-1/2	20-1/2
3XLarge	47-51	63	38	35	15	20	21-1/2
X-Long							
XSmall	27	39	26	38	12-1/2	17	15-1/2
Small	27-31	43	28	38	13	17-1/2	16-1/2
Medium	31-35	47	30	38	13-1/2	18	17-1/2
Large	35-39	51	32	38	14	18-1/2	18-1/2
XLarge	39-43	55	34	38	14-1/2	19	19-1/2
2XLarge	43-47	59	36	38	15	19-1/2	20-1/2
3XLarge	47-51	63	38	38	15-1/2	20	21-1/2

Battle Dress Uniform, Shirt, Long Sleeve
Black CLIN # 0009, 0056, 0057
Blue CLIN # 0008, 0054, 0055
Tan CLIN # 0013, 0060, 0061

Style: Long-sleeve, Battle Dress Uniform (BDU) shirt.

Color:
Black CLIN # 0009, 0056, 0057
Blue CLIN # 0008, 0054, 0055
Tan CLIN # 0013, 0060, 0061

Color:
Black CLIN # 0009, 0056, 0057-Black
Blue CLIN # 0008, 0054, 0055-Dark Navy
Tan CLIN # 0013, 0060, 0061-Khaki

Fabric: 65% polyester, 35% cotton twill.

Fabric: 65% polyester and 35% cotton Ripstop, Fabric must meet the following specifications to assure consistency of color, quality, and wear.
Weight: 6.25-6.5 oz./sq. yard, Construction: 102 x 48, Yard Size: 20 x 13, Tear: 7 x 7, Tensile: 190 x 110, Crocking Dry: 4.0, Crocking Wet: 3.0, Colorfastness to Light: 4/20 AATCC16, Shrinkage: 3-4%.

Design:
The Tactical Dress Shirt has a banded collar with sewn in collar stays and a dress shirt placket. The front of the shirt has two chest patch pockets with flaps and button down shoulder Epaulets reinforced with Box (X) Stitching.

The two front patch pockets are designed with decorative pleats and mitered corners. The button closure will be centered on each flap. The left pocket will have an internal pencil pocket measuring 1 1/8 inch wide. The pocket will include a double grommet Badge Tab to be attached where needed.

The front of the shirt will have a six-button dress placket closure. All buttons will be securely sewn and properly aligned with buttons on pocket flap, 3 ½ inches apart. The buttonholes will be straight-cut with a finished length of ½ to 9/16 inch.

The collar and collarstand of shirt are designed with a heavy weight interfacing to ensure a professional, crisp appearance. The collarstand will be closed with a horizontal centered button and buttonhole to be in line with vertical buttonholes on front placket without distorting the left or right front.

The sleeves will be finished with a 2 ¼ inch darted dress shirt cuff with taped vents and a 2 button adjustable closure.

The collar, collarstand, epaulets, cuffs, pocket flaps and placket will have fused lining made of heavy weight poly core interlining. For added comfort and durability the back of the shirt will have a self material double yoke and all interiors seams will be safety stitched. The collar, pocket flaps and cuffs will be stitched ¼ inch around all edges. The extra long dress shirttail button will be finished with a double turned ¼ hem.

Sizes:	XS-4XL
Thread:	Spun polyester.
Seams:	Single needle construction except sleeve seams. Sleeve setting seams and body joining seams shall be double needle chain stitched, lap seam toiled construction. Seams shall be free from puckering, pleats, run-offs, and raw edge.
Lining:	Non-woven polyester interlining at collar.
Closures:	Buttons down front including collar tab closing. Button cuff, button sleeve closing, and button down flap pockets.
Buttons:	Nine (9), black 30-ligne melamine plastic 4-hole buttons down the front. Front buttons spaced approximately 4" apart, except for bottom button only 1" distant from eighth button. Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) on each cuff. Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) corresponding with each sleeve closing. Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) corresponding with each shoulder strap. Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) on each flap pocket.
Buttonholes:	Corresponding vertical eyelet end buttonholes, taper bar cut or cut-first type with #8 gimp inserted. If cut-first type, thread ends shall be inserted.
Pockets:	Two (2) breast patch pockets measuring approximately 6"x6" with reverse pleat seaming. Hidden inside stitched-in pencil holder pocket-within-a-pocket 2" wide, 4" long with top-stitched edges.
Flaps:	Pocket flap approximately 2-1/4" at widest point conceals opening to pocket. Hem-stitched on top and top-stitched around flaps.

Stitching:	See seams.
Front:	Button-over front style with hidden buttons.
Collars:	Jacket-style collar constructed of two (2) plies of shell twill fabric with set-in band of matching fabric housing button and buttonhole closing. Collar shall be top-stitched around the edges.
Sleeve:	Two-piece cuff and placket jacket style sleeve with two-ply rounded inset. Reinforced elbows.
Cuffs:	Hemmed sleeve adjustable cuffs.
Back and Yoke:	One-piece set in yoke, and rounded tail.
Shoulder Straps:	Two (2) shoulder straps, one (1) at each shoulder. Permanent shoulder straps shall be approximately 1-3/4" wide with ends of straps sewn into sleeve joining seam and collar seam. Straps shall be constructed of two (2) plies of shell twill, with an "X" cross-stitched at the shoulder, then top-stitched at shoulder and along the periphery with 0.125 gauge leaving a 2-1/2" open in the center for user to clip on an external microphone or other equipment.
Badge Holder:	Sewn on tab and metal grommet badge holder.
Emblem:	Metropolitan D.C. Police emblem shall be sewn to the left sleeve 1" below the shoulder seam. D.C. American Experience emblem shall be sewn to the right sleeve 1" below the shoulder seam.
Pressing:	Shirt shall be properly pressed and folded prior to packaging.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse,

accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.

Standard Sample: In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.

Pre-Bid Sample: Samples may be provided at the time of the bid opening.

Testing Pre-Bid Sample: Samples submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.

Stock Product: To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an "as needed" basis. The pre-bid sample must provide from current manufacturer's stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Individually flat folded and poly-bagged.

Size Chart					
BDU Shirt, Combat Cloth Size Dimensions (Inches)					
Size	**Wearer Height**	**Sleeve**	**Chest**	**Across Back**	**Length**
Regular					
X-Small	**67-71**	30-31	Up to 33	16	32-1/2
Small	**67-71**	31-32	33-37	17	32-1/2
Medium	**67-71**	32-33	37-41	18	32-1/2
Large	**67-71**	33-34	41-46	19	32-1/2
X-Large	**67-71**	34-35	45-49	20	32-1/2
2X-Large	**67-71**	35-36	49-53	21	32-1/2

3X-Large	**67-71**	36-37	53-57	22	32-1/2
4X-Large	**67-71**	36-37	57-61	23	32-1/2
Long					
X-Small	**Above 71**	32-33	Up to 33	16	33
Small	**Above 71**	33-34	33-37	17	33
Medium	**Above 71**	34-35	37-41	18	33
Large	**Above 71**	35-36	41-46	19	33
X-Large	**Above 7**	36-37	45-49	20	33
2X-Large	**71-75**	37-38	49-53	21	33
3X-Large	**71-75**	38-39	53-57	22	33

<u>Battle Dress Uniform, Shirt, Short Sleeve</u>
Black CLIN # 0087, 0088, 0089
Blue CLIN # 0090, 0091, 0092
Tan CLIN # 0014, 0062, 0063

Style: Short-sleeve, Battle Dress Uniform (BDU) shirt.

Color: Black CLIN # 0087, 0088, 0089
Blue CLIN # 0090, 0091, 0092
Tan CLIN # 0014, 0062, 0063

Color: Black CLIN # 0087, 0088, 0089-Black
Blue CLIN # 0090, 0091, 0092-Dark Navy
Tan CLIN # 0014, 0062, 0063-Khaki

Fabric: 65% polyester, 35% cotton twill.

Fabric: 65% polyester and 35% cotton Ripstop. Fabric must meet the following specifications to assure consistency of color, quality, and wear.
Weight: 6.25-6.5 oz./sq. yard, Construction: 102 x 48, Yard Size: 20 x 13, Tear: 7x 7, Tensile: 190 x 110, Crocking Dry: 4.0, Crocking Wet: 3.0, Colorfastness to Light: 4/20 AATCC16, Shrinkage: 3-4%.

Design:
The Tactical Dress Shirt has a banded collar with sewn in collar stays and a dress shirt placket. The front of the shirt has two chest patch pockets with flaps and button down shoulder Epaulets reinforced with Box (X) Stitching.

The two front patch pockets are designed with decorative pleats and mitered corners. The button closure will be centered on each flap. The left pocket will have an internal pencil pocket measuring 1 1/8 inch wide. The pocket will include a double grommet Badge Tab to be attached where needed.

The front of the shirt will have a six-button dress placket closure. All buttons will be securely sewn and properly aligned with buttons on pocket flap, 3 ½ inches apart. The buttonholes will be straight-cut with a finished length of ½ to 9/16 inch.

The collar and collarstand of shirt are designed with a heavy weight interfacing to ensure a professional, crisp appearance. The collarstand will be closed with a horizontal centered button and buttonhole to be in line with vertical buttonholes on front placket without distorting the left or right front.

The sleeves will be finished with a 1 inch double turned hem..

The collar, collarstand, epaulets, cuffs, pocket flaps and placket will have fused lining made of heavy weight poly core interlining. For added comfort and durability the back of the shirt will have a self material double yoke and all interiors seams will be safety stitched. The collar, pocket flaps and cuffs will be stitched ¼ inch around all edges. The extra long dress shirttail button will be finished with a double turned ¼ hem.

Sizes:	XS-4XL
Thread:	Spun polyester.
Seams:	Single needle construction except sleeve seams. Sleeve setting seams and body joining seams shall be double needle chain stitched, lap seam toiled construction. Seams shall be free from puckering, pleats, run-offs, and raw edge.
Lining:	Non-woven polyester interlining at collar.
Closures:	Buttons down front including collar tab closing. Button down flap pockets.
Buttons:	Nine (9), black 30-ligne melamine plastic 4-hole buttons down the front. Front buttons spaced approximately 4" apart, except for bottom button only 1" distant from eighth button. Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) corresponding with each shoulder strap. Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) on each flap pocket.
Buttonholes:	Corresponding vertical eyelet end buttonholes, taper bar cut or cut-first type with #8 gimp inserted. If cut-first type, thread ends shall be inserted.
Pockets:	Two (2) breast patch pockets measuring approximately 6"x6" with reverse pleat seaming. Hidden inside stitched-in pencil holder pocket-within-a-pocket 2" wide, 4" long with top-stitched edges.
Flaps:	Pocket flap approximately 2-1/4" at widest point conceals opening to pocket. Hem-stitched on top and top-stitched around flaps.
Stitching:	See seams.
Front:	Button-over front style with hidden buttons.

Collars:	Jacket-style collar constructed of two (2) plies of shell twill fabric with set-in band of matching fabric housing button and buttonhole closing. Collar shall be top-stitched around the edges.
Sleeve:	Sleeve ends shall have plackets finishing 1" wide on the top and under placket and shall have a single pleat where attached to the cuffs. Sleeve adjoining seams shall be sewn with an overage safety stitch.
Back and Yoke:	One-piece set in yoke, and rounded tail.
Shoulder Straps:	Two (2) shoulder straps, one (1) at each shoulder. Permanent shoulder straps shall be approximately 1-3/4" wide with ends of straps sewn into sleeve joining seam and collar seam. Straps shall be constructed of two (2) plies of shell twill, with an "X" cross-stitched at the shoulder, then top-stitched at shoulder and along the periphery with 0.125 gauge leaving a 2-1/2" open in the center for user to clip on an external microphone or other equipment.
Badge Holder:	Sewn on tab and metal grommet badge holder.
Emblem:	Metropolitan D.C. Police emblem shall be sewn to the left sleeve 1" below the shoulder seam. D.C. American Experience emblem shall be sewn to the right sleeve 1" below the shoulder seam.
Pressing:	Shirt shall be properly pressed and folded prior to packaging.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.
Standard Sample:	In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.

Pre-Bid Sample: Samples may be provided at the time of the bid opening.

Testing Pre-Bid Sample Samples submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.

Stock Product: To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an "as needed" basis. The pre-bid sample must provide from current manufacturer's stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Individually flat folded and poly-bagged.

Size Chart					
BDU Shirt, Combat Cloth, Short Sleeve Size Dimensions (Inches)					
Size	**Wearer Height**	**Sleeve**	**Chest**	**Across Back**	**Length**
Regular					
X-Small	**67-71**	17	Up to 33	16	32-1/2
Small	**67-71**	17	33-37	17	32-1/2
Medium	**67-71**	17	37-41	18	32-1/2
Large	**67-71**	17	41-46	19	32-1/2
X-Large	**67-71**	17	45-49	20	32-1/2
2X-Large	**67-71**	17	49-53	21	32-1/2
3X-Large	**67-71**	17	53-57	22	32-1/2
4X-Large	**67-71**	17	57-61	23	32-1/2
Long					
X-Small	**Above 71**	17	Up to 33	16	33

Small	**Above 71**	17	33-37	17	33
Medium	**Above 71**	17	37-41	18	33
Large	**Above 71**	17	41-46	19	33
X-Large	**Above 7**	17	45-49	20	33
2X-Large	**71-75**	17	49-53	21	33
3X-Large	**71-75**	17	53-57	22	33

<u>Blouse Coat, Tropical, Blue, Female/Male</u>
Female: CLIN # 0005, 0049
Male: CLIN # 0004, 0046, 0047, 0048

Style: Worsted Company Blue, single-breasted, lapel-collar sack coat.

Construction/Outer: Worsted dark blue wool outer shell lapel collar sack coat to fit easily over the chest and shoulders straight.
Two (2) flap button-down pockets on top, two (2) mock pockets below.
Skirt of jacket to be medium full, extending 1 or 2" below the crotch seams of the trousers, according to the height of the wearer.

Construction/Outer: Navy blue outer shell lapel collar sack coat to fit over the chest and shoulders straight.
Two (2) flap button-down pockets on top, two (2) mock pockets below.
Skirt of jacket to be medium full, extending 1 or 2" below the crotch seams of the trousers, according to the height of the wearer.

Construction/ Lining: Black, perspiration-proof, fully-lined body, sleeves, and yoke, securely felled and
machine sewn to facings.
Two horizontal inside breast pockets.

Construction/Inner: Interior chest piece with felt padding running full length of chest to the bottom of the gore of the coat.
Armholes to be fitted with shield of same material as coat.

Color: Dark blue with black body lining.

Color: Navy Blue#96 fabric

Fabric: 100% worsted wool main body.
Linings, facings, support fabrics as noted.

Fabric: Raeford #3933-96, 55%Dacron, 45% Wool Tropical Weave. 10-101/2 CIZ/ linear yard (60" width), three (3) ply in wrap and filling breaking strength: 110lbs. warp, 100lbs. construction: 50 ends/inch, 40 picks/inch.

Thread: Spun polyester except as otherwise indicated.

Seams: Inside seams to be bound with same material as lining on each side where seams are pressed open.

Coat to be turned up 1" at bottom.
Edge to be bound with same material as lining, closely folded to back part.
3/4" outlet on each side of side seam and a 3" turn-up on sleeves for any necessary individual alterations.

Lining:

Fully lined, black, perspiration-proof.
Yoke across top of back and arms to meet lining of side body and forepart of blouse.
Lining shall be pre-shrunk 120-count all-viscose rayon twill, free from all impurities and imperfections that affect appearance and serviceability.
Lining to be turned and closely hand-felled at shoulders, securely felled at bottom and at rear edge, and machine sewed to facings.

Closures:

Buttoned down front closures and Velcro additions on pocket flaps to keep flaps in place.

Buttons:

Four (4) 40-ligne Departmental brass buttons down front, equally spaced.
Top button to be placed on a line with tip lower placket flap, to be reinforced with one (1) 18-ligne black bone button on under side.
Two (2), 24-ligne Departmental buttons, one (1) on each shoulder to secure shoulder straps.
Four (4), 21-ligne Departmental buttons, one (1) each per pocket flap for the two (2) top pockets and the two (2) mock bottom pockets.

Six (6) ornamental 24-ligne buttons, three (3) on each cuff spaced approximately 1" apart.

Buttonholes:

Shall be machine-made and a full 1/2" from edge of coat.
Thread to be black silk, tailor's buttonhole twist.
Ends of holes to be bar tacked by hand.

Pockets:

Two (2) upper pockets to be 5-1/2" wide and 6" deep, slightly rounded at lower corners, with box pleat 1-1/4' in width in vertical line with top button.
Patch pockets to be lined with black Silesia.
Two (2) horizontal inside breast pockets 6" at opening and 7" deep.
Inside breast pockets to be lined with black polyester/cotton twill.

Flaps:

Two (2) upper pocket 5-1/4" flaps with small 21-ligne Departmental brass button at the center and placed so the buttons are at the center and the upper lines are horizontal.

There will be a Velcro closing at each end of the flaps, matching body of the coat, to keep the corners of the pockets in place.
Two (2) lower 8" pocket flaps with center-placed 21-ligne Departmental buttons, partially stitched down approximately 5-5/8" from end of upper pocket.

Bottoms: Front overlapping left edge of coat to be cut with a medium flare from right bottom button to bottom of the jacket skirt to give a straight appearance. .

Stitching: Shall be of same material as coat, cut in one piece and not less than 7" at top and 4" at bottom.

Front: Coat shall be made of pure "Hymo" grade No. 1750.
The interior chest piece shall be cut from quality No. 1632 Hairvas, in a size in proportion to the body of the pattern.
Chest piece shall run down the breast line for 16-1/2' for a size 42 and follow across the chest to point 2-1/2" below the armhole.
American Felt Company No. 81015 felt padding shall be used for full length of chest and to follow down to the bottom of the gore of the coat with a width of 7-1/2" on this size garment.
There shall be 16 rows of zigzag stitching across the chest with shoulder open.
The felt shall not have less than 10 full rows of stitching for its entire length to keep the felt in place.

Collars: Collar to be 1-3/4" at the back seam and at top of lapel.
Collar to be horizontal and 3" wide at junction with lapel.
Opening notch between collar and lapel should not be wider than 1-1/4" and notch to be approximately 1-3/4" deep.

Sleeve: Shall be good quality blue wool under-collar cloth (matching color of outer garment) reinforced with first quality jute, closely stitched by machine on the bottom edge and outside edge.

Lapels: Lapels to be pressed flat.

Armholes: Shall be fitted with shield, same material as coat, securely stitched to the canvas of coat and under sleeve lining.

Cuffs: Shall be vent-less and ornamented with three (3) departmental 24-ligne buttons spaced 1" apart with reinforced stitching at toggles to secure buttons in place.

Back and Yoke: Vented center-seamed back with slight flare at skirt.

Shoulder Straps:	Two (2) shoulder straps, one (1) at each shoulder. To be made of the same material as body of the coat and to measure 2-1/" at the sleeve head, sewn into the shoulder, and tapering to 1-3/4" at end, forming a point, then extending approximately 1" under the collar. Strap shall be secured by a 24-ligne Metropolitan Police Button approximately 1/4" down edge of the collar. Strap shall be cross-stitched into the shoulder 1-1/2" from the base.
Badge Holder:	Black metal badge holder 1-1/16" long and 3/4" wide with 7/16" from top hole to bottom hole in centerline. Sewn to "blouse" 3/4" above left breast pocket flap and centered on left at breast pocket.
Emblem:	Metropolitan D.C. Police Emblem on left sleeve; top of emblem 1" below shoulder seam. D.C. American Experience emblem on right sleeve, top of emblem 1" below shoulder seam.
Edges:	Shall be basted by hand machine. Edges to be pressed and double-stitched. 3/8" canvas front shall be trimmed from edge and securely felled to tape.
Pressing:	Steam pressing per best industry practice.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.
Standard Sample:	In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.
Pre-Bid Sample:	Samples may be provided at the time of the bid opening.

Testing Pre-Bid Sample: Samples submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.

Stock Product: To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an "as needed" basis. The pre-bid sample must provide from current manufacturer's stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Individually hung and poly-bagged.

Size Chart		
Male Tropical Blouse, Straight Hanging Size Dimensions (Inches)		
Chest	**Overarm**	**Sleeve**
Short		
32	38-39	31
34	40-41	31-1/2
36	42-43	32
38	44-45	32-1/2
40	46-47	33
42	48-49	33-1/2
44	50-51	34
46	52-53	34-1/2
48	54-55	35
Regular		

Size Chart		
Male Tropical Blouse, Straight Hanging Size Dimensions (Inches)		
Chest	**Overarm**	**Sleeve**
32	38-39	32
34	40-41	32-1/2
36	42-43	33
38	44-45	33-1/2
40	46-47	34
42	48-49	34-1/2
44	50-51	35
46	52-53	35-1/2
48	54-55	36
Long		
32	38-39	33
34	40-41	33-1/2
36	42-43	34
38	44-45	34-1/2
40	46-47	35
42	48-49	35-1/2
44	50-51	36
46	52-53	36-1/2
48	54-55	37
Extra-Long		
32	38-39	34
34	40-41	34-1/2
36	42-43	35
38	44-45	35-1/2
40	46-47	36
42	48-49	36-1/2
44	50-51	37

Size Chart		
Male Tropical Blouse, Straight Hanging Size Dimensions (Inches)		
Chest	**Overarm**	**Sleeve**
46	52-53	37-1/2
48	54-55	38

Size Chart			
Female Tropical Blouse, Straight Hanging Size Dimensions (Inches)			
Size	**Size**	**Bust**	**Sleeve**
XS	**4-6**	34-35	29
S	**8-10**	36-37	30
M	**12-14**	38-40	30
L	**16-18**	41-43	31
XL	**20-22**	45-48	32
2XL	**24-26**	50-52	32-1/2
3XL	**28-30**	54-56	32-1/2
4XL	**32-34**	56-60	33
5XL	**36-38**	62-64	33

Raincoat, Reflective, Unisex
CLIN # 0026, 0076, 0077

Manufacture:	Blauer
Style:	733, reversible raincoat with B. Dry fabric
Style:	733, reversible raincoat with B. Dry fabric, upgraded with 2" reflective stripe above hem.
Color:	High visibility yellow and black.
Name Tab:	Name tab on right breast, 7/8"x 3", with eyelets 1 5/8"center to center, on high visibility side
Badge Tab:	Badge tab on left breast, 7/8"x 2 ½" with eyelets 1 3/8" center to center, on both sides
Microphone Tab:	Left front and right front on high visibility side.
Lettering:	"POLICE" logo in silver reflective applied to the back of the high visibility side of garment. Logo will be 9 ½" wide by 3 ½" tall. Logo font is Avante Garde BK BT, Haeltenschweiler.