

J.1.1 General Decision Number: DC200004, dated 8/20/10

General Decision Number: DC100004 08/20/2010 DC4

Superseded General Decision Number: DC20080004

State: District of Columbia

Construction Type: Building

County: District of Columbia Statewide.

BUILDING CONSTRUCTION PROJECTS (does not include single family homes or apartments up to and including 4 stories).

Modification Number	Publication Date
0	03/12/2010
1	03/19/2010
2	06/11/2010
3	07/09/2010
4	07/23/2010
5	08/20/2010

ASBE0024-007 10/01/2009

	Rates	Fringes
ASBESTOS WORKER/HEAT & FROST INSULATOR.....	\$ 30.43	14.43

Includes the application of all insulating materials, protective coverings, coatings and finishes to all types of mechanical systems

ASBE0024-008 10/01/2009

	Rates	Fringes
ASBESTOS WORKER: HAZARDOUS MATERIAL HANDLER (REMOVAL FROM MECHANICAL SYSTEMS, WHICH WILL NOT BE REPLACED OR SCRAPPED).....	\$ 18.85	7.10

* BRDC0001-002 05/03/2010

	Rates	Fringes
BRICKLAYER.....	\$ 27.21	7.21

* CARP0132-008 05/01/2010

	Rates	Fringes
CARPENTER, Includes Drywall Hanging, Formsetting, and Soft Floor (Carpet) Installation.....	\$ 26.38	7.00
PILEDRIVERMAN.....	\$ 24.48	7.80

CARP1831-002 04/01/2010

	Rates	Fringes
MILLWRIGHT.....	\$ 27.91	10.90

ELEC0026-016 06/01/2010

	Rates	Fringes
ELECTRICIAN, Including HVAC Temperature Control Installation.....	\$ 39.02	12.82+a

a. PAID HOLIDAYS: New Year's Day, Martin Luther King Jr.'s Birthday, Inauguration Day, Memorial Day, Fourth of July, Labor Day, Veterans Day, Thanksgiving Day, the day after Thanksgiving and Christmas Day or days designated as legal holidays by the Federal Government.

ELEC0026-017 09/01/2008

	Rates	Fringes
ELECTRICIAN: COMMUNICATION TECHNICIAN.....	\$ 24.25	3%+6.87

SCOPE OF WORK: Includes low voltage construction, installation, maintenance and removal of teledata facilities (voice, data and video) including outside plant, telephone and data inside wire, interconnect, terminal equipment, central offices, PABX, fiber optic cable and equipment, railroad communications, micro waves, VSAT, bypass, CATV, WAN (Wide area networks), LAN (Local area networks) and ISDN (Integrated systems digital network).

WORK EXCLUDED: The installation of computer systems in industrial applications such as assembly lines, robotics and computer controller manufacturing systems. The installation of conduit and/or raceways shall be installed by Inside Wiremen. On sites where there is no Inside Wireman employed, the Teledata Technician may install raceway or conduit not greater than 10 feet. Fire alarm work is excluded on all new construction sites or wherever the fire alarm system is installed in conduit. All HVAC control work.

ELEV0010-001 01/01/2010

	Rates	Fringes
ELEVATOR MECHANIC.....	\$ 37.30	20.035+a+b

a. PAID HOLIDAYS: New Year's Day, Memorial Day, Independence Day, Labor Day, Veterans' Day, Thanksgiving Day, Christmas Day and the Friday after Thanksgiving.

b. VACATIONS: Employer contributes 8% of basic hourly rate for 5 years or more of service; 6% of basic hourly rate for 6 months to 5 years of service as vacation pay credit.

IRON0005-005 06/01/2009

	Rates	Fringes
IRONWORKER, ORNAMENTAL AND STRUCTURAL.....	\$ 28.83	13.295

IRON0201-006 05/01/2009

	Rates	Fringes
IRONWORKER, REINFORCING.....	\$ 25.20	14.33

LABO0657-015 06/01/2009

	Rates	Fringes
LABORER: Skilled.....	\$ 20.22	5.25

FOOTNOTE: Potmen, power tool operator, small machine operator, signalmen, laser beam operator, waterproofer, open caisson, test pit, underpinnig, pier hole and ditches, lagers and all work associated with lagging that is not expressly stated, strippers, operator of hand derricks, vibrator operators, pipe layers, or tile layers, operators of jackhammers, paving breakers, spaders or any machine that does the same general type of work, carpenter tenders, scaffold builders, operators of towmasters, scootcretes, buggymobiles and other machines of similar character, operators of tampers and rammers and other machines that do the same general type of work, whether powered by air, electric or gasoline, builders of trestle scaffolds over one tier high and sand blasters, power and chain saw operators used in clearing, installers of well points, wagon drill operators, acetylene burners and licensed powdermen, stake jumper, structural demolition.

MARB0002-004 05/01/2009

	Rates	Fringes
MARBLE/STONE MASON.....	\$ 32.63	12.99

INCLUDING pointing, caulking and cleaning of All types of masonry, brick, stone and cement EXCEPT pointing, caulking, cleaning of existing masonry, brick, stone and cement (restoration work)

MARB0003-006 05/01/2009

	Rates	Fringes
TERRAZZO WORKER/SETTER.....	\$ 26.04	9.09

MARB0003-007 05/01/2009

	Rates	Fringes
TERRAZZO FINISHER.....	\$ 20.48	8.19

MARB0003-008 05/01/2009

	Rates	Fringes
TILE SETTER.....	\$ 25.29	9.09

MARB0003-009 05/01/2009

	Rates	Fringes
TILE FINISHER.....	\$ 20.48	8.19

PAIN0051-014 06/01/2010

	Rates	Fringes
GLAZIER		
Glazing Contracts \$2 million and under.....	\$ 24.57	8.31
Glazing Contracts over \$2 million.....	\$ 27.29	8.31

PAIN0051-015 06/01/2009

	Rates	Fringes
PAINTER		
Brush, Roller, Spray and Drywall Finisher.....	\$ 24.64	7.86

PLAS0891-005 07/01/2009

	Rates	Fringes
PLASTERER.....	\$ 27.00	5.82

* PLAS0891-006 05/01/2010

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER...	\$ 27.15	9.58

* PLAS0891-007 07/01/2009

	Rates	Fringes
FIREPROOFER		
Handler.....	\$ 11.50	3.89
Mixer/Pump.....	\$ 14.00	3.89
Sprayer.....	\$ 19.00	3.89

Spraying of all Fireproofing materials. Hand application of Fireproofing materials. This includes wet or dry, hard or soft. Intumescent fireproofing and refraction work, including, but not limited to, all steel beams, columns, metal decks, vessels, floors, roofs, where ever fireproofing is required. Plus any installation of thermal and acoustical insulation. All that encompasses setting up for Fireproofing, and taken down. Removal of fireproofing materials and protection. Mixing of all materials either by

hand or machine following manufactures standards.

 PLUM0005-008 08/01/2009

	Rates	Fringes
PLUMBER		
Apartment Buildings over 4 stories (except hotels).....	\$ 22.66	9.36+a
ALL Other Work.....	\$ 37.67	14.69+a

a. PAID HOLIDAYS: Labor Day, Veterans' Day, Thanksgiving Day and the day after Thanksgiving, Christmas Day, New Year's Day, Martin Luther King's Birthday, Memorial Day and the Fourth of July.

 PLUM0602-008 08/01/2009

	Rates	Fringes
PIPEFITTER, Including HVAC		
Pipe Installation.....	\$ 36.87	15.47+a

a. PAID HOLIDAYS: New Year's Day, Martin Luther King's Birthday, Memorial Day, Independence Day, Labor Day, Veterans' Day, Thanksgiving Day and the day after Thanksgiving and Christmas Day.

 ROOF0030-016 05/01/2009

	Rates	Fringes
ROOFER.....	\$ 25.80	8.26

 SFDC0669-002 01/01/2010

	Rates	Fringes
SPRINKLER FITTER (Fire Sprinklers).....	\$ 30.45	16.35

 SHEE0100-015 07/01/2010

	Rates	Fringes
SHEET METAL WORKER (Including HVAC Duct Installation).....	\$ 35.59	13.01

 * SUDC2009-003 05/19/2009

	Rates	Fringes
LABORER: Common or General.....	\$ 13.04	2.80
LABORER: Mason Tender - Cement/Concrete.....	\$ 15.40	2.85

LABORER: Mason Tender for pointing, caulking, cleaning of existing masonry, brick,

stone and cement structures
(restoration work); excludes
pointing, caulking and
cleaning of new or
replacement masonry, brick,
stone and cement.....\$ 11.67

POINTER, CAULKER, CLEANER,
Includes pointing, caulking,
cleaning of existing masonry,
brick, stone and cement
structures (restoration
work); excludes pointing,
caulking, cleaning of new or
replacement
masonry, brick, stone or
cement.....\$ 18.88

WELDERS - Receive rate prescribed for craft performing
operation to which welding is incidental.

=====
Unlisted classifications needed for work not included within
the scope of the
classifications listed may be added after award only as
provided in the labor
standards contract clauses (29 CFR 5.5(a)(1)(ii)).

--
In the listing above, the "SU" designation means that rates
listed under the
identifier do not reflect collectively bargained wage and
fringe benefit
rates. Other designations indicate unions whose rates have
been determined
to be prevailing.

--
WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can
be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on
a wage
determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests
for summaries

of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION

J.1.2 Standard Contract Provisions For Use With Specifications for District of Columbia Government
Construction Projects, January 2007

Government of the District of Columbia

**STANDARD CONTRACT
PROVISIONS**

For Use With
Specifications for
District of Columbia Government
Construction Projects
(Revised January 2007)



PLEASE RETAIN FOR YOUR REFERENCE

INDEX

INSTRUCTIONS TO BIDDERS

	PAGE
Qualification of Bidders	5
Bid Documents	5
Examination of Bid	5
Preparation for Bids.....	5
Error in Bids	5
Labor and Material Not Furnished by District	5
Addenda and Interpretations	6
Alternate Bids	6
Bids for All or Part	6
Price Schedule Interpretation	6
Corrections	6
Bond Requirements.....	6
A. Bid Guaranty	6
B. Performance Bond	7
C. Payment Bond	7
D. Bond Source	7
Signature to Bids.....	7
Marking and Mailing Bids	8
Receiving Bids, Modifications or Withdrawals	8
Withdrawal of Bids	8
Opening of Bids	8
Award or Rejection.....	8
Cancellation of Award.....	9
Contract and Bond	9
 GENERAL PROVISIONS	
Definitions	10
Specifications and Drawings	10
Changes	11
A. Designated Change Orders	11
B. Other Change Orders	11
C. General Requirements	11
D. Change Order Breakdown	11
 EQUITABLE ADJUSTMENT OF CONTRACT TERMS	
Differing Site Conditions	12
Suspension of Work	13

INDEX (Continued)

	PAGE
Significant Changes in Character of Work	13
Termination-Delays.....	14
Termination for Convenience.....	15
Disputes.....	19
Payments to Contractor.....	21
Transfer or Assignment.....	21
Material and Workmanship.....	21
Surplus Material Use.....	22
District Material.....	22
Plant.....	22
Capability of Workers.....	22
Conformity of Work and Materials.....	23
Unauthorized Work and Materials.....	23
Inspection and Acceptance	23
Superintendence by Contractor	24
Permits and Responsibilities	24
Indemnification	24
Protection Against Trespass	24
Conditions Affecting the Work	24
A. General	24
B. Work and Storage Space	24
C. Work on Sundays, Legal Holidays and at Night	24
D. Existing Features	24
E. Utilities and Vaults	25
F. Site Maintenance	25
G. Private Work	25
H. District of Columbia Noise Control Act of 1977.....	25
Other Contracts	25
Patent Indemnity.....	26
Additional Bond Security	26
Covenant Against Contingency Fees.....	26
Appointment of Attorney.....	26
District Employees Not to Benefit.....	26
Waiver.....	27
Buy American.....	27
A. Agreement.....	27
B. Domestic Construction Material	27
C. Domestic Component	27

D. Foreign Material.....	27
Taxes	
A. Federal Excise Taxes	27
B. Sales and Use Taxes	27
Suspension of Work.....	28
Safety Program.....	28
A. General	28
B. Contractor's Program Submission ..	29
Retention of Records	29
LABOR PROVISIONS Davis-Bacon Act.....	
Minimum Wages	29
B. Withholding	30
C. Payroll and Basic Records	30
Convict Labor	31
Apprentices and Trainees.	31
A. Apprentices	31
B. Trainees	31
C. Requirements.....	31
Contract Work Hours and Safety Standards Act	32
A. Overtime Basis	32
B. Liability for Unpaid Wages	33
C. Disputes	33
D. Violation Penalty	33
E. Health and Safety Standards	33
Copeland Act —	34
A. Definition	34
B. Weekly Compliance Statement ..	34
C. Payrolls and Records	34
D. Payroll Deductions Not Subject to Secretary of Labor Approval	34
E. Payroll Deductions Subject to Secretary of Labor Approval	35
F. Applications for Secretary of Labor Approval	36
G. Action by Secretary of Labor Upon Applications	36
H. Prohibited Payroll Deductions	36
I. Methods of Payment of Wages	36
Non-segregated Facilities — Termination and Debarment	37
Form - Weekly Statement of Compliance.....	38
Form – Fringe Benefits Statement	39

INSTRUCTIONS TO BIDDERS

(Construction)

ARTICLE 1. QUALIFICATIONS OF BIDDERS—Bidders shall have the capability to perform classes of work contemplated, have the necessary plant and sufficient capital to execute the work properly within specified time.

Any Bidder who has not performed comparable work for the District within the last 5 years shall submit, at the Contracting Officer's discretion, a certified statement of his organization, plant, manpower, financial resources, and construction experience that he considers will qualify him for proposed contract. This information shall be certified by a Certified Public Accountant for contracts over \$25,000 and submitted on the AGC Form "Standard Questionnaires and Financial Statement for Bidders", obtainable from the Associated General Contractors of America, Inc., at 1957 "B" Street, N. W., Washington, D. C., 20008, or on an approved equivalent form. This requirement is not needed if the bidder has submitted such a statement to the District within a year prior to bid opening date, but will be required if bidder has previously submitted such a statement under one company name or organization or joint venture and is now bidding under another company name or organization or joint venture. A certified statement of prequalification approval by another jurisdiction may be considered as an alternative to foregoing procedure. A bidder shall submit a supplemental statement if requested by the District.

ARTICLE 2. BID DOCUMENTS—The Specifications (including all documents referenced therein and all documents attached thereto), drawings and addenda which form the basis of any bid shall be considered as part thereof and will form part of the bid. Copies of these documents will be furnished to or made available for the inspection of prospective bidders by that office indicated in the advertisement or invitation.

ARTICLE 3. EXAMINATION OF BID DOCUMENTS AND SITE OF WORK—Each Bidder shall carefully examine the site of the proposed work and the bid documents and fully acquaint himself with conditions relating to construction and labor so that he may fully understand the facilities, difficulties and restrictions attending the execution of the work under the bid documents, and he shall judge for and satisfy himself as to conditions to be encountered affecting the character, quality and quantity of the work to be performed and materials to be furnished and to the requirements of the bid documents. Failure to do so will be at the Bidder's own risk and shall not relieve him from any obligation under his bid or contract.

ARTICLE 4. PREPARATION FOR BIDS—The bid form furnished in the bid proposal and specifications shall be used in strict compliance with the requirements of the Invitation and Supplemental Instructions to Bidders in the specifications. Special care shall be exercised in the preparation of bids. Bidders must make their own estimates of the facilities and difficulties to be anticipated upon execution of the contract, including local conditions, uncertainty of weather and all other contingencies. All designations and prices shall be fully and clearly set forth in the bid submission. ALL PRICES SHALL BE INSERTED IN FIGURES TYPED OR PRINTED LEGIBLY ON THE BID FORM. All corrections on the bid documents must be initialed by the person signing the bid form.

ARTICLE 5. ERROR IN BIDS—Bidders or their authorized agents are expected to examine all bid documents and any addenda thereto, and all other instructions pertaining to the work which will be open to their inspection. Failure to do so will be at the bidder's own risk, and will not constitute reason for relief on plea of error in the bid. IN CASE OF ERROR IN THE EXTENSION OF PRICES IN THE BID, UNIT PRICES WILL GOVERN.

The bidder must submit his plea of error in writing to the Contracting Officer and must be prepared to document and prove his error.

ARTICLE 6. LABOR AND MATERIAL NOT FURNISHED BY DISTRICT—The District will not furnish any labor, material or supplies unless a provision to do so is included in the contract documents.

ARTICLE 7. ADDENDA AND INTERPRETATIONS—No oral interpretations of the meaning of the drawings, specifications or other bid documents will be made to any bidder. Verbal clarification will not be binding on the District. All requests must be in writing and addressed to the Contracting Officer responsible for administering the contract. Requests for interpretations of bid documents must be received by the Contracting Officer not later than 10 days prior to bid opening date. All changes to the bid documents will be made by addenda mailed to all prospective bidders, who have obtained copies of the bid documents, not later than 7 days before bid opening date. In case of discrepancy among addenda, a later dated addendum has priority over earlier dated addenda. It shall be the bidder's responsibility to make inquiry as to any or all addenda issued, and failure of any prospective bidder to receive any such addenda issued by the Contracting Officer shall not relieve the bidder from any obligation under his bid as submitted. Bidders must acknowledge receipt of all addenda on the Bid Form; failure to do so may result in rejection of bid.. All addenda issued shall become part of the bid and contract documents. -

ARTICLE 8. ALTERNATE BIDS—Alternate bids will not be considered unless called for in the Bid Form.

ARTICLE 9. BIDS FOR ALL OR PART—Where bids are not qualified by specific limitations, the District reserves the right to award all or any of the items according to its best interests.

ARTICLE 10. PRICE SCHEDULE INTERPRETATION—Quantities appearing in the Price Schedule are approximate only and are prepared for the comparison of bids. Payment will be made only for actual material requirements accepted and for work performed and accepted. Schedule quantities may be increased, decreased or omitted and there shall be no adjustment in contract unit prices except as provided, and except for such materials actually purchased or work actually performed prior to notification of the change in items affected.

The price for any item, unless otherwise specified, shall include full compensation for all materials, tests, samples, manufacturers' guaranties, tools, equipment, labor and incidental work needed to complete specified items. Prices without exception shall be net, not subject to discount, and shall include all royalties and costs arising from patents, proprietary items, trademarks and copyrights.

ARTICLE 11. CORRECTIONS—Erasures and other changes in bids must be explained or noted over the signature of the bidder.

ARTICLE 12. BOND REQUIREMENTS

- A. BID GUARANTY**—On all bids of \$100,000.00 or more, security is required to insure the execution of the contract. No bid will be considered unless it is so guaranteed. Each bidder must furnish with his bid either a Bid Bond (Form No. DC 2640-5), with good and sufficient sureties, a certified check payable to the order of the Treasurer of the District of Columbia (uncertified check will not be accepted), negotiable United States bonds (at par value), or an irrevocable letter of credit in an amount not less than five percent (5%) of the amount of his bid, as a guaranty that he Will not withdraw said bid within the period specified therein after the opening of the same; or, if no period be specified, within ninety (90) days after said opening, and will, within the period specified therefore, or, if no period be specified, within ten (10) days, after the prescribed forms are forwarded to him for execution (or within any extension of time which may be granted by the officer to whom the bid was addressed) execute and deliver a written contract on the standard District form in accordance with bid as accepted and give bond with good and sufficient sureties, as specified below for the faithful performance and proper fulfillment of such contract and payment of laborers and material men as required by law or, in the event of the withdrawal of said bid within the period above stated, or the failure to enter into such contract and give such bond within the time above stated, that he will pay to the District the difference between the amount specified in said bid and the amount for which the District may procure the required work, if the latter amount be in excess of the former.

In case security is in the form of a certified check or United States bonds, the District may make such disposition of the same as will accomplish the purpose for which

submitted. Certified checks may be held uncollected at the bidder's risk. Certified checks and United States bonds will be returned to the unsuccessful bidders after award of contract and to successful bidders after the signing of prescribed forms of contract and bonds. Guaranty bonds will be returned only upon written application.

B. PERFORMANCE BOND—For any construction contract exceeding \$100,000.00, a Performance Bond (Form No. DC 2640-7) shall be required in a penal amount equal to one hundred percent (100%) of the contract price at time of award. Additional performance bond protection shall be required in connection with any modification effecting an increase in price under any contract for which a bond is required pursuant to the above if:

1. The modification is for new or additional work which is beyond the scope of the existing contract; or,
2. The modification is pursuant to an existing provision of the contract and is expected to increase the contract price by \$50,000 or twenty-five percent (25%) of the original total contract price, whichever is less.

The penal amount of the bond protection shall be increased so that the total performance bond protection is one hundred percent (100%) of the contract price as revised by both the modification requiring such additional protection and the aggregate of any previous modification. The increased penal amount may be secured either by increasing the bond protection provided by existing surety or sureties or by obtaining an additional performance bond from a new surety.

C. PAYMENT BOND— In accordance with the provisions of Section 504(b) of the District of Columbia Procurement Practices Act of 1985, payment bonds shall be required in an amount not less than fifty percent (50%) of the total amount payable by the terms of the contract.

Additional payment protection shall be required in connection with any notification effecting an increase in price under any contract for which a bond is required pursuant to the above if —

1. The modification is for new or additional work which is beyond the scope of the existing contract; or
2. The modification is pursuant to an existing provision of the contract and is expected to increase the contract price by \$50,000 or twenty-five percent (25%) of the original total contract price, whichever is less.

The penal amount of the additional bond protection shall generally be such that the total payment bond protection is fifty percent (50%) of the contract price as revised by both the modification requiring such additional protection, and the aggregate of any previous modifications. The additional protection may be secured either by increasing the bond protection provided by the existing surety or sureties or by obtaining an additional payment bond from a new surety.

D. BOND SOURCE—The bonds may be obtained from any surety company authorized by the U.S. Treasury Department as acceptable sureties on Federal Bonds and authorized to transact business in the District of Columbia by the Director, Department of Insurance, Securities and Banking.

ARTICLE 13. SIGNATURE TO BIDS—Each bid must show the full business address of the bidder and be signed by him with his usual signature. Bids by partnerships must be signed with the partnership name by one of the members of the partnership or by an authorized representative, followed by the signature and designation of the person signing. Bids by corporations must be signed with the name of the corporation, followed by the signature and

designation of the President or Vice President and attested by the Secretary of the corporation or other persons authorized to bind the corporation and the corporate seal affixed thereto. If bid is signed by other than the President or Vice President, evidence of authority to so sign must be furnished in the form of an extract of minutes, of a meeting of the Board of Directors or extract of bylaws certified by the Corporate Secretary and corporate seal affixed thereto. The names of all persons signing shall be typed or printed below the signatures. A bid by a person who affixes to his signature the word "President", "Vice President", "Secretary", "Agent", or other designation, without disclosing his principal, may be held personally to the bid. Bids submitted by a joint venture must be signed by all authorized parties to the joint venture.

ARTICLE 14. MARKING AND MAILING BIDS—Bids, addenda acknowledgment, and bid guaranty must be securely sealed in suitable envelopes, addressed and marked on the outside with the name of the bidder, invitation number and date of opening.

ARTICLE 15. RECEIVING BIDS, MODIFICATIONS OR WITHDRAWALS—Bids received prior to the time set for opening will be securely kept unopened. The officer whose duty it is to open them will decide when the specified time has arrived and no bid received thereafter will be considered unless: (1) they are sent by registered mail or by certified mail for which an official dated post office stamp (postmark) on the original Receipt for Certified Mail has been obtained and it is determined by the District that the late receipt was due solely to delay in the mails for which the bidder was not responsible; or (2) if submitted by mail (or by telegram if authorized by the Contracting Officer), it is determined by the District that the late receipt was due solely to mishandling by the District after receipt at the District agency: Provided, that timely receipt at such agency is established upon examination of an appropriate date or time stamp or other documentary evidence of receipt within the control of such agency.

Bidders using certified mail are cautioned to obtain a receipt for certified mail showing legible, dated postmark and to retain such receipt against the chance that it will be required as evidence that a late bid was timely mailed. The only evidence acceptable in this matter is as follows: (1) where the Receipt of Certified Mail identifies the post office station of mailing, evidence furnished by the bidder which establishes, that the business day of the station ended at an earlier time, in which case the time of mailing shall be deemed to be last minute of the business day; or (2) an entry in ink on the Receipt for Certified Mail showing the time of mailing and the initials of postal employee receiving the item and making the entry, with appropriate written verification of such entry from the post office station of mailing, in which case the time of mailing, shall be the time shown in the entry. If the postmark on the original Receipt for Certified Mail does not show a date, the bid shall not be considered.

The time of mailing of late bids submitted by registered or certified mail shall be deemed to be the last minute of the date shown in the postmark on the registered mail receipt or registered mail wrapper or on the Receipt for Certified Mail unless the bidder furnishes evidence from the post office station of mailing which establishes an earlier time.

No responsibility will attach to the District or any of its officers or employees for the premature opening of a bid not properly addressed and identified. Unless specifically authorized, telegraphic bids will not be considered, but modifications, by telegram, of bids already submitted will be considered if received prior to the hour set for opening, but should not reveal the amount of the original or revised bid.

ARTICLE 16. WITHDRAWAL OF BIDS—Bids may be withdrawn on written or telegraphic request received from bidders prior to the time fixed for opening, provided the name of the bidder appears on the outside of the envelope containing the bid. Negligence on the part of the bidder in preparing the bid confers no right for the withdrawal of the bid after it has been opened.

ARTICLE 17. OPENING OF BIDS—At the time fixed for the opening of bids, their contents will be made public by the Office of Contracting and Procurement for the information of bidders and other properly interested persons.

ARTICLE 18. AWARD OR REJECTION—The Contract will be awarded to the lowest responsible Bidder complying with conditions of the bid documents, provided his bid is reasonable and it is in the best interest of the District to accept it. The Bidder, to whom award is made, will be notified by

the Contracting Officer at the earliest possible date. The District, however, reserves the right to reject any and all bids and to waive any informality in bids received whenever such rejection or waiver is in the best interest of the District.

If more than one bid be offered by any one party, by or in the name of his or their clerk, partner, or other person, all such bids may be rejected. This shall not prevent a Bidder from proceeding under Article 8 hereof, nor from quoting different prices on different qualities of material or different conditions of delivery. A supplier or material man who has quoted prices on materials to a Bidder is not thereby disqualified from quoting to other bidders or from submitting a bid directly for the materials or work.

Each Bidder shall submit a bid on all items in the Price Schedule; failure to bid on all items may result in bid rejection.

In addition to requirements for qualification of bidders as set forth in Article 1 hereof, and as determined by the District, proposals will be considered irregular and may be rejected by the Contracting Officer for any of, but not limited to, the following reasons:

- A. Incompetency, inadequate plant or insufficient capital as revealed by Bidder's statement on AGC or equivalent form.
- B. Evidence of collusion.
- C. Uncompleted work which might hinder or prevent proper and prompt execution and completion of work contemplated.
- D. Evidence that Bidder has not adequately considered all aspects of contemplated work.
- E. Failure to settle bills satisfactorily, claims and judgments due for labor and material on Bidder's contracts in force on bid opening date.
- F. Default under previous contracts.
- G. Unacceptable rating as listed on published government lists.
- H. Proposal submission on form other than that form furnished by District, or altered or partially detached form.
- I. Unauthorized additions, deletions, omissions, conditional bids, or irregularities which may make proposal incomplete or ambiguous in meaning.
- J. Failure to acknowledge all addenda issued.
- K. Failure to submit bid in the properly labeled receptacle at that location designated as the Office of Contracting and Procurement, Bid Room, Suite 700, 441 4th St., N.W., Washington, D.C. 20001 and prior to the time set for opening as governed by the Official Clock designated as such in that Bid Room.

ARTICLE 19. CANCELLATION OF AWARDS—The right is reserved to the District, without any liability upon the District, to cancel the award of any contract at any time prior to approval of a formal written contract signed by the Contractor and the Contracting Officer.

ARTICLE 20. CONTRACT AND BOND—The Bidder to whom award is made must, when required, enter into a written contract on the standard District form, with satisfactory security in the amount required (see Article 12) within the period specified, or no period be specified, within 10 days after the prescribed forms are presented to him for signature.

**GENERAL PROVISIONS
(Construction Contract)**

ARTICLE 1. DEFINITIONS

- A. "District" as used herein means the District of Columbia, a municipal corporation.
- B. "Mayor" as used herein means the elected head of the District as set forth in Public Law 93-198 dated December 24, 1973, Title 4, Part B, Section 422(1).
- C. "Contracting Officer" as used herein means the District official authorized to execute and administrate the Contract on behalf of the District.
- D. "Contract Documents" or "Contract" as used herein means Addenda, Contract Form, Instructions to Bidders, General Provisions, Labor Provisions, Performance and Payment Bonds, Specifications, Special Provisions, Contract Drawings, approved written Change Orders and Agreements required to acceptably complete the Contract, including authorized extensions thereof.

ARTICLE 2. SPECIFICATIONS AND DRAWINGS—The Contractor shall keep on the work site a copy of Contract drawings and specifications and shall at all times give the Contracting Officer access thereto. Anything mentioned in the specifications and not shown on the Contract drawings, or shown on the Contract drawings and not mentioned in the specifications, shall be of like effect as if shown or mentioned in both.

All Contract requirements are equally binding. Each Contract requirement, whether or not omitted elsewhere in the Contract, is binding as though occurring in any or all parts of the Contract. In case of discrepancy:

- 1. The Contracting Officer shall be promptly notified in writing of any error, discrepancy or omission, apparent or otherwise.
- 2. Applicable Federal and D. C. Code requirements have priority over: the Contract form, General Provisions, Change Orders, Addenda, Contract drawings, Special Provisions and Specifications.
- 3. The Contract form, General Provisions and Labor Provisions have priority over: Change Orders, Addenda, Contract drawings, Special Provisions and Specifications.
- 4. Change Orders have priority over: Addenda, Contract drawings and Specifications.
- 5. Addenda have priority over: Contract drawings, Special Provisions and Specifications. A later dated Addendum has priority over earlier dated Addenda.
- 6. Special Provisions have priority over: Contract drawings and other specifications.
- 7. Shown and indicated dimensions have priority over scaled dimensions.
- 8. Original scale drawings and details have priority over any other different scale drawings and details.
- 9. Large scale drawings and details have priority over small scale drawings and details.
- 10. Any adjustment by the Contractor without a prior determination by the Contracting Officer shall be at his own risk and expense. The Contracting Officer will furnish from time to time such detail drawings and other information as he may consider necessary, unless otherwise provided.

ARTICLE 3. CHANGES

- A. DESIGNATED CHANGE ORDERS**—The Contracting Officer may, at any time, without notice to the sureties, by written order designated or indicated to be a change order, make any change in the work within the general scope of the Contract, including but not limited to changes
1. In the Contract drawings and specifications;
 2. In the method or manner of performance of the work;
 3. In the District furnished facilities, equipment, materials or services; or
 4. Directing acceleration in the performance of the work.

Nothing provided in this Article shall excuse the Contractor from proceeding with the prosecution of the work so changed.

- B. OTHER CHANGE ORDERS**—Any other written order or an oral order (which term as used in this Section (B) shall include direction, instruction, interpretation, or determination) from the Contracting Officer which causes any such change, shall be treated as a Change Order under this Article, provided that the Contractor gives the Contracting Officer written notice stating the date, circumstances and sources of the order and that the Contractor regards the order as a Change Order.
- C. GENERAL REQUIREMENTS**—Except as herein provided, no order, statement or conduct of the Contracting Officer shall be treated as a change under this Article or entitle the Contractor to an equitable adjustment hereunder. If any change under this Article causes an increase or decrease in the Contract's cost of, or the time required for, the performance of any part of the work under this Contract whether or not changed by any order, an equitable adjustment shall be made and the Contract modified in writing accordingly; provided, however, that except for claims based on defective specifications, no claim for any change under (B) above shall be allowed for any cost incurred more than 20 days before the Contractor gives written notice as therein required unless this 20 days is extended by the Contracting Officer and provided further, that in case of defective drawings and specifications, the equitable adjustment shall include any increased cost reasonably incurred by the Contractor in attempting to comply with such defective drawings and specifications.

If the Contractor intends to assert a claim for an equitable adjustment under this Article, he must, within 30 days after receipt of a written Change Order under (A) above or the furnishing of a written notice under (B) above, submit to the Contracting Officer a written statement setting forth the general nature and monetary extent of such claim, unless this period is extended by the Contracting Officer. The statement of claim hereunder may be included in the notice under (B) above.

No claim by the Contractor for an equitable adjustment hereunder shall be allowed if asserted after final payment under the Contract.

- D. CHANGE ORDER BREAKDOWN**—Contract prices shall be used for Change Order work where work is of similar nature; no other costs, overhead or profit will be allowed.

Where Contract prices are not appropriate and the nature of the change is known in advance of construction, the parties shall attempt to agree on a fully justifiable price adjustment and/or adjustment of completion time.

When Contract prices are not appropriate, or the parties fail to agree on equitable adjustment, or in processing claims, equitable adjustment for Change Order work shall be per this Article and Article 4 and shall be based upon the breakdown shown in following

subsections 1. through 7. The Contractor shall assemble a complete cost breakdown that lists and substantiates each item of work and each item of cost.

1. **Labor**—Payment will be made for direct labor cost plus indirect labor cost such as insurance, taxes, fringe benefits and welfare provided such costs are considered reasonable. Indirect costs shall be itemized and verified by receipted invoices. If verification is not possible, up to 18 percent of direct labor costs may be allowed. In addition, up to 20 percent of direct plus indirect labor costs may be allowed for overhead and profit.
2. **Bond**—Payment for additional bond cost will be made per bond rate schedule submitted to the Office of Contracting and Procurement with the executed Contract.
3. **Materials**—Payment for cost of required materials will be F.O.B. destination (the job site) with an allowance for overhead and profit.
4. **Rented Equipment**—Payment for required equipment rented from an outside company that is neither an affiliate of, nor a subsidiary of, the Contractor will be based on receipted invoices which shall not exceed rates given in the current edition of the Rental Rate Blue Book for Construction Equipment published by Data Quest. If actual rental rates exceed manual rates, written justification shall be furnished to the Contracting Officer for consideration. No additional allowance will be made for overhead and profit. The Contractor shall submit written certification to the Contracting Officer that any required rented equipment is neither owned by nor rented from the Contractor or an affiliate of or subsidiary of the Contractor.
5. **Contractor's Equipment**— Payment for required equipment owned by the Contractor or an affiliate of the Contractor will be based solely on an hourly rate derived by dividing the current appropriate monthly rate by 176 hours. No payment will be made under any circumstances for repair costs, freight and transportation charges, fuel, lubricants, insurance, any other costs and expenses, or overhead and profit. Payment for such equipment made idle by delays attributable to the District will be based on one-half the derived hourly rate under this subsection.
6. **Miscellaneous**—No additional allowance will be made for general superintendence, use of small tools and other costs for which no specific allowance is herein provided.
7. **Subcontract Work**—Payment for additional necessary subcontract work will be based on applicable procedures in 1. through 6., to which total additional subcontract work up to an additional 10 percent may be allowed for the Contractor's overhead and profit.

ARTICLE 4. EQUITABLE ADJUSTMENT OF CONTRACT TERMS

The Contractor is entitled to an equitable adjustment of the contract terms whenever the following situations develop:

Differing Site Conditions:

- (1) During the progress of the work, if subsurface or latent physical conditions are encountered at the site differing materially from those indicated in the contract or if unknown physical conditions of an unusual nature, differing materially from those ordinarily encountered and generally recognized as inherent in the work provided for in the contract, are encountered at the site, the Contractor, upon discovering such conditions, shall promptly notify the Contracting Officer in writing of the specific differing conditions before they are disturbed and before the affected work is performed.

- (2) Upon written notification, the Contracting Officer will investigate the conditions, and if he/she determines that the conditions materially differ and cause an increase or decrease in the cost or time required for the performance of any work under the contract, an adjustment, excluding loss of anticipated profits, will be made and the contract modified in writing accordingly. The Contracting Officer will notify the Contractor of his/her determination whether or not an adjustment of the contract is warranted.
- (3) No contract adjustment which results in a benefit to the Contract will be allowed unless the Contractor has provided the required written notice.
- (4) No contract adjustment will be allowed under this clause for any effects caused on unchanged work.

Suspension of Work Ordered by the Contracting Officer:

- (1) If the performance of all or any portion of the work is suspended or delayed by the Contracting Officer in writing for an unreasonable period of time (not originally anticipated, customary, or inherent to the construction industry) and the Contractor believes that additional compensation and/or contract time is due as a result of such suspension or delay, the Contractor shall submit to the Contracting Officer in writing a request for equitable adjustment within seven (7) calendar days of receipt of the notice to resume work. The request shall set forth the reasons and support for such adjustment.
- (2) Upon receipt, the Contracting Officer will evaluate the Contractor's request. If the Contracting Officer agrees that the cost and/or time required for the performance of the contract has increased as a result of such suspension and the suspension was caused by conditions beyond the control or and not the fault of the contractor, its suppliers, or subcontractors at any approved tier, and not caused by weather, the Contracting Officer will make an adjustment (excluding profit) and modify the contract in writing accordingly. The Contracting Officer will notify the Contractor of his/her determination whether or not an adjustment of the contract is warranted.
- (3) No contract adjustment will be allowed unless the Contractor has submitted the request for adjustment within the time prescribed.
- (4) No contract adjustment will be allowed under this clause to the extent that performance would have been suspended or delayed by any other cause, or for which an adjustment is provided for or excluded under any other term of condition of this contract.

Significant Changes in the Character of Work:

- (1) The Contracting Officer reserves the right to make, in writing, at any time during the work, such changes in quantities and such alterations in the work as are necessary to satisfactorily complete the project. Such changes in quantities and alterations shall not invalidate the contract nor release the surety, and the Contractor agrees to perform the work as altered.
- (2) If the alterations or changes in quantities significantly change the character of the work under the contract, whether or not changed by any such different quantities or alterations, an adjustment, excluding loss of anticipated profits, will be made to the contract. The basis for the adjustment shall be agreed upon prior to the performance of the work. If a basis cannot be agreed upon, then an adjustment will be made either for or against the Contractor in such amount as the Contracting Officer may determine to be fair and reasonable.

- (3) If the alterations or changes in quantities significantly change the character of the work to be performed under the contract, the altered work will be paid for as provided elsewhere in the contract.
- (4) The term "significant change" shall be construed to apply only to the following circumstances:
 - (a) When the character of the work as altered differs materially in kind or nature from that involved or included in the original proposed construction; or
 - (b) When an item of work is increased in excess of 125 percent or decreased below 75 percent of the original contract quantity. Any allowance for an increase in quantity shall apply only to that portion in excess of 125 percent of original contract item quantity, or in the case of a decrease below 75 percent, to the actual amount of work performed.

ARTICLE 5. TERMINATION-DELAYS—If the Contractor refuses or fails to prosecute the work, or any separable part thereof, with such diligence as will insure its completion within the time specified in the Contract, or any extension thereof, or fails to complete said work within specified time, the District may, by written notice to the Contractor, terminate his right to proceed with the work or such part of the work involving the delay. In such event the District may take over the work and prosecute the same to completion, by contract or otherwise, and may take possession of and utilize in completing the work such materials, appliances, and plant as may have been paid for by the District or may be on the site of the work and necessary therefore. Whether or not the Contractor's right to proceed with the work is terminated, he and his sureties shall be liable for any liability to the District resulting from his refusal or failure to complete the work within the specified time.

If fixed and agreed liquidated damages are provided in the Contract and if the District does not so terminate the Contractor's right to proceed, the resulting damage will consist of such liquidated damages until the work is completed or accepted.

The Contractor's right to proceed shall not be so terminated nor the Contractor charged with resulting damage if:

1. The delay in the completion the work arises from unforeseeable causes beyond the control and without the fault or negligence of the Contractor, including but not restricted to acts of God, acts of the public enemy, acts of the District in either its sovereign or contractual capacity, acts of another contractor in the performance of a contract with the District, fires, floods, epidemics, quarantine restrictions, strikes, freight embargoes, climatic conditions beyond the normal which could be anticipated, or delays of subcontractors or suppliers arising from unforeseeable causes beyond the control and without the fault or negligence of both the Contractor and such subcontractors or suppliers (the term subcontractors or suppliers shall mean subcontractors or suppliers at any tier); and
2. The Contractor, within 10 days from the beginning of any such delay, (unless the Contracting Officer grants a further period of time before the date of final payment under the Contract) notifies the Contracting Officer in writing of the causes of delay.

The Contracting Officer shall ascertain the facts and the extent of the delay and extend the time for completing the work when, in his judgment, the findings of fact justify such an extension, and his findings of fact shall be final and conclusive on the parties, subject only to appeal as provided in Article 7 herein.

If, after notice of termination of the Contractor's right to proceed under the provisions of this Article, it is determined for any reason that the Contractor was not in default under the provisions of this Article, or that the delay was excusable under the provisions of this Article, the rights and

obligations of the parties shall be in accordance with Article 6 herein. Failure to agree to any such adjustment shall be a dispute concerning a question of fact within the meaning of Article 7 herein.

The rights and remedies of the District provided in this Article are in addition to any other rights and remedies provided by law or under the Contract.

The District may, by written notice, terminate the Contract or a portion thereof as a result of an Executive Order of the President of the United States with respect to the prosecution of war or in the interest of national defense. When the Contract is so terminated, no claim for loss of anticipated profits will be permitted.

ARTICLE 6. TERMINATION FOR CONVENIENCE OF THE DISTRICT

- A. The performance of work under the Contract may be terminated by the District in accordance with this Article in whole, or in part, whenever the Contracting Officer shall determine that such termination is in the best interest of the District. Any such termination shall be effected by delivery to the Contractor of a Notice of Termination specifying the extent to which performance of work under the Contract is terminated, and the date upon which such termination becomes effective.
- B. After receipt of a Notice of Termination, and except as otherwise directed by the Contracting Officer, the Contractor shall:
 1. Stop work under the Contract on the date and to the extent specified in the Notice of Termination.
 2. Place no further orders or subcontracts for materials, services, or facilities except as may be necessary for completion of such portion of the work under the Contract as is not terminated.
 3. Terminate all orders and subcontracts to the extent that they relate to the performance of work terminated by the Notice of Termination.
 4. Assign to the District, in the manner, at the times, and to the extent directed by the Contracting Officer, all of the right, title and interest of the Contractor under the orders and subcontracts so terminated, in which case the District shall have the right, in its discretion, to settle or pay any or all claims arising out of the termination of such orders and subcontracts.
 5. Settle all outstanding liabilities and all claims arising out of such termination of orders or subcontracts, with the approval or ratification of the Contracting Officer to the extent he may require, which approval or ratification shall be final for all purposes of this Article.
 6. Transfer title to the District and deliver in the manner, at the times, and to the extent, if any, directed by the Contracting Officer
 - a. The fabricated or unfabricated parts, work in progress, completed work, supplies, and other material procured as a part of, or acquired in connection with, the performance of the work terminated by the Notice of Termination, and
 - b. The completed, or partially completed plans, drawings information and other property which, if the Contract had been completed, would have been required to be furnished to the District.
 7. Use his best efforts to sell, in the manner, at the terms, to the extent, and at the price or prices directed or authorized by the Contracting Officer, any property of the types referred to in 6 above provided, however, that the Contractor:
 - a. Shall not be required to extend credit to any purchaser, and

- b. May acquire any property under the conditions prescribed and at a price or prices approved by the Contracting Officer, and
 - c. Provided further, that the proceeds of any such transfer or disposition shall be applied in reduction of any payments to be made by the District to the Contractor under the Contract or shall otherwise be credited to the price or cost of the work covered by the Contract or paid in such other manner as the Contracting Officer may direct.
- 8. Complete performance of such part of the work as shall not have been terminated by the Notice of Termination.
 - 9. Take such action as may be necessary, or as the Contracting Officer may direct, for the protection and preservation of the property related to the Contract which is in the possession of the Contractor and in which the District has or may acquire an interest.
 - 10. The Contractor shall proceed immediately with the performance of the above obligations notwithstanding any delay in determining or adjusting the cost, or any item of reimbursable cost, under this Article.
 - 11. "Plant clearance period" means, for each particular property classification (such as raw materials, purchased parts and work in progress) at any one plant or location, a period beginning with the effective date of the termination for convenience and ending 90 days after receipt by the Contracting Officer of acceptable inventory schedules covering all items of that particular property classification in the termination inventory at that plant or location, or ending on such later date as may be agreed to by the Contracting Officer and the Contractor. Final phase of a plant clearance period means that part of a plant clearance period which occurs after the receipt of acceptable inventory schedules covering all items of the particular property classification at the plant or location.

At any time after expiration of the plant clearance period, as defined above, the Contractor may submit to the Contracting Officer a list, certified as to quantity and quality, of any or all items of termination inventory not previously disposed of, exclusive of items the disposition of which has been directed or authorized by the Contracting Officer, and may request the District to remove such items or enter into a storage agreement covering them. Not later than 15 days thereafter, the District will accept title to such items and remove them or enter into a storage agreement covering the same; provided, that the list submitted shall be subject to verification by the Contracting Officer upon removal of the items or, if the items are stored, within 45 days from the date of submission of the list, and any necessary adjustments to correct the list as submitted, shall be made prior to final settlement.

- C. After receipt of a Notice of Termination, the Contractor shall submit to the Contracting Officer his termination claim, in the form with the certification prescribed by the Contracting Officer. Such claim shall be submitted promptly but in no event later than one year from the effective date of termination, unless one or more extensions in writing are granted by the Contracting Officer upon request of the Contractor made in writing within such one year period or authorized extension thereof. However, if the Contracting Officer determines that the facts justify such action, he may receive and act upon any such termination claim at any time after such one year period or extension thereof. Upon failure of the Contractor to submit his termination claim within the time allowed, the Contracting Officer may, subject to any review required by the District's procedures in effect as of the date of execution of the Contract, determine, on the basis of information available to him, the amount, if any, due to the Contractor by reason of the termination and shall thereupon pay to the Contractor the amount so determined.

- D. Subject to the provisions of C above, and subject to any review required by the District's procedures in effect as of the date of execution of the Contract, the Contractor and Contracting Officer may agree upon the whole or any part of the amount or amounts to be paid to the Contractor by reason of the total or partial termination of work pursuant to this Article, which amount or amounts may include a reasonable allowance for profit on work done; provided, that such agreed amount or amounts, exclusive of settlement costs, shall not exceed the total Contract price as reduced by the amount of payments otherwise made and as further reduced by the Contract price of work not terminated. The Contract shall be amended accordingly, and the Contractor shall be paid the agreed amount. Nothing in E below prescribing the amount to be paid to the Contractor in the event of failure of the Contractor and the Contracting Officer to agree upon the whole amount to be paid to the Contractor by reason of the termination of work pursuant to this Article, shall be deemed to limit, restrict or otherwise determine or effect the amount or amounts which may be agreed upon to be paid to the Contractor pursuant to this paragraph.
- E. In the event of the failure of the Contractor and the Contracting Officer to agree as provided in D above upon the whole amount to be paid to the Contractor by reason of the termination of work pursuant to this Article, the Contracting Officer shall, subject to any review required by the District's procedures in effect as of the date of execution of the Contract, determine, on the basis of information available to him, the amount, if any, due the Contractor by reason of the termination and shall pay to the Contractor the amounts determined by the Contracting Officer, as follows, but without duplication of any amounts agreed upon in accordance with D above:
1. With respect to all Contract work performed prior to the effective date of the Notice of Termination, the total (without duplication of any items) of:
 - a. The cost of such work;
 - b. The cost of settling and paying claims arising out of the termination of work under subcontracts or orders as provided in B 5. above, exclusive of the amounts paid or payable on account of supplies or materials delivered or services furnished by the subcontractor prior to the effective date of the Notice of Termination of work under the Contract, which amounts shall be included in the cost on account of which payment is made under E1.a. above; and
 - c. A sum, as profit on E.1.a. above, determined by the Contracting Officer to be fair and reasonable; provided however, that if it appears that the Contractor would have sustained a loss on the entire Contract had it been completed, no profit shall be included or allowed under this subparagraph and an appropriate adjustment shall be made reducing the amount of the settlement to reflect the indicated rate of loss; and provided further that profit shall be allowed only on preparations made and work done by the Contractor for the terminated portion of the Contract but may not be allowed on the Contractor's settlement expenses. Anticipatory profits and consequential damages will not be allowed. Any reasonable method may be used to arrive at a fair profit, separately or as part of the whole settlement.
 2. The reasonable cost of the preservation and protection of property incurred pursuant to B.9; and any other reasonable cost incidental to termination of work under the Contract including expense incidental to the determination of the amount due to the Contractor as the result of the termination of work under the Contract.

- F. The total sum to be paid to me Contractor under E.1. above shall not exceed the total Contract price as reduced by the amount of payments otherwise made and as further reduced by the Contract price of work not terminated. Except for normal spoilage, and except to the extent that the District shall have otherwise expressly assumed the risk of loss, there shall be excluded from the amounts payable to the Contractor under E.1. above, the fair value, as determined by the Contracting Officer, of property which is destroyed, lost, stolen or damaged so as to become undeliverable to the District, or to a buyer pursuant to B.7 above.
- G. The Contractor shall have the right of appeal, under Article 7 herein, from any determination made by the Contracting Officer under C. or E. above, except that, if the Contractor has failed to submit his claim within the time provided in C above and has failed to request extension of such time, he shall have no such right of appeal. In any case where the Contracting Officer has made a determination of the amount due under C. or E. above, the District shall pay to the Contractor the following:
1. If there is no right of appeal hereunder or if no timely appeal has been taken, the amount so determined by the Contracting Officer, or
 2. If an appeal had been taken, the amount finally determined on such appeal.
- H. In arriving at the amount due the Contractor under this Article there shall be deducted:
1. all unliquidated advance or other payments on account theretofore made to the Contractor, applicable to the terminated portion of the Contract;
 2. any claim which the District may have against the Contractor in connection with the Contract; and
 3. the agreed price for, or the proceeds of sale of, any materials, supplies or other things kept by the Contractor or sold, pursuant to the provisions of this Article and not otherwise recovered by or credited to the District.
- I. If the termination hereunder be partial, prior to the settlement of the terminated portion of the Contract, the Contractor may file with the Contracting Officer a request in writing for an equitable adjustment of the price or prices specified in the Contract relating to the continued portion of the Contract (the portion not terminated by the Notice of Termination), and such equitable adjustment as may be agreed upon shall be made at such price or prices; however, nothing contained herein shall limit the right of the District and the Contractor to agree upon the amount or amounts to be paid to the Contractor for the completion of the continued portion of the Contract when said Contract does not contain an established Contract price for such continued portion.
- J. The District may from time to time, under such terms and conditions as it may prescribe, make partial payments against costs incurred by the Contractor in connection with the terminated portion of the Contract whenever in the opinion of the Contracting Officer the aggregate of such payments shall be within the amount to which the Contractor will be entitled hereunder. If the total of such payments is in excess of the amount finally agreed or determined to be due under this Article, such excess shall be payable by the Contractor to the District upon demand, together with interest computed at the rate of 6 percent per annum for the period from the date such excess is received by the Contractor to the date on which such excess is repaid to the District; provided however, that no interest shall be charged with respect to any such excess payment attributable to a reduction in the Contractor's claim by reason of retention or other disposition of termination inventory until ten days after the date of such retention or disposition, or such later date as determined by the Contracting Officer by reason of the circumstances.

- K. Unless otherwise provided in the Contract or by applicable statute, the Contractor, from the effective date of termination and for a period of three years after final settlement under the Contract, shall preserve and make available to the District at all reasonable times at the office of the Contractor, but without direct charge to the District, all his books, records, documents and other evidence bearing on the costs and expenses of the Contractor under the Contract and relating to the work terminated hereunder, or, to the extent approved by the Contracting Officer, photographs and other authentic reproductions thereof.

ARTICLE 7. DISPUTES

- A. All disputes arising under or relating to this contract shall be resolved as provided herein.
- B. Claims by a Contractor against the District.

"Claim", as used in Section B of this clause, means a written assertion by the Contractor seeking, as a matter of right, the payment of money in a sum certain, the adjustment or interpretation of contract terms, or other relief arising under or relating to this contract. A claim arising under a contract, unlike a claim relating to that contract, is a claim that can be resolved under a contract clause that provides for the relief sought by the claimant.

- (a) All claims by a Contractor against the District arising under or relating to a contract shall be in writing and shall be submitted to the Contracting Officer for a decision. The contractor's claim shall contain at least the following:

- (1) A description of the claim and the amount in dispute;
- (2) Any data or other information in support of the claim;
- (3) A brief description of the Contractor's efforts to resolve the dispute prior to filing the claim; and
- (4) The Contractor's request for relief or other action by the Contracting Officer.

(b) The Contracting Officer may meet with the Contractor in a further attempt to resolve the claim by agreement.

November (2004)
SCP. 9

(c) For any claim of \$50,000 or less, the Contracting Officer shall issue a decision within sixty (60) days from receipt of a written request from a Contractor that a decision be rendered within that period.

(d) For any claim over \$50,000, the Contracting Officer shall issue a decision within ninety (90) days of receipt of the claim. Whenever possible, the Contracting Officer shall take into account factors such as the size and complexity of the claim and the adequacy of the information in support of the claim provided by the Contractor.

(e) The Contracting Officer's written decision shall do the following:

- (1) Provide a description of the claim or dispute;
- (2) Refer to the pertinent contract terms;
- (3) State the factual areas of agreement and disagreement;
- (4) State the reasons for the decision, including any specific findings of fact, although specific findings of fact are not required and, if made, shall not be binding in any subsequent proceeding;
- (5) If all or any part of the claim is determined to be valid, determine the amount of monetary settlement, the contract adjustment to be made, or other relief to be granted;
- (6) Indicate that the written document is the contracting officer's final decision; and
- (7) Inform the Contractor of the right to seek further redress by appealing the decision to the Contract Appeals Board.

(f) Any failure by the Contracting Officer to issue a decision on a contract claim within the required time period will be deemed to be a denial of the claim, and

will authorize the commencement of an appeal to the Contract Appeals Board as authorized by D.C. Official Code § 2-309.04.

(g) (1) If a Contractor is unable to support any part of his or her claim and it is determined that the inability is attributable to a material misrepresentation of fact or fraud on the part of the Contractor, the Contractor shall be liable to the District for an amount equal to the unsupported part of the claim in addition to all costs to the District attributable to the cost of reviewing that part of the Contractor's claim.

(2) Liability under paragraph (g)(1) shall be determined within six (6) years of the commission of the misrepresentation of fact or fraud.

(h) The decision of the Contracting Officer shall be final and not subject to review unless an administrative appeal or action for judicial review is timely commenced by the Contractor as authorized by D. C. Official Code § 2-309.04.

(i) Pending final decision of an appeal, action, or final settlement, a Contractor shall proceed diligently with performance of the contract in accordance with the decision of the Contracting Officer.

November (2004)

SCP. 10

C. Claims by the District against a Contractor

(a) Claim as used in Section C of this clause, means a written demand or written assertion by the District seeking, as a matter of right, the payment of money in a sum certain, the adjustment of contract terms, or other relief arising under or relating to this contract. A claim arising under a contract, unlike a claim relating to that contract, is a claim that can be resolved under a contract clause that provides for the relief sought by the claimant.

(b) (1) All claims by the District against a Contractor arising under or relating to a contract shall be decided by the Contracting Officer.

(2) The Contracting Officer shall send written notice of the claim to the Contractor. The Contracting Officer's written decision shall do the following:

(a) Provide a description of the claim or dispute;

(b) Refer to the pertinent contract terms;

(c) State the factual areas of agreement and disagreement;

(d) State the reasons for the decision, including any specific findings of fact, although specific findings of fact are not required and, if made, shall not be binding in any subsequent proceeding;

(e) If all or any part of the claim is determined to be valid, determine the amount of monetary settlement, the contract adjustment to be made, or other relief to be granted;

(f) Indicate that the written document is the Contracting Officer's final decision; and

(g) Inform the Contractor of the right to seek further redress by appealing the decision to the Contract Appeals Board.

(3) The decision shall be supported by reasons and shall inform the Contractor of its rights as provided herein.

(4) The authority contained in this clause shall not apply to a claim or dispute for penalties or forfeitures prescribed by statute or regulation which another District agency is specifically authorized to administer, settle, or determine.

(5) This clause shall not authorize the Contracting Officer to settle, compromise, pay, or otherwise adjust any claim involving fraud.

(c) The decision of the Contracting Officer shall be final and not subject to review unless an administrative appeal or action for judicial review is timely commenced by the Contractor as authorized by D.C. Official Code §2-309.04.

(d) Pending final decision of an appeal, action, or final settlement, the Contractor shall proceed diligently with performance of the contract in accordance with the decision of the Contracting Officer.

ARTICLE 8. PAYMENTS TO CONTRACTOR—The District will pay the contract price or prices as hereinafter provided in accordance with District and Federal regulations.

The District will make progress payments monthly as the work proceeds, or at more frequent intervals as determined by the Contracting Officer, on estimates approved by the Contracting Officer. The Contractor shall furnish a breakdown of the total Contract price showing the amount included therein for each principal category of the work, in such detail as requested, to provide a basis for determining progress payments. In the preparation of estimates the Contracting Officer, at his discretion, may authorize material delivered on the site and preparatory work done to be taken into consideration. Material delivered to the Contractor at locations other than the site may also be taken into consideration:

1. If such consideration is specifically authorized by the Contract;
2. If the Contractor furnishes satisfactory evidence that he has acquired title to such material, that it meets Contract requirements and that it will be utilized on the work covered by the Contract; and
3. If the Contractor furnishes to the Contracting Officer an itemized list.

The Contracting Officer at his/her discretion shall cause to be withheld retention in an amount sufficient to protect the interest of the District of Columbia. The amount shall not exceed ten percent (10%) of the partial payment. However, if the Contracting Officer, at any time after 50 percent of the work has been completed, finds that satisfactory progress is being made, he may authorize any of the remaining progress payments to be made in full or may retain from such remaining partial payments less than 10 percent thereof. Also, whenever work is substantially complete, the Contracting Officer, if he considers the amount retained to be in excess of the amount adequate for the protection of the District, at his discretion, may release to the Contractor all or a portion of such excess amount. Furthermore, on completion and acceptance of each separate building, public work, or other division of the Contract, on which the price is stated separately in the Contract, payment may be made therefore without retention of a percentage, less authorized deductions.

All material and work covered by progress payments made shall thereupon become the sole property of the District, but this provision shall not be construed as relieving the Contractor from the sole responsibility for all material and work upon which payments have been made or the restoration of any damaged work, or as waiving the right of the District to require the fulfillment of all of the terms of the Contract.

Upon completion and acceptance of all work, the amount due the Contractor under the Contract shall be paid upon presentation at a properly executed voucher and after the Contractor shall have furnished the District with a release, if required, of all claims against the District arising by virtue of the Contract, other than claims in stated amounts as may be specifically excepted by the Contractor from the operation of the release.

ARTICLE 9. TRANSFER OR ASSIGNMENT—Unless otherwise provided by law, neither the Contract nor any interest therein may be transferred or assigned by the Contractor to any other party without the written consent of the Contracting Officer nor without the written acceptance by the surety on the performance and payment bond securing the Contract of the assignee as the Contractor and the principal on such bond; and any attempted transfer or assignment not authorized by this Article shall constitute a breach of the Contract and the District may for such cause terminate the right of the Contractor to proceed in the same manner as provided in Article 5 herein, and the Contractor and his sureties shall be liable to the District for any excess cost occasioned the District thereby.

ARTICLE 10. MATERIAL AND WORKMANSHIP

- A. **GENERAL**—Unless otherwise specifically provided in the Contract, all equipment, material and articles incorporated in the work covered by the Contract shall be new and of the most suitable grade for the purpose intended. Unless otherwise specifically provided in the Contract, reference to any equipment, material, article or patented

process, by trade name, make or catalog number, shall be regarded as establishing a standard of quality and shall not be construed as limiting competition., and the Contractor may use any equipment, material, article or process which, in the judgment of the Contracting Officer, is equivalent to that named unless otherwise specified. The Contractor shall furnish to the Contracting Officer for his approval the name of the manufacturer, the model number, and other identifying data and information respecting the performance, capacity, nature and rating of the mechanical and other equipment which the Contractor contemplates incorporating in the work. Machinery and equipment shall be in proper condition. When required by the Contract or when called for by the Contracting Officer, the Contractor shall furnish to the Contracting Officer for approval full information concerning the material or articles which he contemplates incorporating in the work. When so directed, samples shall be submitted for approval at the Contractor's expense, with all shipping charges prepaid. Machinery, equipment, material, and articles installed or used without required approval shall be at the risk of subsequent rejection and subject to satisfactory replacement at Contractor's expense.

- B. SURPLUS MATERIALS USE**—Whenever specified in the Contract or authorized by the Contracting Officer that materials become the property of the Contractor, which by reference or otherwise shall include disposal of materials, it is understood that the Contractor accepts such materials "as is" with no further expense or liability to the District. If such material specified in the Contract will have a potential or real interest of value, the Contractor shall make allowance in the Contract to show such value.
- C. DISTRICT MATERIAL**—No materials furnished by the District shall be applied to any other use, public or private, than that for which they are issued to the Contractor. The full amount of the cost to the District of all materials furnished by the District to the Contractor and for which no charge is made, which are not accounted for by the Contractor to the satisfaction of the Contracting Officer, will be charged against the Contractor and his sureties and may be deducted from any monies due the Contractor, and this charge shall be in addition to and not in lieu of any other liabilities of the Contractor whether civil or criminal. Materials furnished by the District for which a charge is made at a rate mentioned in the specifications will be delivered to the Contractor upon proper requisitions therefore and will be charged to his account.
- D. Plant** —The Contractor shall at all times employ sufficient tools and equipment for prosecuting the various classes of work to full completion in the manner and time required. The Contractor shall at all times perform work in sufficient light and shall provide proper illumination, including lighting required for night work as directed, as a Contract requirement. All equipment, tools, formwork and staging used on the project shall be of sufficient size and in proper mechanical and safe condition to meet work requirements, to produce satisfactory work quality and to prevent injury to persons, the project or adjacent property. When methods and equipment are not prescribed in the Contract, the Contractor is free to use tools, methods and equipment that he satisfactorily demonstrates will accomplish the work in conformity with Contract requirements.

If the Contractor desires to use a method or type of tool or equipment other than specified in the Contract, he shall request approval to do so; the request shall be in writing and shall include a full description of proposed methods, tools and equipment and reason for the change or substitution. Approval of substitutions and changed methods will be on condition that the Contractor will be fully responsible for producing work meeting Contract requirements. If after trial use of the substituted methods, tools and equipment, the Contracting Officer determines that work produced does not meet Contract requirements, the Contractor shall complete remaining work with specified methods, tools and equipment.

- E. CAPABILITY OF WORKERS**- All work under the Contract shall be performed in a skillful and workmanlike manner. The Contracting Officer may require the Contractor to remove from the work any such employees as the Contracting Officer deems incompetent, careless, insubordinate, or otherwise objectionable, or whose continued employment on the work is deemed by the Contracting Officer to be contrary to the public interest. Such request will be in writing:

- F. CONFORMITY OF WORK AND MATERIALS**—All work performed and materials and products furnished shall be in conformity, within indicated tolerances, with lines, grades, cross sections, details, dimensions, material and construction requirements shown or intended by the drawings and specifications.

When materials, products or work cannot be corrected, written notice of rejection will be issued. Rejected materials, products and work shall be eliminated from the project and acceptably replaced at Contractor's expense. The Contracting Officer's failure to reject any portion of the project shall not constitute implied acceptance nor in any way release the Contractor from Contract requirements.

- G. UNAUTHORIZED WORK AND MATERIALS**—Work performed or materials ordered or furnished for the project deviating from requirements without written authority, will be considered unauthorized and at Contractor's expense. The District is not obligated to pay for unauthorized work. Unauthorized work and materials may be ordered removed and replaced at Contractor's expense.

ARTICLE 11. INSPECTION AND ACCEPTANCE—Except as otherwise provided in the Contract, inspection and test by the District of material and workmanship required by the Contract shall be made at reasonable times and at the site of the work, unless the Contracting Officer determines that such inspection or test of material which is to be incorporated in the work shall be made at the place of production, manufacture or shipment of such material. To the extent specified by the Contracting Officer at the time of determining to make off-site inspection or test, such inspection or test shall be conclusive as to whether the material involved conforms to Contract requirements. Such off-site inspection or test shall not relieve the Contractor of responsibility for damage to or loss of the material prior to acceptance, nor in any way affect the continuing rights of the District after acceptance of the completed work under the terms of the last paragraph of this Article, except as herein above provided.

The Contractor shall, without charge, replace any material and correct any workmanship found by the District not to conform to Contract requirements, unless in the public interest the District consents to accept such material or workmanship with an appropriate adjustment in Contract price. The Contractor shall promptly segregate and remove rejected material from the premises at Contractor's expense.

If the Contractor does not promptly replace rejected material or correct rejected workmanship, the District:

1. May, by contract or otherwise, replace such material and correct such workmanship and charge the cost thereof to the Contractor, or
2. May terminate the Contractor's right to proceed in accordance with Article 5 herein.

The Contractor shall furnish promptly, without additional cost to the District, all facilities, labor and material reasonably needed for performing such safe and convenient inspection and test as may be required by the Contracting Officer. All inspections and tests by the District shall be performed in such manner as not unnecessarily to delay the work. Special, full size, and performance tests shall be performed as described in the Contract. The Contractor shall be charged with any additional cost of inspection when material and workmanship are not ready for inspection at the time specified by the Contractor.

Should it be considered necessary or advisable by the Contracting Officer at any time before acceptance of the work, either in part or in its entirety, to make an examination of work completed, by removing or tearing out same, the Contractor shall, on request, promptly furnish all necessary facilities, labor and material to do same. If such work is found to be defective or nonconforming in any material respect, due to the fault of the Contractor or his subcontractors, he shall defray all the expenses of such examination and of satisfactory reconstruction. If, however, such work is found to meet the requirements of the Contract, an equitable adjustment shall be made in the Contract price

to compensate the Contractor for the additional services involved in such examination and reconstruction and, if completion of the work has been delayed thereby, he shall, in addition, be granted an equitable extension of time.

Unless otherwise provided in the Contract, acceptance by the District will be made as promptly as practicable after completion and inspection of all work required by the Contract. Acceptance shall be final and conclusive except as regards to latent defects, fraud, or such gross mistakes as may amount to fraud, or as regards the District's rights under any warranty or guaranty.

ARTICLE 12. SUPERINTENDENCE BY CONTRACTOR—The Contractor shall give his personal superintendence to the performance of the work or have a competent foreman or superintendent, satisfactory to the Contracting Officer, on the work site at all times during progress, with authority to act for him.

ARTICLE 13. PERMITS AND RESPONSIBILITIES—The Contractor shall, without expense to the District, be responsible for obtaining any necessary licenses, certificates and permits, and for complying with any applicable Federal, State, and Municipal laws, codes and regulations, in connection with the prosecution of the work. He shall be similarly responsible for all damages to persons or property that occurs as a result of his fault or negligence. He shall take proper safety, health and environmental precautions to protect the work, the workers, the public, and the property of others. He shall also be responsible for all materials delivered and work performed until completion and acceptance of the entire construction work, except for any completed unit of construction thereof which theretofore may have been accepted.

ARTICLE 14. INDEMNIFICATION—The Contractor shall indemnify and save harmless the District and all of its officers, agents and servants against any and all claims or liability arising from or based on, or as a consequence or result of, any act, omission or default of the Contractor, his employees, or his subcontractors, in the performance of, or in connection with, any work required, contemplated or performed under the Contract.

ARTICLE 15. PROTECTION AGAINST TRESPASS—Except as otherwise expressly provided in the Contract, the Contractor is authorized to refuse admission either to the premises or to the working space covered by the Contract to any person whose admission is not specifically authorized in writing by the Contracting Officer.

ARTICLE 16. CONDITIONS AFFECTING THE WORK

- A. GENERAL**—The Contractor shall be responsible for having taken steps reasonably necessary to ascertain the nature and location of the work, and the general and local conditions which can affect the work and the cost thereof. Any failure by the Contractor to do so will not relieve him from responsibility for successfully performing the work as specified without additional expense to the District. The District assumes no responsibility for any understanding or representation concerning conditions made by any of its officers or agents prior to the execution of the Contract, unless such understanding or representation by the District is expressly stated in the Contract.
- B. WORK AND STORAGE SPACE**—Available work and storage space designated by the District shall be developed as required by the Contract or restored at completion of the project by the Contractor to a condition equivalent to that existing prior to construction. No payment will be made for furnishing or restoration of any work and storage space. If no area is designated or the area designated is not sufficient for the Contractor's operations, he shall obtain necessary space elsewhere at no expense or liability to the District.
- C. WORK ON SUNDAYS, LEGAL HOLIDAYS AND AT NIGHT**—No work shall be done at any time on Sundays or legal holidays or on any other day before 7 a.m. or after 7 p.m., except with the written permission of the Contracting Officer and pursuant to the requirements of the Police Requirements of the District.
- D. EXISTING FEATURES**—Subsurface and topographic information including borings data, utilities data and other physical data contained in the Contract or otherwise available, are

not intended as representations or warranties but are furnished as available information. The District assumes no expense or liability for the accuracy of, or interpretations made from, existing features. The Contractor shall be responsible for reasonable consideration of existing features above and below ground which may affect the project.

- E. UTILITIES AND VAULTS**—The Contractor shall take necessary measures to prevent interruption of service or damage to existing utilities within or adjacent to the project. It shall be the Contractor's responsibility to determine exact locations of all utilities in the field.

For any underground utility or vault encountered, the Contractor shall immediately notify the Contracting Officer and take necessary measures to protect the utility or vault and maintain the service until relocation by owner is accomplished. No additional payment will be made for the encountering of these obstructions.

In case of damage to utilities by the Contractor, either above or below ground, the Contractor shall restore such utilities to a condition equivalent to that which existed prior to the damage by repairing, rebuilding or otherwise restoring as may be directed, at the Contractor's sole expense. Damaged utilities shall be repaired by the Contractor or, when directed by the Contracting Officer, the utility owner will make needed repairs at the Contractor's expense.

No compensation, other than authorized time extensions, will be allowed the Contractor for protective measures, work interruptions, changes in construction sequence, changes in methods of handling excavation and drainage or changes in types of equipment used, made necessary by existing utilities, imprecise utility or vault information or by others performing work within or adjacent to the project.

- F. SITE MAINTENANCE**—The Contractor shall maintain the project site in a neat and presentable manner throughout the course of all operations, and shall be responsible for such maintenance until final acceptance by the District. Trash containers shall be furnished, maintained and emptied by the Contractor to the satisfaction of the Contracting Officer. Excavated earthwork, stripped forms and all other materials and debris not scheduled for reuse in the project shall be promptly removed from the site.

The Contracting Officer may order the Contractor to clean up the project site at any stage of work at no added expense to the District. If the Contractor fails to comply with this order, the Contracting Officer may require the work to be done by others and the costs will be charged to the Contractor.

Upon completion of all work and prior to final inspection, the Contractor shall clean up and remove from the project area and adjacent areas all excess materials, equipment, temporary structures, and refuse, and restore said areas to an acceptable condition.

- G. PRIVATE WORK**—Except as specifically authorized by the Contracting Officer, the Contractor shall not perform any private work abutting District projects with any labor, materials, tools, equipment, supplies or supervision scheduled for the Contract until all work under the Contract has been completed. Contract materials used for any unauthorized purpose shall be subtracted from Contract amount.

- H. DISTRICT OF COLUMBIA NOISE CONTROL ACT OF 1977**—The contractor shall be in strict compliance with D.C. Law 2-53, District of Columbia Noise Control Act of 1977 and all provisions thereof. Effective March 16, 1978. 24 D.C. Register 5293.

ARTICLE 17. OTHER CONTRACTS—The District may undertake or award other contracts for additional work and the Contractor shall fully cooperate with such other contractors and District employees and carefully coordinate his own work with such additional work as may be directed by the Contracting Officer. The Contractor shall not commit or permit any act which will interfere with the performance of work by any other contractor or by District employees. The District assumes no liability, other than authorized time extensions, for Contract delays and damages resulting from delays and lack of progress by others.

ARTICLE 18. PATENT INDEMNITY—Except as otherwise provided, the Contractor agrees to indemnify the District and its officers, agents, and employees against liability, including costs and expenses, for infringement upon any Letters Patent of the United States (except Letters Patent issued upon an application which is now or may hereafter be, for reasons of national security, ordered by the Federal Government to be kept classified or otherwise withheld from issue) arising out of the performance of the Contract or out of the use or disposal, by or for the account of the District, of supplies furnished or construction work performed hereunder.

ARTICLE 19. ADDITIONAL BOND SECURITY—If any surety upon any bond furnished in connection with the Contract becomes unacceptable to the District, or if any such surety fails to furnish reports as to his financial condition from time to time as requested by the District, the Contractor shall promptly furnish such additional security as may be required from time to time to protect the interests of the District and of persons supplying labor or materials in the prosecution of the work contemplated by the Contract. Provided that upon the failure of the Contractor to furnish such additional security within ten (10) days after written notice so to do, all payments under the Contract will be withheld until such additional security is furnished.

ARTICLE 20. COVENANT AGAINST CONTINGENT FEES—The Contractor warrants that no person or selling agency has been employed or retained to solicit or secure the Contract upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, excepting bona fide employees or bona fide established commercial or selling agencies maintained by the Contractor for the purpose of securing business. For breach or violation of this warranty, the District shall have the right to terminate the Contract without liability or in its discretion to deduct from the Contract price or consideration, or otherwise recover, the full amount of such commission, percentage, brokerage or contingent fee.

ARTICLE 21. APPOINTMENT OF ATTORNEY—The Contractor does hereby irrevocably designate and appoint the Clerk of the Superior Court of the District of Columbia and his successors in office as the true and lawful attorney of the Contractor for the purpose of receiving service of all notices and processes issued by any court in the District, as well as service of all pleadings and other papers, in relation to any action or legal proceeding arising out of or pertaining to the Contract or the work required or performed hereunder.

The Contractor expressly agrees that the validity of any service upon the said Clerk as herein authorized shall not be affected either by the fact that the Contractor was personally within the District and otherwise subject to personal service at the time of such service upon the said Clerk or by the fact that the Contractor failed to receive a copy of such process, notice, pleading or other paper so served upon the said Clerk, provided that said Clerk shall have deposited in the United States mail, certified and postage prepaid, a copy of such process, notice, pleading or other papers addressed to the Contractor at the address stated in the Contract.

ARTICLE 22. DISTRICT EMPLOYEES NOT TO BENEFIT — Unless a determination is made as provided herein, no officer or employee of the District will be admitted to any share or part of this contract or to any benefit that may arise therefrom, and any contract made by the Contracting Officer or any District employee authorized to execute contracts in which they or an employee of the District will be personally interested shall be void, and no payment shall be made thereon by the District or any officer thereof, but this provision shall not be construed to extend to this contract if made with a corporation for its general benefit. A District employee shall not be a party to a contract with the District and will not knowingly cause or allow a business concern or other organization owned or substantially owned or controlled by the employee to be a party to such a contract, unless a written determination has been made by the head of the procuring agency that there is a compelling reason for contracting with the employee, such as when the District's needs cannot reasonably otherwise be met. (DC Procurement Practices Act of 1985, D.C. Law 6-85, D.C. Official Code, section 2-310.01, and Chapter 18 of the DC Personnel Regulations) The Contractor represents and covenants that it presently has no interest and shall not acquire any interest, direct or indirect, which would conflict in any manner or degree with the performance of its services hereunder. The Contractor further covenants not to employ any person having such known interests in the performance of the contract.

ARTICLE 23. WAIVER—No waiver of any breach of any provision of the Contract shall operate as a waiver of such provision or of the Contract or as a waiver of subsequent or other breaches of the same or any other provision of the Contract; nor shall any action or non-action by the Contracting Officer or by the Mayor be construed as a waiver of any provision of the Contract or of any breach thereof unless the same has been expressly declared or recognized as a waiver by the Contracting Officer or the Mayor in writing.

ARTICLE 24. BUY AMERICAN

- A. AGREEMENT**—In accordance with the Buy American Act (41 USC 10a-10d), and Executive Order 10582, December 17, 1954 (3 CFR, 1954-58 Comp., p. 230), as amended by Executive Order 11051, September 27, 1962 (3 CFR, 1059-63 Comp., p. 635), the Contractor agrees that only domestic construction material will be used by the Contractor, subcontractors, material men and suppliers in the performance of the Contract, except for non-domestic material listed in the Contract.
- B. DOMESTIC CONSTRUCTION MATERIAL**—"Construction material" means any article, material or supply brought to the construction site for incorporation in the building or work. An unmanufactured construction material is a "domestic construction material" if it has been mined or produced in the United States. A manufactured construction material is a "domestic construction material" if it has been manufactured in the United States and if the cost of its components which have been mined, produced, or manufactured in the United States exceeds 50 percent of the cost of all its components. "Component" means any article, material, or supply directly incorporated in a construction material. -
- C. DOMESTIC COMPONENT**—A component shall be considered to have been "mined, produced, or manufactured in the United States" regardless of its source, in fact, if the article, material or supply in which it is incorporated was manufactured in the United States and the component is of a class or kind determined by the District to be not mined, produced or manufactured in the United States in sufficient and reasonably available commercial quantities and of a satisfactory quality.
- D. FOREIGN MATERIAL** - When steel materials are used in a project a minimal use of foreign steel is permitted. The cost of such materials can not exceed on-tenth of one percent of the total project cost, or \$2,500,000, whichever is greater.

ARTICLE 25. TAXES

- A. FEDERAL EXCISE**—Materials, supplies and equipment are not subject to the Federal Manufacturer's Excise Tax, if they are furnished or used in connection with the Contract provided that title to such materials, supplies and equipment passes to the District under the Contract. The Contractor shall in such cases furnish his subcontractors and suppliers with a purchaser's certificate in the form prescribed by the U.S. Internal Revenue Service.
- B. SALES AND USE TAXES**—Materials which are physically incorporated as a permanent part of real property are not subject to District of Columbia Sales and Use Tax. The Contractor shall, when purchasing such materials, furnish his suppliers with a Contractor's Exempt Purchase Certificate in the form prescribed in the Sales and Use Tax Regulations of the District of Columbia. Where the Contractor, subcontractor or material man has already paid the Sales and Use Tax on material, as prescribed above, the Sales and Use Tax Regulations of the District of Columbia permit the Contractor, subcontractor or material man to deduct the sales or use tax on the purchase price of the same on his next monthly return as an adjustment. However, the Contractor, subcontractor or material man must satisfy the Chief Financial Officer for the District of Columbia that no sum in reimbursement of such tax was included in the Contract or else that the District has received a credit under the Contract in an amount equal to such tax.

District of Columbia Sales and Use Tax shall be paid on any material and supplies, including equipment rentals, which do not become a physical part of the finished project. (See District of Columbia Sales and Use Tax Administration Ruling No. 6).

The Contractor, subcontractor, or material supplier shall provide proof of compliance with the provisions of D.C. Law 9-260, as amended, codified in D.C. Code 46-103, Employer Contributions, prior to award.

Material and supplies required under contracts relating to Glenn Dale Hospital, Glenn Dale, Maryland, and Children's Center, Laurel, Maryland, are subject to the Maryland State Sales and Use Tax, effective July 1, 1968. BIDDERS SHALL INCLUDE SUCH TAX IN THEIR BIDS. Contracts relating to Department of Corrections, Lorton, Virginia, are subject to the Virginia Retail Sales and Use Tax, effective September 1, 1966, when incorporated in public works contracts of the District. BIDDERS SHALL INCLUDE SUCH TAX IN THEIR BIDS.

The Contractor, subcontractor, or material supplier shall provide proof of compliance with the applicable tax filing and licensing requirements set forth in D.C. Code, Title 47, Taxation and Fiscal Affairs, prior to contract award.

ARTICLE 26. SUSPENSION OF WORK—The Contracting Officer may order the Contractor in writing to suspend, delay or interrupt all or any part of the work for such period of time as he may determine to be appropriate for the convenience of the District.

If the performance of all or any part of the work is, for an unreasonable period of time, suspended, delayed or interrupted by an act of the Contracting Officer in the administration of the Contract, or by his failure to act within the time specified in the Contract (or if no time is specified, within a reasonable time), an adjustment will be made for an increase in the cost of performance of the Contract (excluding profit) necessarily caused by such unreasonable suspension, delay or interruption and the Contract modified in writing accordingly. However, no adjustment will be made under this Article for any suspension, delay or interruption to the extent:

1. That performance would have been so suspended, delayed or interrupted by any other cause, including the fault or negligence of the contractor, or
2. For which an equitable adjustment is provided or excluded under any other provision of the Contract.

No claim under this Article shall be allowed:

1. For any costs incurred more than 20 days before the Contractor shall have notified the Contracting Officer in writing of the act or failure to act involved (but this requirement shall not apply as to a claim resulting from a suspension order), and
2. Unless the claim, in an amount stated, is asserted in writing as soon as practicable after the termination of such suspension, delay, or interruption, but not later than the date of final payment under the Contract.

ARTICLE 27. SAFETY PROGRAM

- A. GENERAL**—In order to provide safety controls for the protection of the life and health of District and Contract employees and the general public; prevention of damage to property, materials, supplies, and equipment; and for avoidance of work interruptions in the performance of the Contract, the Contractor shall comply with all applicable Federal and local laws governing safety, health and sanitation including the Safety Standards, Rules and Regulations issued by the American National Standards, U. S. Department of Labor, U. S. Department of Health and Human Services, D. C. Minimum Wage and Industrial Safety Board and the latest edition of "Manual of Uniform Traffic Control Devices" issued by the Federal Highway Administration.

The Contractor shall also take or cause to be taken such additional safety measures as the Contracting Officer may determine to be reasonably necessary.

The Contractor shall designate one person to be responsible for carrying out the Contractor's obligation under this Article.

The Contractor shall maintain an accurate record of all accidents resulting in death, injury, occupational disease, and/or damage to property, materials, supplies, and equipment incident to work performed under the Contract. Copies of these reports shall be furnished to the Contracting Officer within two working days after occurrence.

The Contracting Officer will notify the Contractor of any noncompliance with the foregoing provisions and the action to be taken. The Contractor shall, after receipt of such notice, immediately take corrective action. Such notice, when delivered to the Contractor or his representative at the site of the work, shall be deemed sufficient for the purpose. If the Contractor fails or refuses to comply promptly, the Contracting Officer may issue an order stopping all or part of the work until satisfactory corrective action has been taken. No part of the time lost due to any such stop orders shall be made the subject of claim for extension of time or for excess costs or damages by the Contractor.

This Article is applicable to all subcontractors used under the Contract and compliance with these provisions by the subcontractors will be the responsibility of the Contractor.

(In Contracts involving work of short duration or of non-hazardous character, the following Section B. will be deleted by Special Provision)

B. CONTRACTOR'S PROGRAM SUBMISSION—Prior to commencement of the work, the Contractor shall:

1. Submit in writing to the Contracting Officer for his approval his program for complying with this Article for accident prevention.
2. Meet with the Contracting Officer's Safety Representative after submission of the above program to develop a mutual understanding relative to the administration of the overall safety program.

ARTICLE 28. RETENTION OF RECORDS—Unless otherwise provided in the Contract, or by applicable statute, the Contractor, from the effective date of Contract completion and for a period of three years after final settlement under the Contract, shall preserve and make available to the District at all reasonable times at the office of the Contractor but without direct charge to the District, all his books, records, documents, and other evidence bearing on the costs and expenses of the Contractor under the Contract.

LABOR PROVISIONS
(Construction Contract)

ARTICLE 1. DAVIS-BACON ACT (40 USC 276a-276a 7) —Each Contractor and subcontractor at any tier contracting for any part of Contract work in excess of \$2,000 for construction alteration, and/or repair, including painting and decorating of public buildings and public works and which requires or involves the employment of mechanics and/or laborers shall be subject to the Davis-Bacon Act provisions as follows:

A. MINIMUM WAGES—

1. All mechanics and laborers employed or working upon the site of the work or under the United States Housing Act of 1937 or under the Housing Act of 1949 in the construction or development of the project, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the United States Department of Labor, hereinafter referred to as the Secretary of Labor under the Copeland Act (29 CFR Part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at wage rates not less than those contained in the wage determination decision of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such Laborers and mechanics; and the wage determination decision shall be posted by the contractor at the site of the work in a prominent place where it can be easily seen by the workers. For the purpose of this clause, contributions made or costs reasonably anticipated under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of 29 CFR 5.5(a)(1)(iv). Also for the purpose of this clause; regular contributions made or costs incurred for more than a weekly period under plans, funds, or programs, but covering the particular weekly period, are deemed to be constructively made or incurred during such weekly period.
2. The contracting officer shall require that any class of laborers or mechanics, including apprentices and trainees, which is not listed in the wage determination and which is to be employed under the contract, shall be classified or reclassified conformably to the wage determination and a report of the action taken shall be sent by the Contracting Officer to the Secretary of Labor. In the event the interested parties cannot agree on the proper classification or reclassification of a particular class of laborers and mechanics, including apprentices and trainees, to be used, the question accompanied by the recommendation of the Contracting Officer shall be referred to the Secretary for final determination.
3. The Contracting Officer shall require, whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly wage rate and the contractor is obligated to pay a cash equivalent of such a fringe benefit, an hourly cash equivalent thereof to be established. In the event the interested parties cannot agree upon a cash equivalent of the fringe benefit, the question, accompanied by the recommendation of the Contracting Officer, shall be referred to the Secretary of Labor for determination.
4. If the Contractor does not make payments to a trustee or other third person, he may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing benefits under a plan or program of a type expressly listed in the wage determination decision of the Secretary of Labor which is a part of this contract: Provided, however, The Secretary of Labor has found, upon the written request of the Contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the

contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

B. WITHHOLDING.—The Contracting Officer may withhold or cause to be withheld from the contractor so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices and trainees, employed by the contractor or any subcontractor on the work the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice or trainee, employed or working on the site of the work or under the United States Housing Act of 1937 or under the Housing Act of 1949 in the construction or development of the project, all or part of the wages required by the contract, the District may, after written notice to the contractor, sponsor, applicant, or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

C. PAYROLLS AND BASIC RECORDS. —

1. Payrolls and basic records relating thereto will be maintained during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work, or under the United States Housing Act of 1937, or under the Housing Act of 1949, in the construction or development of the project. Such records will contain the name and address of each such employee, his correct classification, rates of pay. (including rates of contributions or costs anticipated of the types described in section 1(b)(2) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1) (iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing, to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits.
2. The contractor will submit weekly a copy of all payrolls to the Contracting Officer if the agency is a party to the contract, but if the agency is not such a party the contractor will submit the payrolls to the applicant, sponsor, or owner, as the case may be, for transmission to the Contracting Officer. The copy shall be accompanied by a statement signed by the employer or his agent indicating that the payrolls are correct and complete, that the wage rates contained therein are not less than those determined by the Secretary of Labor and that the classifications set forth for each laborer or mechanic conform with the work he performed. A submission of a "Weekly Statement of Compliance" which is required under this contract and the Copeland regulations of the Secretary of Labor (29 CFR, Part 3) and the filing with the initial payroll or any subsequent payroll of a copy of any findings by the Secretary of Labor under 29 CFR 5.5(a)(1)(iv) shall satisfy this requirement. The prime contractor shall be responsible for the submission of copies of payrolls of all subcontractors. The contractor will make the records required under the labor standards clauses of the contract available for inspection by authorized representatives of the District and the Department of Labor, and will permit such representatives to interview employees during working hours on the job. Contractors employing apprentices or trainees under approved programs shall include a notation on the first weekly certified payrolls submitted to the Contracting Officer that their employment is pursuant to an approved program and shall identify the program.

ARTICLE 2. CONVICT LABOR (18 USC 438)—Convict labor shall not be used on Contract work unless otherwise provided by law.

ARTICLE 3. APPRENTICES AND TRAINEES

- A. APPRENTICES**—Apprentices shall be permitted to work as such only when they are registered, individually, under a bona fide apprenticeship program registered with the Apprenticeship Council, D.C. Department of Labor. The allowance ratio of apprentices to journeymen in any craft classification shall not be greater than the ratio permitted to the Contractor a to his entire work force under the registered program. Any employee listed on a payroll at an apprentice wage rate, who is not a trainee as defined in Section B. of this Article or is not registered as above, shall be paid the wage rate determined by the Secretary of Labor or the classifications of work he actually performed. The Contractor and Subcontractor shall furnish to the Contracting Officer written evidence of the registration of his appropriate ratios and wage rates for the areas of construction, prior to using any apprentice on the Contract.
- B. TRAINEES**—Trainees will be permitted to work as such when they are bona fide trainees employed pursuant to a program approved by the Contracting Officer and Apprenticeship Council, D.C. Department of Labor.
- C. REQUIREMENTS**—The Contractor agrees to hire for the performance of the Contract a number of apprentices or trainees or both, in each occupation, which bears to the average number of the journeymen in that occupation to be employed in the performance of the Contract the applicable ratios as determined by the Apprenticeship Council, O. C. Department of Labor.
1. The Contractor shall assure that 25 percent of such apprentices or trainees in each occupation are in their first year of training, when feasible. Feasibility here involves a consideration of:
 - a. The availability of training opportunities for first year apprentices;
 - b. The hazardous nature of the work for beginning workers;
 - c. Excessive unemployment of apprentices in their second and subsequent years of training.
 2. The Contractor shall maintain records of employment, by trade, of the number of apprentices and trainees, apprentices and trainees by first year of training, and of journeymen, and the wages paid and hours of work of such apprentices, trainees and journeymen. The Contractor shall make these records available for inspection upon request of the Contracting Officer and the Apprenticeship Council, O. C. Department of Labor.
 3. The Contractor who claims compliance based on the criterion stated in 29 CFR5.a. agrees to maintain records of employment as described in 29 CFR5.a.3(a)(2) on non-governmental and non-governmentally assisted construction work done during the performance of the Contract in the same labor market area. The Contractor shall make these records available for inspection upon request of the Contracting Officer and the Apprenticeship Council, D. C. Department of Labor.
 4. The Contractor agrees to supply one copy of the written notices as required in accordance with 29 CFR. 5.a.4(c) at the request of the Contracting Officer. The Contractor shall supply at 3 month intervals during performance of the Contract and after completion of the Contract performance a statement containing a breakdown by craft of hours worked and wages paid for first year apprentices and trainees, other apprentices and trainees, and journeymen. Two copies of the statement shall be submitted to the Contracting Officer, who will submit a copy to the Apprenticeship Council, D. C. Department of Labor.

5. Section 5, D. C. Law 2—156, ACJ 2—325, dated December 29, 1978, is hereby incorporated as part of this Amendment as follows:

"All prime contractors and subcontractors who contract with the District of Columbia Government to perform construction or renovation work with a single contract or cumulative contracts of at least \$500,000, let within a twelve (12) month period, shall be required to register an apprentice.—ship program with the District of Columbia Apprenticeship Council." 25 D.C. Register 6991.

ARTICLE 4. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT (40 USC 327- 330)

- A. **OVERTIME BASIS**—Each Contractor and subcontractor at any tier contracting for any part of Contract work which may require or involve the employment of laborers, mechanics, watchmen or guards, apprentices or trainees shall not require or permit any laborer, mechanic, watchman or guard, apprentice or trainee in any workweek in which he is employed on such work, to work in excess of eight (8) hours in any calendar day or in excess of forty (40) hours in such workweek unless such laborer, mechanic, watchman or guard, apprentice or trainee receives compensation at a rate not less than one and one-half times his basic rate of pay for all hours worked in excess of eight (8) hours in any calendar day or in excess of forty (40) hours in such workweek, as the case may be.
- B. **LIABILITY FOR UNPAID WAGES**—In the event of violation of the provisions of Section A, the Contractor and any subcontractor responsible therefore shall be liable to any affected employee for his unpaid wages. In addition, such Contractor and subcontractor shall be liable to the District for Liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer, mechanic, watchman or guard, apprentice or trainee employed in violation of any provision of Section A, in the amount of \$10 for each calendar day on which such employee was required or permitted to work in excess of eight (8) hours or in excess of the standard workweek of forty (40) hours without payment of the overtime wages required by Section A.

The Contracting Officer may withhold or cause to be withheld from the Contractor such sums as administratively determined to satisfy any liability of the Contractor and subcontractors for unpaid wages and liquidated damages as herein provided. In the event of failure to pay any laborer, mechanic, watchman, or guard, apprentice or trainee employed or working on the work site, all or part of the wages required by the Contract, the Contracting Officer may, after written notice to the Contractor, take such action as may be necessary to cause the suspension of any further payment, advance or guarantee of funds until such violations have ceased.

- C. **DISPUTES**—Any Contractor or subcontractor aggrieved by the withholding of a sum as liquidated damages as provided shall have the right, within sixty (60) days thereafter, to appeal to the Contracting Officer in the case of liquidated damages withheld for the use and benefit of the District. The Contracting Officer shall have authority to review the administrative determination of liquidated damages and to issue a final order affirming such determination; or if it is found that the sum determined is incorrect or that the Contractor or subcontractor violated these Labor Provisions inadvertently notwithstanding the exercise of due care on his part and that of his agents, recommendations may be made to the Secretary of Labor that an appropriate adjustment in liquidated damages be made, or that the Contractor or subcontractor be relieved of liability for such liquidated damages. The Secretary will review all pertinent facts in the matter and may conduct such investigation as he deems necessary so as to affirm or reject the recommendation. The decision of the Secretary shall be final. In all such cases in which a Contractor or subcontractor may be aggrieved by a final order for the withholding of liquidated damages as herein before provided, the Contractor or subcontractor may, within sixty (60) days after such final order, file a claim per Article 7 of the General Provisions, provided, however, that final orders of the Contracting Officer or the Secretary of Labor as the case may be, shall be conclusive with respect to findings of fact if such findings are supported by substantial evidence.

- D. VIOLATION PENALTY**—If the Contractor or subcontractor who employs, directs & controls any laborer or mechanic employed in the performance of any work contemplated by the Contract, shall intentionally violate any provision herein, he shall be deemed guilty of a misdemeanor, and for each and every such offense shall, upon conviction, be punished by a fine of not to exceed \$1,000 or by imprisonment for not more than six (6) months, or by both such fine and imprisonment, in the discretion of the court having jurisdiction thereof (Section 106 Title 1, P.L. 87—851, 40 USC Sec. 332, 76 Stat. 359).
- E. HEALTH AND SAFETY STANDARDS**—It is a condition. of the Contract, and shall be made a condition of each subcontract under the Contract, that the Contractor and any subcontractor shall not require any laborer or mechanic employed in performance of the Contract to work in surroundings or wider working condition which are unsanitary, hazardous, or dangerous to his health or safety, as determined under construction safety and health standards per 29 CFR Part 1518.

The Secretary of Labor is authorized to make such inspections, hold such hearings, issue such orders, and make such decisions based on findings of fact, as are deemed necessary to gain compliance with this Section and any health and safety standard promulgated by the Secretary. In the event that the Secretary of Labor determines non-compliance under the provisions of this Section after an opportunity for an adjudicatory hearing by the Secretary of any condition of the Contract, the District shall have the right to cancel the Contract, and to enter into other contracts for the completion of the Contract work, charging any additional cost to the Contractor.

ARTICLE 5. COPELAND ACT (18 USC 874, and 40 USC 276c) - Each Contractor and subcontractor at any tier contracting for any part of Contract work in excess of \$2,000.00 shall be subject to the Copeland Act provisions as follow:

- A. DEFINITION**—As used in this Article, the term "employee" shall not apply to persons in classifications higher than that of laborer or mechanic and those who are the immediate supervisors of such employees.
- B. WEEKLY COMPLIANCE STATEMENT**—The Contractor and each subcontractor engaged in the construction, prosecution, completion or repair of any public building or public work shall furnish each week a statement with respect to the wages paid each of his employees engaged on work covered by these Labor Provisions during the preceding weekly payroll period. The statement shall be executed by the Contractor or subcontractor, or by an authorized officer or employee of the Contractor or subcontractor, who supervises the payment of wages, and shall be on the form attached at the end of these Labor Provisions and entitled "Weekly Statement of Compliance" (Form No. DC 2640-11).

Each weekly statement required shall be delivered by the Contractor or subcontractor, within seven (7) days after regular payment date of the payroll period, to a representative of the Contracting Officer in charge at the site of the building or work. After each examination and check as may be made, such statement, or copy thereof, shall be kept available, or shall be transmitted together with a report of any violation, in accordance with applicable procedures prescribed by the US. Department of Labor.

Upon a written finding by the Contracting Officer, the Secretary of Labor may provide reasonable limitations, variations, tolerances and exemptions from the requirements of this Section subject to such conditions as the Secretary of Labor may specify.

- C. PAYROLLS AND RECORDS**—The Contractor and each subcontractor shall preserve his weekly payroll records for a period of three (3) years from date of completion of the Contract. The payroll records shall set out accurately and completely the name, address and Social Security Number of each laborer and mechanic, his correct classification, rate of pay, daily and weekly number of hours worked, deductions made, and actual wages paid. Such payroll records shall be made available at all times for inspection by the Contracting Officer, and by authorized representatives of the U.S. Department of Labor.

D. PAYROLL DEDUCTIONS NOT SUBJECT TO SECRETARY OF LABOR APPROVAL—

Deductions made under the circumstances or in the situations described in paragraphs of this Section may be made without application to and approval at the Secretary of Labor:

1. Any deduction made in compliance with the requirements of Federal, State, or local law, such as Federal or State withholding income taxes and Federal social security taxes.
2. Any deduction of sums previously paid to the employee as a bona fide prepayment of wages when such prepayment is made without discount or interest. A "bona fide prepayment of wages" is considered to have been made only when cash or its equivalent has been advanced to the person employed in such manner as to give him complete freedom of disposition of the advanced funds.
3. Any deduction of amounts required by court process to be paid to another, unless the deduction is in favor of the Contractor, subcontractor, or any affiliated person, or when collusion or collaboration exists.
4. Any deduction constituting a contribution on behalf of the person employed to funds established by the employer, or representatives of employees, or both, for the purpose of providing either from principal or income, or both, medical or hospital care, pensions or annuities or retirement, death benefits, compensation for injuries, illness, accidents, sickness, or disability, or for insurance to provide any of the foregoing, or unemployment benefits, vacation pay, savings accounts, or similar payments for the benefit of employees, their families and dependents: Provided, however, that the following standards are met:
 - a. The deduction is not otherwise prohibited by law;
 - b. it is either voluntarily consented to by the employee in writing and in advance of the period in which the work is to be done and such consent is not a condition either for the obtaining of or for the continuation of employment, or provided for in a bona fide collective bargaining agreement between the Contractor or subcontractor and representatives of his employees;
 - c. No profit or other benefit is otherwise obtained, directly or indirectly, by the Contractor or subcontractor or any affiliated person in the form of commission, dividend, or otherwise; and
 - d. The deductions - shall serve the convenience and interest of the employee.
5. Any deduction contributing toward the purchase of United States Defense Stamps and Bonds when voluntarily authorized by the employee.
6. Any deduction requested by the employee to enable him to repay loans to or to purchase shares in credit unions organized and operated in accordance with Federal, State and District credit union statutes.
7. Any deduction voluntarily authorized by the employee for the making of contributions to governmental or quasi-governmental agencies, such as the American Red Cross.
8. Any deduction voluntarily authorized by the employee for the making of contributions to Community Chests, United Givers Funds, and similar charitable organizations.

9. Any deduction to pay regular union initiation fees and membership dues, not including fines or special assessments; provided, however, that a collective bargaining agreement between the Contractor or subcontractor and representatives of his employees provides for such deductions and the deductions are not otherwise prohibited by law.

10. Any deduction not more than for the "reasonable cost" of board, lodging, or other facilities meeting the requirements of Section 3(m) of the Fair Labor Standards Act of 1938, as amended, and Part 531 of said title. When such a deduction is made the additional records required under 516.25(a) of this title shall be kept.

E. PAYROLL DEDUCTIONS SUBJECT TO SECRETARY OF LABOR APPROVAL—The Contractor and any subcontractor may apply to the Secretary of Labor for permission to make any deduction not permitted under Section D. The Secretary may grant permission whenever he finds that:

1. The Contractor, subcontractor or any affiliated person does not make a profit or benefit directly from the deduction, either in the form of a commission, dividend or otherwise;
2. The deduction, is not otherwise prohibited by law;
3. The deduction is either:
 - a. voluntarily consented to by the employee in writing and in advance of the period in which the work is to be done and such consent is not a condition either for the obtaining of employment or its continuance, or
 - b. provided for in a bona fide collective bargaining agreement between the Contractor or subcontractor and representatives of its employees; and
4. The deduction serves the convenience and interest of the employee.

F. APPLICATIONS FOR SECRETARY OF LABOR APPROVAL—Any application for the making of payroll deductions under Section E. shall comply with the requirements prescribed in Paragraphs 1 through 5:

1. The application shall be in writing and shall be addressed to the Secretary of Labor.
2. The application shall identify the Contract under which the work in question is to be performed. Permission will be given for deductions only on specific, identified contracts, except upon a showing of exceptional circumstances.
3. The application shall state affirmatively that there is compliance with the standards set forth in Section B. The affirmation shall be accompanied by a full statement of the facts indicating such compliance.
4. The application shall include a description of the proposed deduction, the purpose to be served thereby, and the classes of laborers or mechanics from whose wages proposed deduction would be made.
5. The application shall state the name and business of any third person to whom any funds obtained from the proposed deductions are to be transmitted and the affiliation of such person, if any, with the applicant.

G. ACTION BY SECRETARY OF LABOR UPON APPLICATIONS—The Secretary will decide whether or not the requested deduction is permissible under provisions of Section B, and shall notify the applicant in writing of his decision.

H. PROHIBITED PAYROLL DEDUCTIONS—Deductions not elsewhere stipulated and which are not found to be permissible under Section B are prohibited.

- I. **METHODS OF PAYMENT OF WAGES**—The payment of wages shall be by cash, negotiable instruments payable on demand, or the additional forms of compensation for which deductions are permissible. No other methods of payment shall be recognized on work subject to the Copeland Act.

ARTICLE 6. RESERVED

ARTICLE 7. NONSEGREGATED FACILITIES—The Contractor certifies that he does not and will not maintain or provide for his employees any segregated facility at any of his establishments; that he does not and will not permit his employees to perform their services at any location under his control where segregated facilities are maintained; and that he will obtain and retain identical certifications from proposed subcontractors prior to award or subcontracts.

"Segregated facilities" shall mean any waiting room, work area, wash and rest rooms, restaurant and other eating area, time clock, locker room and other storage or dressing area, parking lot, drinking fountain, recreation or entertainment area, transportation and housing facility, provided for employees which is segregated by explicit directive or is segregated on the basis of race, color, age, sex, religion or national origin, because of habit, local custom or otherwise. Penalty for violation or making false statements is prescribed in 18 USC 1001.

**DISTRICT OF COLUMBIA
WEEKLY STATEMENT OF COMPLIANCE
(Construction)**

Project No. Invitation No.	Contract No.	Date
WAGES AND HOURS		
	Total This Period	Total To Date
Straight Time Hours Worked		
Overtime Hours Worked		
Overtime and Straight Time Hours Combined		
Wages Earned		

I, _____
(Name of signatory party) (Title)

do hereby state

(1) That I pay or supervise the payment of the persons employed by _____
(Contractor or Subcontractor) on the _____
(Building or Work)
that during the payroll period commencing on the _____ day of _____
19____, and ending on the _____ day of _____, 19____, all persons
employed on said project have been paid full weekly wages earned, that no rebates have been or will
be made either directly or indirectly to or on behalf of said _____
(Contractor or Subcontractor)
from the full weekly wages earned by any person and that no deductions have been made either di-
rectly or indirectly from the full wages earned by any person, other than permissible deductions as
defined in 29 CFR Part 3 issued by the Secretary of Labor under the Copeland Act as amended (48
Stat. 948; 63 Stat. 108; 72 Stat. 967; 78 Stat. 537; 40 USC 376c), and described below:

(2) That any payroll otherwise under the Contract required to be submitted for the above period
are correct and complete; that the wage rates for laborers or mechanics contained therein are not less
than the applicable wage rates contained in any wage determination incorporated into the Contract;
that the classifications set forth therein for each laborer or mechanic conform with the work he per-
formed.

(3) That any apprentice employed in the above period is duly registered in a bona fide apprentice-
ship program registered with the Bureau of Apprenticeship Training, U.S. Department of Labor.

NOTE—Fringe Benefits Statement and Signature Block are on reverse.

Form No. DC 2440-11

J.1.3 Living Wage Act Notice and Fact Sheet

“THE LIVING WAGE ACT OF 2006”

Title I, D.C. Law No. 16-118, (D.C. Official Code §§ 2-220.01-.11)

Effective June 9, 2006, recipients of new contracts or government assistance shall pay affiliated employees and subcontractors who perform services under the contracts no less than the current living wage.

Effective January 1, 2008, the living wage rate is \$12.10 per hour.

The requirement to pay a living wage applies to:

- All recipients of contracts in the amount of \$100,000 or more; and, all subcontractors of these recipients receiving \$15,000 or more from the funds received by the recipient from the District of Columbia, and,
- All recipients of government assistance in the amount of \$100,000 or more; and, all subcontractors of these recipients of government assistance receiving \$50,000 or more in funds from government assistance received from the District of Columbia.

“Contract” means a written agreement between a recipient and the District government.

“Government assistance” means a grant, loan or tax increment financing that result in a financial benefit from an agency, commission, instrumentality, or other entity of the District government.

“Affiliated employee” means any individual employed by a recipient who received compensation directly from government assistance or a contract with the District of Columbia government, including any employee of a contractor or subcontractor of a recipient who performs services pursuant to government assistance or contract. The term “affiliated employee” does not include those individuals who perform only intermittent or incidental services with respect to the contract or government assistance or who are otherwise employed by the contractor, recipient or subcontractor.

Certain exceptions may apply where contracts or agreements are subject to wage determinations required by federal law which are higher than the wage required by this Act; contracts for electricity, telephone, water, sewer other services delivered by regulated utility; contracts for services needed immediately to prevent or respond to a disaster or eminent threat to the public health or safety declared by the Mayor; contracts awarded to recipients that provide trainees with additional services provided the trainee does not replace employees; tenants or retail establishments that occupy property constructed or improved by government assistance, provided there is no receipt of direct District government assistance; Medicaid provider agreements for direct care services to Medicaid recipients, provided that the direct care service is not provided through a home care agency, a community residential facility or a group home for mentally retarded persons; and contracts or other agreements between managed care organizations and the Health Care Safety Net Administration or the Medicaid Assistance Administration to provide health services.

Exemptions are provided for employees under 22 years of age employed during a school vacation period, or enrolled as a full-time student who works less than 25 hours per week, provided that other employees are not replaced, and for employees of nonprofit organizations that employ not more than 50 individuals.

Each recipient and subcontractor of a recipient shall provide this notice to each affiliate employee covered by this notice, and shall also post this notice concerning these requirements in a conspicuous site in the place of business.

All recipients and subcontractors shall retain payroll records created and maintained in the regular course of business under District of Columbia law for a period of at least 3 years.


This is a summary of the “Living Wage Act of 2006”. For the complete text go to:

www.does.dc.gov or www.ocp.dc.gov

To file a complaint contact:

Department of Employment Services
Office of Wage-Hour

64 New York Avenue, N.E., Room 3105, Washington, D.C. 20002
(202) 671-1880



LIVING WAGE ACT FACT SHEET

The "Living Wage Act of 2006," Title I of D.C. Law 16-18, (D.C. Official Code §§2-220.01-.11) became effective June 9, 2006. It provides that District of Columbia government contractors and recipients of government assistance (grants, loans, tax increment financing) in the amount of \$100,000 or more shall pay affiliated employees wages no less than the current living wage rate.

Effective January 1, 2008, the living wage rate is \$12.10 per hour.

Subcontractors of D.C. government contractors who receive \$15,000 or more from the contract and subcontractors of the recipients of government assistance who receive \$50,000 or more from the assistance are also required to pay their affiliated employees no less than the current living wage rate.

"Affiliated employee" means any individual employed by a recipient who receives compensation directly from government assistance or a contract with the District of Columbia government, including any employee of a contractor or subcontractor of a recipient who performs services pursuant to government assistance or a contract. The term "affiliated employee" does not include those individuals who perform only intermittent or incidental services with respect to the government assistance or contract, or who are otherwise employed by the contractor, recipient or subcontractor.

Exemptions – The following contracts and agreements are exempt from the Living Wage Act:

1. Contracts or other agreements that are subject to higher wage level determinations required by federal law (i.e., if a contract is subject to the Service Contract Act and certain wage rates are lower than the District's current living wage, the contractor must pay the higher of the two rates);
2. Existing and future collective bargaining agreements, provided that the future collective bargaining agreement results in the employee being paid no less than the current living wage;
3. Contracts for electricity, telephone, water, sewer or other services provided by a regulated utility;
4. Contracts for services needed immediately to prevent or respond to a disaster or eminent threat to public health or safety declared by the Mayor;
5. Contracts or other agreements that provide trainees with additional services including, but not limited to, case management and job readiness services, provided that the trainees do not replace employees subject to the Living Wage Act;

6. An employee, under 22 years of age, employed during a school vacation period, or enrolled as full-time student, as defined by the respective institution, who is in high school or at an accredited institution of higher education and who works less than 25 hours per week; provided that he or she does not replace employees subject to the Living Wage Act;
7. Tenants or retail establishments that occupy property constructed or improved by receipt of government assistance from the District of Columbia; provided, that the tenant or retail establishment did not receive direct government assistance from the District of Columbia;
8. Employees of nonprofit organizations that employ not more than 50 individuals and qualify for taxation exemption pursuant to Section 501 (c) (3) of the Internal Revenue Code of 1954, approved August 16, 1954 (68A Stat. 163; 26. U.S.C. §501(c)(3));
9. Medicaid provider agreements for direct care services to Medicaid recipients, provided, that the direct care service is not provided through a home care agency, a community residence facility, or a group home for mentally retarded persons as those terms are defined in section 2 of the Health-Care and Community Residence Facility, Hospice, and Home Care Licensure Act of 1983, effective February 24, 1984 (D.C. Law 5-48; D.C. Official Code §44-501); and
10. Contracts or other agreements between managed care organizations and the Health Care Safety Net Administration or the Medicaid Assistance Administration to provide health services.

Enforcement

The Department of Employment Services (DOES) and the D.C. Office of Contracting and Procurement (OCP) share monitoring responsibilities.

If you learn that a contractor subject to this law is not paying at least the current living wage you should report it to the Contracting Officer.

If you believe that your employer is subject to this law and is not paying you at least the current living wage, you may file a complaint with the DOES Office of Wage – Hour, located at 64 New York Ave., NE, Room 3105, (202) 671-1880.

For questions and additional information, contact the Office of Contracting and Procurement at (202) 727-0252 or the Department of Employment Services on (202) 671-1880.

Please note: *This fact sheet is for informational purposes only as required by Section 106 of the Living Wage Act. It should not be relied on as a definitive statement of the Living Wage Act or any regulations adopted pursuant to the law.*

J.1.4 Construction Contractor's Performance Evaluation Guidelines

CONSTRUCTION CONTRACTOR PERFORMANCE EVALUATION GUIDELINES

1. INTRODUCTION

*[Adapted from the Commonwealth of Pennsylvania Department of General Services...
Review Draft: June 14, 2005]*

DEFINITIONS

The term "Contractor" means the Construction General Contractor.

The term "Administrator" means the Administrator of Construction in the Office of Property Management's (OPM) Construction Division.

The term "Deputy Director" means the Deputy Director of Construction in the Office of Property Management's Construction Division.

The term "Project Manager" means the Individual assigned to manage the Project by the Office of Property Management's Construction Division.

The term "Client" means the District agency for which the Office of Property Management is managing the Project.

The term "Project" means an Office of Property Management managed construction project.

The term "Representatives" means OPM's third party professionals, such as architects and engineers.

The acronym "QA/QC" means Quality Assurance/Quality Control.

The acronym "SOV" means Schedule of Values.

The Contractor Performance Evaluation System has been developed to evaluate the performance of contractors on current construction projects. This system makes it possible for the Office of Property Management to review the Contractor's performance on OPM managed construction projects.

OPM will conduct construction contractor performance evaluations for all construction projects managed by OPM regardless of the method of procurement.

2. SCHEDULE OF EVALUATION

(A) OPM will evaluate a Contractor's performance during the course of each Project. The minimum frequency of evaluations will be based on the percent of physical work completed, as shown in the following table:

MINIMUM FREQUENCIES OF PERFORMANCE EVALUATIONS	
Contract Duration	Evaluation Frequency
Up to 4 months	One: at final completion
Between 4 to 12 months	Two: at 50% and final completion
Beyond 12 months	Five: at 15%, 30%, 50%, 75% and final completion

(B) In addition to the above, OPM reserves the right to evaluate a Contractor's performance at any time during a Project provided that no less than thirty (30) calendar days has elapsed since the last performance evaluation.

3. PERFORMANCE EVALUATION

The OPM Project Manager (PM) will be responsible for ensuring that the Contractor Performance Evaluation Form (Exhibit A) is completed and submitted to the Administrator in accordance with the above Section 2. The Contractor Performance Evaluation Form consists of two parts: Part 1 Summary Report, and Part 2 OPM Project Manager Report. Upon completing Part 2, the PM will complete Part 1 Summary Report and calculate the Contractor's overall performance rating for the project to-date. The PM will be responsible for completing and submitting its evaluation to the OPM Senior Project Manager (Senior PM) within 5 business days of Contractor's completion of an evaluation milestone as set forth in the table in Section 2(A) above, and additionally will be responsible for completing and submitting its evaluation to the Senior PM at such other times as OPM deems appropriate, in its sole discretion, in accordance with Section 2(B) above.

The Senior PM will be responsible for submitting the completed Contractor Performance Evaluation Form to the Administrator for review approval. The Administrator will review the Contractor Performance Evaluation Form to ensure that ratings are fair, consistent, and accurate based on the underlying facts and supporting documentation.

Upon approval, the Administrator will forward the Contractor Performance Evaluation Form to the Deputy Director for approval and signature. The final evaluation form will be sent to the Contractor per Section 6 of these guidelines.

4. EVALUATION CRITERIA

As identified on the Contractor Performance Evaluation Form, the evaluation criteria and sub-factors of each criteria are:

QUALITY OF WORK

- o Quality of Workmanship
- o Quality of Subcontractors' Work
- o Compliance with Plans and Specifications
- o Adequacy of the QA/QC Plan
- o Adequacy of the QA/QC Testing
- o Implementation of the QA/QC Plan

- o Quality of QA/QC Documentation
- o Storage of Materials
- o Adequacy of Materials
- o Use of Specified Materials
- o Quality of Submittals
- o Timely Correction of Deficient Work

COST CONTROL

- o Practices Change Order Avoidance and Minimization
- o Change Order Documentation
- o Change Order Pricing (based on the percentage calculated by dividing the total value of the change orders since the last evaluation by the total Project Budget applicable to the same period, the rating for this sub-factor shall be: $\leq 3\% = 100, \leq 10\% = 90, \leq 15\% = 80, \leq 20\% = 70, \geq 20\% = 60$)
- o Timely Performs Change Order Work
- o Subcontractor Change Order Review and Approval

SCHEDULE/TIME MANAGEMENT

- o Adequacy of Initial Project Schedule
- o Adherence to Approved Schedule
- o Schedule Update Timeliness and Accuracy (Monthly)
- o Timely Submittal of and Adherence to Recovery Schedule (If Applicable)
- o Timely Notification of Conditions Impacting Schedule (such as, inspectors, material lead times, coordination with other city agencies)
- o Timely Submission of Shop Drawings
- o Timely Payments to Subcontractors and Vendors
- o Timely Conducting of all Inspections, including, for example, inspections for permits (materials, mechanical systems, close-out, etc.)

MANAGEMENT

- o Cooperation/Responsiveness with OPM Project Staff, Client and Representatives
- o Coordination with Other Primes
- o Coordination and Control of Subcontractors
- o Professional Conduct
- o Management of Personnel/Resources
- o Adequate Amount of Workforce, Materials and Equipment to Meet Schedule
- o Job-site Supervision
- o Adequacy of Daily Work Log
- o Review/Resolution of Subcontractor's Issues
- o Compliance with Laws, Regulations, Permits, Inspections, Testing
- o Housekeeping (i.e. cleanliness of job site, trailer, etc.)
- o Invoices adhere to approved S.O.V./% Complete

LABOR STANDARDS

- o Prompt Correction of Deficiencies
- o Certified Payrolls Properly Completed and Submitted
- o Compliance with Labor Laws
- o Compliance with Prevailing Wage Laws

- o Trained and Skilled Workforce

SAFETY STANDARDS

- o Adequacy of Safety Plan
- o Implementation of Safety Plan
- o Minimizes Job-site Accidents
- o On-site Safety Maintenance
- o Compliance with Worker Exposure Requirements
- o Compliance with Drug/Alcohol Abuse Requirements
- o Adequacy of Regulatory Compliance Documentation

CLOSE-OUT

- o Prompt Submission and Quality Completion of Punch List
- o Prompt Submission and Quality Completion of As-built Drawings, O&M Manuals, Warranties, etc.
- o Adequacy of User Training
- o Supports Building Commissioning
- o Demobilization and Site Clean-up

5. PERFORMANCE EVALUATION RATING SYSTEM

In evaluating and rating each criteria and subfactor on the Contractor Performance Evaluation Form, the evaluator will use the following rating systems. The ratings reflect the District's satisfaction with the Contractor's performance of the requirements of the Project from the date of the last evaluation (or from Project commencement if it is a first Project evaluation) to the date of the current evaluation).

Excellent (100)

When applied to the individual evaluation sub-factor, a rating of excellent should be given if the contractor work far exceeds the contract requirements by consistently exhibiting excellent performance typically meets and regularly exceeds the contract requirements.

Good (90)

When applied to the individual evaluation sub-factor, a rating of good should be given if the Contractor often exceeds the contract requirements and frequently provides a high level of performance, typically meets, and often exceeds the contract requirements.

Satisfactory (80)

When applied to the individual evaluation sub-factor, a rating of satisfactory should be given if the Contractor provides an acceptable level of performance consistently meeting the contract requirements.

Marginal (70)

When applied to the individual evaluation sub-factor, a rating of satisfactory should be given if the Contractor performs slightly below the requirements of the contract, meeting the contract requirements on an intermittent basis.

Unsatisfactory (60)

When applied to the individual evaluation sub-factor, a rating of unsatisfactory should be given if the Contractor fails to meet important contract requirements, resulting in a negative impact on the entire project.

For any performance evaluation rating value below Satisfactory (80.0), the evaluator must provide written comments with specific explanations of how and when a Contractor failed to meet the contract requirements.

6. NOTIFICATION TO CONTRACTOR

OPM will notify the Contractor of the results of the most recent performance evaluation. The notification will include a cover letter, and a copy of the Contractor Performance Evaluation Form with supporting documents, if any. If the overall Performance Rating is below Satisfactory (80.0), the cover letter will set forth a timeframe in which the Contractor must correct deficiencies to achieve an overall performance rating of at least satisfactory (80.0). If the Contractor fails to remedy the deficiencies within this timeframe, OPM will input results into the OPM database and submit a copy of evaluation and supporting documents to the Office of Contracts and Procurement (OCP) for inclusion in the Contractor's OCP file.

7. CONTRACTOR CHALLENGES

A Contractor who wishes to challenge a performance evaluation shall submit its challenge in writing to the Deputy Director, with a copy to the Administrator, postmarked within fifteen (15) calendar days of date of notice.

The written challenge must include a detailed explanation, and documentation, if any, of the specific grounds for the challenge.

Failure to timely challenge a performance evaluation in the manner required will be deemed to be a waiver of Contractor's right to challenge that performance evaluation.

If a challenge, in accordance with this Section 7, is given by a Contractor, the results of the Contractor's performance evaluation will not be final (entered into the OPM database) until the Deputy Director renders a final written decision. Upon arriving at a final decision, the Deputy Director, or his designee, will forward said decision to the Contractor. If the Deputy Director's final decision is to maintain the overall Performance Rating, the Deputy Director will forward a copy of the decision to OCP and the Contractor shall be added to the OPM database and a copy of evaluation and supporting documents will be provided to OCP for inclusion in the Contractor's OCP file.

8. MULTIPLE PERFORMANCE EVALUATION RATINGS

At the completion of a Project, the Contractor will be given a Final Performance Evaluation Rating which will be calculated by averaging all Performance Ratings given in the course of the Project.

Exhibit A
CONTRACTOR PERFORMANCE EVALUATION FORM

Part 1
Summary Report

DATE _____
 CONTRACTOR _____
 CONTACT NAME _____
 PROJECT NUMBER _____
 PROJECT NAME _____
 PROJECT ADDRESS _____

EVALUATION SCHEDULE (based on physical work):						
Circle One:	15%	30%	50%	75%	Final	Other _____

EVALUATOR _____ DATE _____

INSTRUCTIONS:
 The Office of Property Management (OPM) should complete a performance evaluation form for each prime contract according to the evaluation schedule set forth above. It is important to use the point ranking system specified on this form.

	SUMMARY RATING	N/A
QUALITY OF WORK		
COST CONTROL		
SCHEDULE/TIME MANAGEMENT		
MANAGEMENT		
COMPLIANCE WITH SAFETY STANDARDS		
CLOSEOUT (Final Only)		
OVERALL PERFORMANCE RATING*		

*Sum of Summary Ratings divided by number of categories evaluated.

PROJECT MANAGER/DATE

SR. PROJECT MANAGER/DATE

ADMINISTRATOR/DATE

DEPUTY DIRECTOR/DATE

Exhibit A

CONTRACTOR PERFORMANCE EVALUATION FORM

Part 2

Construction Inspection Supervisor Detailed Report

DATE _____
 CONTRACTOR _____
 CONTACT NAME _____
 PROJECT NUMBER _____
 PROJECT NAME _____
 PROJECT ADDRESS _____

EVALUATION SCHEDULE

Circle One: 15% 30% 50% 75% Final Other _____

EVALUATOR _____ DATE _____

QUALITY OF WORK	N/A	Excellent	Good	Satisfactory	Marginal	Unsatisfactory
Quality of Workmanship		100	90	80	70	60
Quality of Subcontractor's Work		100	90	80	70	60
Compliance with Plans and Specifications		100	90	80	70	60
Implementation of the QA/QC Plan		100	90	80	70	60
Adequacy of the QA/QC Plan		100	90	80	70	60
Adequacy of QA/QC Testing		100	90	80	70	60
Quality of QA/QC Documentation		100	90	80	70	60
Storage of Materials		100	90	80	70	60
Adequacy of Materials		100	90	80	70	60
Use of Specified Materials		100	90	80	70	60
Quality of Submittals		100	90	80	70	60
Identification and Timely Correction of Deficient Work		100	90	80	70	60
Summary Rating (Sum of values circled divided by number of sub-factors evaluated)						

Comments for Individual or Summary Ratings less than 80: _____

COST CONTROL	N/A	Excellent	Good	Satisfactory	Marginal	Unsatisfactory
Practices Change Order Avoidance and Minimization		100	90	80	70	60
Change Order Documentation		100	90	80	70	60
Change Order Pricing		100	90	80	70	60
Timely Performs Change Order Work		100	90	80	70	60
Subcontractor Change Order Review and Approval		100	90	80	70	60
Summary Rating (Sum of values circled divided by number of sub-factors evaluated)						

Comments for Individual or Summary Ratings less than 80: _____

Exhibit A
CONTRACTOR PERFORMANCE EVALUATION FORM

SCHEDULE/TIME MANAGEMENT	N/A	Excellent	Good	Satisfactory	Marginal	Unsatisfactory
Adequacy of Initial Project Schedule		100	90	80	70	60
Adherence to Approved Schedule		100	90	80	70	60
Schedule Update Timeliness and Accuracy		100	90	80	70	60
Timely Submittal and Adherence to Recovery Schedule		100	90	80	70	60
Timely Notification of Conditions Impacting Schedule, Tie-ins, Shut-downs, etc.		100	90	80	70	60
Time Submission of Shop Drawings		100	90	80	70	60
Timely Payments to Subcontractors and Vendors (Compliance with Prompt Payment Act)		100	90	80	70	60
Timely in Obtaining Permits, Conducting Inspections, etc.		100	90	80	70	60
Summary Rating (Sum of values circled divided by number of sub-factors evaluated)						
Comments for Individual or Summary Ratings less than 80: _____						

MANAGEMENT	N/A	Excellent	Good	Satisfactory	Marginal	Unsatisfactory
Cooperation/Responsiveness with OPM Project Staff, Client and Representatives		100	90	80	70	60
Coordination with Other Primes		100	90	80	70	60
Coordination and Control of Subcontractors		100	90	80	70	60
Professional Conduct		100	90	80	70	60
Management of Personnel/Resources		100	90	80	70	60
Provides Adequate Amount of Workforce, Materials and Equipment to Meet Schedule		100	90	80	70	60
Job-Site Supervision		100	90	80	70	60
Adequacy of Daily Work Log		100	90	80	70	60
Review/Resolution of Subcontractor's Issues		100	90	80	70	60
Practices Claim Avoidance and Minimization		100	90	80	70	60
Compliance with Laws, Regulations, Permits, Inspections, Testing		100	90	80	70	60
Housekeeping		100	90	80	70	60
Invoices adhere to approved S.O.V. % complete						
Summary Rating (Sum of values circled divided by number of sub-factors evaluated)						
Comments for Individual or Summary Ratings less than 80: _____						

Exhibit A
CONTRACTOR PERFORMANCE EVALUATION FORM

LABOR STANDARDS	N/A	Excellent	Good	Satisfactory	Marginal	Unsatisfactory
Correction of Noted Deficiencies		100	90	80	70	60
Payrolls Properly Completed and Submitted		100	90	80	70	60
Compliance with Labor Laws		100	90	80	70	60
Compliance with Prevailing Wage Law		100	90	80	70	60
Trained and Skilled Workforce		100	90	80	70	60
Summary Rating (Sum of values circled divided by number of sub-factors evaluated)						
Comments for Individual or Summary Ratings less than 80: _____						

SAFETY STANDARDS	N/A	Excellent	Good	Satisfactory	Marginal	Unsatisfactory
Adequacy of Safety Plan		100	90	80	70	60
Implementation of Safety Plan		100	90	80	70	60
Minimizes Job-site Accidents		100	90	80	70	60
On-site Safety Maintenance		100	90	80	70	60
Compliance with Worker Exposure Requirements		100	90	80	70	60
Compliance with Drug/Alcohol Abuse Requirements		100	90	80	70	60
Adequacy of Regulatory Compliance Documentation		100	90	80	70	60
Summary Rating (Sum of values circled divided by number of sub-factors evaluated)						
Comments for Individual or Summary Ratings less than 80: _____						

CLOSE-OUT	N/A	Excellent	Good	Satisfactory	Marginal	Unsatisfactory
Promptness/Quality of Punch List		100	90	80	70	60
Promptness/Quality of As-built Drawings, O&M Manuals, Warranties, etc...		100	90	80	70	60
Adequacy of User Training		100	90	80	70	60
Supports Building Commissioning		100	90	80	70	60
Demobilization and Site Clean-up		100	90	80	70	60
Summary Rating (Sum of values circled divided by number of sub-factors evaluated)						
Comments for Individual or Summary Ratings less than 80: _____						

Exhibit A
CONTRACTOR PERFORMANCE EVALUATION FORM

INSTRUCTIONS:

In the space provided below, if applicable, provide additional text to identify and to describe how specific individuals or firms exerted a positive or negative impact on the contractor's performance on this project. The text provided below is for informational purposes only and should already be factored into the evaluation ratings.

Contractor's Personnel

Subcontractor's Personnel

J.1.5 Aluminum Composite Wall Panels (ACP) (SECTION 07400)

SECTION 07400
ACP METAL WALL PANELS

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Metal wall panels.

1.2 RELATED SECTIONS

- A. Section 08500: Aluminum Windows Glass & Glazing General Requirements
- B. Section 08520: Aluminum Rolling Windows.

1.3 REFERENCES

- A. American Architectural Manufacturer's Association (AAMA):
 - 1. AAMA 501.1 - Standard test method for metal curtain walls for water penetration using dynamic pressure.
 - 2. AAMA 508.5 - Voluntary Test Method and Specification for Pressure Equalized Rain Screen Wall Cladding Systems.
 - 3. AAMA 2605 - Voluntary Specification, Performance Requirements and Test Procedures for Superior Performing Organic Coatings on Aluminum Extrusions and Panels.
- B. American Society of Civil Engineers (ASCE):
 - 1. ASCE 7- Minimum Design Loads for Buildings and Other Structures.
- C. ASTM International (ASTM):
 - 1. ASTM B 117 - Standard Practice for Operating Salt Spray (Fog) Apparatus.
 - 2. ASTM C 481 - Standard Test Method for Laboratory Aging of Sandwich Constructions.
 - 3. ASTM D 1308 - Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes.
 - 4. ASTM D 1781 - Standard Test Method for Climbing Drum Peel for Adhesives.
 - 5. ASTM D 2244 - Standard Practice for Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates.
 - 6. ASTM D 2247 - Standard Practice for Testing Water Resistance of Coatings in 100 Percent Relative Humidity.
 - 7. ASTM D 2794 - Standard Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact).
 - 8. ASTM D 3359 - Standard Test Methods for Measuring Adhesion by Tape Test.
 - 9. ASTM D 3363 - Standard Test Method for Film Hardness by Pencil Test.

10. ASTM D 4214 - Standard Test Methods for Evaluating the Degree of Chalking of Exterior Paint Films.
11. ASTM E 72 - Standard Test Methods of Conducting Strength Tests of Panels for Building Construction.
12. ASTM E 84 - Test Methods for Surface Burning Characteristics of Building Materials.
13. ASTM E 119 - Test Methods for Fire Tests of Building Construction and Materials.
14. ASTM E 283 - Test Method for Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors under Specified Pressure Differences across the Specimen.
15. ASTM E 330 - Test Method for Structural Performance of Exterior Windows, Curtain Walls, and Doors by Uniform Static Air Pressure Difference.
16. ASTM E 331 - Test Method for Water Penetration of Exterior Windows, Curtain Walls, and Doors by Uniform Static Air Pressure Difference.
17. ASTM E 1886 - Standard Test Method for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials.
18. ASTM E 1996 - Standard Specification for Performance of Exterior Windows, Curtain Walls, Doors and Impact Protective Systems Impacted by Windborne Debris in Hurricanes.

D. Underwriters Laboratories, Inc. (UL):

1. UL 263 - Fire Resistance Tests of Building Construction and Materials.
2. UL 723 - Test for Surface Burning Characteristics of Building Materials.
3. UL Fire Resistance Directory.
4. UL 1715 Room Corner Test.

1.4 PERFORMANCE REQUIREMENTS

- A. Air Infiltration: Maximum 0.01 cfm/sf in accordance with ASTM E 283 at a static-air-pressure difference of 6.24 lbf/sf (300 Pa), using minimum 73 1/8 inch by 49 1/4 inches (1857 mm by 1251mm) test panel that includes horizontal and vertical joints.
- B. Water Penetration: Dynamic Testing: No uncontrolled water penetration per AAMA 501.1 at a minimum pressure differential of 25 lb/sf (1.20 kPa) using a minimum 73 1/8 inch by 49 1/4 inches (1857 mm by 1251mm) test panel that includes horizontal and vertical joints.
- C. Pressure Equalized Rain Screen Systems must comply with AAMA 508-05 Voluntary Test Method and Specification for Pressure Equalized Rain Screen Wall Cladding Systems.
- D. Structural Performance: Provide metal wall panel assemblies capable of withstanding the effects of indicated loads and stresses within limits and under conditions indicated, per ASTM E 72:

1. **Wind Loads:** Determine loads based on uniform pressure indicated on Drawings or calculated per IBC 2006 whichever is more stringent.
 2. **Deflection Limits:** Withstand test pressures of inward and outward wind-load design pressures with maximum deflection of $L/60$ of the span with no failure.
 3. **Secondary Framing:** Design secondary framing system according to AISI "Standard for Cold-Formed Steel Framing - General Provisions."
 4. **Provide bearing surface for metal wall panels at the following locations:**
 - a. **Horizontal Panel System:** At vertical joints 4 inches minimum (102 mm).
 - b. **Vertical Panel System:** At horizontal stack joints 4 inches minimum (102 mm).
- E. **Horizontal Panel Joint Performance:** Static test per ASTM E 331 with horizontal seals removed - 1 inch (25 mm) in 10 feet (3050 mm) lengths to simulate seal defects. No uncontrolled water penetration permitted at a pressure of 25 lb/sf (.90 kPa).
- F. **Pressure Equalization of Horizontal Joinery:** Passes the Criteria for a Pressure Equalized Horizontal Joint in accordance with AAMA 508-05, a test method for Pressure Equalized Rain Screen Wall Systems.
- G. **Seismic Performance:** Comply with ASCE 7, "Minimum Design Loads for Buildings and Other Structures": Section 9, "Earthquake Loads."

1.5 SUBMITTALS

- A. Submit under provisions of Section 08500.
- B. **Product Data:** Manufacturer's data sheets on each product to be used, including:
1. Preparation instructions and recommendations.
 2. Storage and handling requirements and recommendations.
 3. Installation methods.
- C. **Shop Drawings:** Submit shop drawings detailing plan, elevation and section views as necessary to determine proper fabrication and installation methods. Coordinate locations with those found in the contract drawings.
- D. **Selection Samples:** For each finish product specified, two complete sets of color chips representing manufacturer's full range of available colors and patterns.
- E. **Verification Samples:** For each finish product specified, two samples, minimum size 6 inches (150 mm) square, that represent the actual product, color, and patterns.

1.6 QUALITY ASSURANCE

- A. **Manufacturer Qualifications:** All primary products specified in this section shall be supplied by a single manufacturer with a minimum of ten (10) years experience. The contractor shall provide a minimum of five (5) reference projects with the cost of each project and a reference contact for each project with the solicitation.
- B. **Installer Qualifications:** All products listed in this section are to be installed by a single installer with a minimum of five (5) years demonstrated experience in installing products of the same type and scope as specified.
- C. Calculations supporting structural performance of the wall panels shall be prepared by a professional structural engineer designated by the manufacturer.
- D. Fire-Test-Response Characteristics per ASTM E 84 or UL Standard 723:
 - 1. Flame spread index: 25 or less.
 - 2. Smoke developed index: 450 or less.
- E. FM Global Listing: Class 1 Insulating Wall or Ceiling Panel per FMG 4880.
- F. UL Listing for UL 1715 room corner test.
- G. NFPA 286 room corner test.
- H. NFPA 285 ISMA test.
- I. **Mock-Up:** Provide a mock-up for evaluation of surface preparation techniques and application workmanship.
 - 1. Finish areas designated by Design Architect.
 - 2. Do not proceed with remaining work until workmanship, color, and sheen are approved by Design Architect.
 - 3. Refinish mock-up area as required to produce acceptable work.

1.7 DELIVERY, STORAGE, AND HANDLING

- A. Store products in manufacturer's unopened packaging until ready for installation.
- B. Store and dispose of hazardous materials, and materials contaminated by hazardous materials, in accordance with requirements of local authorities having jurisdiction.

1.8 PROJECT CONDITIONS

- A. Maintain environmental conditions (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimum results. Do not install products under environmental conditions outside manufacturer's absolute limits.

1.9 WARRANTY

- A. **At project closeout, the contractor shall provide to the FEMS COTR representative an executed copy of the manufacturer's standard limited warranty against manufacturing defect, outlining its terms, conditions, and exclusions from coverage. This shall be in a hard cover binder with the name of the project, contract number and purchase order number on the face of the binder.**

PART 2 PRODUCTS

2.1 PROJECT REQUIRED PRODUCTS

- A. Acceptable ACP Panels shall be the **BAMCO C-500** Aluminum Composite Panel System with all mounting and attachment accessories provided by BAMCO, Inc. The C-500 is a **6mm** ACP rout and return method system that incorporates a recessed silicone sealant joinery with guttering perimeter extrusions.
- B. **Include factory applied back up XPS foam insulation to all panels.**

2.2 MANUFACTURERS

- A. Acceptable Fabricator: Bamco, Inc.; 30 Baekland Avenue, Middlesex, NJ 08846. ASD. Tel: (732) 302-0889. Tel: (800) 245-0210. Fax: (732) 302-9456. Email: elambert@bamcoinc.org Web: www.bamcoinc.org.
- B. Requests for substitutions will be considered in accordance with provisions of Section 08500.

2.3 PERFORMANCE REQUIREMENTS

- C. Wind Loads: If system tests are not available, construct mock-ups and perform tests under the direction of an independent third party laboratory, showing compliance with the following minimum standards:
 - 1. Design panels to withstand the Design Wind Load based upon the local building code, but in no case less than 20 pounds per square foot (psf) and 30 psf on parapet and corner panels. Wind load testing shall be conducted in accordance with ASTM E 330 to obtain the following results:
 - a. Normal to the plane of the wall between supports, deflection of the secured perimeter-framing members shall not exceed L/175 or ¾ inches (19mm), whichever is less.
 - b. Normal to the plane of the wall, the maximum panel deflection shall not exceed L/60 of the full span.
 - c. Maximum anchor deflection shall not exceed 1/16 inch (1.5mm).
 - d. At 1 ½ times design pressure, permanent deflections of framing members shall not exceed L/100 of span length and components shall not experience failure or gross permanent distortion. At connection points of framing members to anchors, permanent set

shall not exceed 1/16 (1.5mm).

D. Air/Water Infiltration:

1. Air Infiltration - When tested in accordance with ASTM E 283, air infiltration at 1.57 psf must not exceed 0.06 cfm / sq ft of wall area.
2. Water Infiltration – No water infiltration in any system under a differential static pressure of 6.24 psf after 15 minutes of exposure in accordance with ASTM E331.

2.4 FINISHES

A. Finish shall be selected from the manufacturers' standard 14 colors

1. Exterior ACP color shall be *Pueblo Tan*
2. Interior ACP color shall be *Bone White*

B. Finish Performance:

1. Coating Thickness: 1.0 mil (+/- 0.2 mil) complying with AAMA 2605.
2. Hardness: ASTM D 3363; HB minimum using Eagle Turquoise Pencil.
3. Impact:
 - a. Test method: ASTM D 2794; Gardner Variable Impact Tester with 5/8 inch (15mm) mandrel.
 - b. Coating shall withstand reverse impact of 1.5 inch pounds per mil substrate thickness.
 - c. Coating shall adhere tightly to metal when subjected to #600 Scotch Tape pick-off test. Slight minute cracking permissible. No removal of film to substrate.
3. Adhesion: Coating will not pick off when subjected to an 11 inch by 11 inch by 1/16 inch (28mm x 28mm x 1.5mm) grid and taped with #600 Scotch Tape in accordance with ASTM D 3359.
4. Humidity Resistance: No formation of blisters when subject to condensing water fog at 100 percent relative humidity and 100 F (37.8 C) for 4000 hours in accordance with ASTM D 2247.
5. Salt Spray Resistance: Expose coating system to 4000 hours, using 5 percent NaCl solution in accordance with ASTM B 117.
 - a. Corrosion creepage from scribe line: 1/16 inch (1.5mm) max.
 - b. Blister Rating: Minimum of 8 within the test specimen field.
6. Weather Exposure (Exterior): Ten-year exposure at 45 degree angle facing south Florida exposure.
 - a. Color Change: Maximum of 5 Delta E units as calculated in accordance with ASTM D 2244.
 - b. Chalk Rating: 8, in accordance with ASTM D 4214.
 - c. Checking, Crazeing, Adhesion loss: None.
7. Chemical Resistance:
 - a. Muriatic Acid: 10 percent solution for an exposure time of 15 minutes in accordance with ASTM D 1308 No loss of film adhesion or visual change when viewed by the unaided eye.
 - b. Sulfuric Acid: 20 percent solution for an exposure time of 18

hours in accordance with ASTM D 1308. No loss of film adhesion or visual change when viewed by the unaided eye.

- c. Nitric Acid: 70 solution of reagent grade vapor for an exposure time of 30 minutes. Maximum color change of 5 Delta E units as calculated in accordance with ASTM D 2244.

PART 3 EXECUTION

3.1 EXAMINATION

- A. Do not begin installation until substrates have been properly prepared.

3.2 PREPARATION

- A. Clean surfaces thoroughly prior to installation.
- B. Prepare surfaces using the methods recommended by the manufacturer for achieving the best result for the substrate under the project conditions.

3.3 INSTALLATION

- A. Install in accordance with contract directive documents and manufacturer's instructions.

3.4 PROTECTION

- A. Protect installed products until completion of project.
- B. Touch-up, repair or replace damaged products before Substantial Completion.

END OF SECTION

J.1.6 Aluminum Windows Glass & Glazing General Requirements (SECTION 08500)

SECTION 08500

ALUMINUM WINDOWS GLASS & GLAZING GENERAL REQUIREMENTS

PART 1 GENERAL

1.01 SUMMARY

- A. Section Includes:
1. Scope of Work
 2. Project Site Conditions & Allowances
 3. Permits, License and Related Approvals
 4. Work Schedule
 5. Use of Hazardous or Toxic Chemicals
 6. Distribution of Windows/Glass & Glazing Through the Building
 7. Restoration of Premises
 8. Employee Qualifications & Supervision
 9. Pre-Bid Requirements
 10. Bid Requirements
 11. Installation Requirements
 12. Procedures for Commencement and Completion of Work
- B. Related Sections:
1. Section 08520: Aluminum Windows [Factory Glazed]
 2. Section 07400: ACP Aluminum Wall Panels

1.02 SCOPE OF WORK

- A. Measurement and scheduling of installation of all new glass & glazing, all new aluminum architectural windows. Preparation of detailed shop drawings for the work in its entirety shall be approved for design and acceptance by the design architect and FEMS, prior to commencement of fabrication. Shop drawings shall indicate all field condition findings, all special details. **There shall not be an allowance for overlooked special conditions not shown on shop drawings.** All special details must be marked and identified by ID number or letter on submittals with definition of findings.
- B. Furnishing of new materials, storage, distribution, installation, caulking and cleaning of new windows and all necessary installation components authorized by way of approval of submitted shop drawings and product data.
- C. Exterior caulking of all new windows, glass, and associated accessories shall be achieved with the use of Structural Silicone sealants with an application of compatible primers.
- D. Assembly and sub-sill sealants to the structure shall be achieved with Urethane sealants with appropriate preparations.

- E. Install NEW 2-piece receptors at head and jambs and sub-sills at all windows
- F. Performance of the work requires the successful window sub-contractor to indicate a **probable schedule** (in accordance with procedures for commencement and completion of work, section 1.13).

1.03 PROJECT SITE CONDITIONS & ALLOWANCES

- A. FEMS will provide a site for placement of a project dumpster, provided by the window sub-contractor, for the exclusive use of the window sub-contractor in the disposal of ALL materials from the execution of the contract only. Location shall be shown during a scheduled post award meeting of General Contractor and FEMS.
- B. FEMS will provide on site storage for all materials. FEMS require that the unloading of all shipments of new windows, glass and components be stored in the designated location provided.

1.04 PERMITS, LICENSE AND REALTED APPROVALS.

- A. The window sub-contractor shall, at his or her expense, obtain all applicable permits, licenses and code approvals which may be required in the performance of the contracted work contained within Sections 08500, 07400 and 08520. Further the window sub-contractor shall be responsible to pay all excise, license, occupation and other taxes which may become payable to any authority, including all taxes upon the sale, use, storage, consumption and/or fabrication of the materials, supplies, equipment and other things furnished by the window sub-contractor.

1.05 WORK SCHEDULING

- A. The window sub-contractor shall indicate a probable schedule for the overall work on each floor. Acknowledging the requested schedule outlined.
- B. The window sub-contractor shall note that:
 - a. Work will commence no earlier than 6:30 AM and end no later than 6:00 PM, local time, unless authorized by the general contractor through the COTR.
 - b. Work shall not be performed on Saturdays, Sundays or Federal Holidays.
 - c. Work shall start and be completed on each and every window opening within each designated, scheduled work area on each day. There shall be **NO** openings left incomplete or open overnight.
 - d. Work can not commence or continue during threatening weather, such as driving rains, excess winds, snow or temperatures below 32 degrees.
 - e. A completion time for the project shall be submitted and approved.
 - f. Overrun penalties shall be specified and enforced if FEMS deems it appropriate to complete this portion of the required contract work.

1.06 USE OF HAZARDOUS OR TOXIC CHEMICALS

DC FIRE DEPARTMENT

ENGINE STATION 32

- A. Use of, toxic and irritating chemicals and substances in the commission of the work shall be avoided to the maximum extent possible. Material safety data sheets (MSDS) shall be provided in the formal submittals to the design architect. Waste materials from the installation shall be handled and removed from the building premises by the window sub-contractor and recycled as provided for in the scope of work.

1.07 DISTRIBUTION OF WINDOWS GLASS & GLAZING THROUGHOUT THE BUILDING

- A. The COTR shall specify the entryway to be used for moving the windows, glass and accessories within the building. At **NO** time shall any material be moved within the building except through the designated and authorized means.

1.08 RESTORATION OF PREMISES

- A. The window sub-contractor agrees that at the conclusion of its services hereunder, it shall leave the property in clean condition and shall remove, from the property any trash, supplies, equipment and the like not necessary to the continued performance of the assigned contract.
- B. In the event the window contractor does not perform its clean-up operation to the satisfaction of FEMS, then FEMS may, after 48 hours written notice to the window contractor, perform the clean-up operations and charge the window contractor for the cost thereof, plus 10% and deduct the charge from the payments provided under the contract.

1.09 EMPLOYEE QUALIFICATIONS & SUPERVISION

- A. The window contractor shall furnish duly qualified, experienced employees and supervisors to perform the work required in the contract.
- B. The window contractor shall appoint a qualified supervisor for the project and provide the contractor with the supervisor's name and an expeditious method of contacting the supervisor. The supervisor shall be capable of adequate supervision of the work at all times to ensure its completion and satisfactory performance in accordance with the terms of the contract.
- C. The window contractor shall comply with the instructions pertaining to conduct and building regulations issued by the COTR.
- D. The window contractor shall, at all times, enforce strict discipline and maintain good order among the workers and shall require workers to observe all fire prevention, security and safety rules and building regulations in force at the work site.
- E. In the performance of the work herein contemplated, the window contractor is an independent contractor with the authority and responsibility to control and direct the performance and the details of the work.
- F. The work contemplated herein must meet the approval and shall be subject to general right of inspection by the design architect (construction manager) and FEMS to ensure strict compliance with the terms of the contract.

1.10 PRE-BID REQUIREMENTS

DC FIRE DEPARTMENT

ENGINE STATION 32

- A. The sizes, quantities and window configurations presented in the bid documents are for **information only** and **must be verified by each and every window bidder.**
- B. Each invited window bidder must submit, with their respective bid, copies of valid and current Workman's Compensation Insurance Certificates.
- C. Each invited window contractor bidder must submit a list of projects of similar size and scope with their bid. A minimum of three (3) projects is required.

1.11 BID REQUIREMENTS

- A. All window contractor bids must include a detailed description of the necessary preparatory work as needed at the window openings, (excluding structural or masonry repairs), to facilitate installation of new windows and new glass and glazing complete.
- B. All bids must be delivered in writing in strict accordance with requirements set forth.
- C. **Include in the bid one "Prototype" Window complete installed in the building as designated by FEMS. These prototype windows will be used as a "Pilot/Sample" installation to provide the design architect (construction manager) and FEMS with an opportunity to approve the actual intended product and design installation. The acceptance of the "Pilot" installation will be part and binding on the approval of the entire submittal. No authorized fabrication of any new components will be approved until all submittals shop drawings and the "Pilot" installation is approved in writing by the design architect.**
- D. All bidss must include a complete scope of work verification in strict compliance with these documents, detailing any and all aspects of the project management, presented on company letterhead and signed by an officer of the company.
- E. **Include with written bid** comments from Pre-Bid inspection outlining any deviation in the process or intended process of the intended project sequence, method or intention. Include all information associated with your interpretive departure from the bid documents and or architectural drawings.
- F. **Include with written bid** on company letterhead, signed by an officer of the window contractor company, attesting to the fact that the responding bidder has read THIS ENTIRE SOLICITATION and understands the required specifications, pre-bid requirements and all associated documents contained in this solicitation and included in the design architectural drawings.

1.12 INSTALLATION REQUIREMENTS

- A. The successful window contractor shall participate in a meeting, at the building prior to beginning submittals and shop drawings, with FEMS and the Design Architect to discuss the entire scope of the appropriate work contained within sections 08500, 07400 and 08520.
- B. There will be a subsequent meeting scheduled after all approvals of the submittals, shop drawings and the "Pilot" window to facilitate a clear and timely understanding of the scope of these sections and the expectations of the Contractor, the Design Architect and FEMS.

DC FIRE DEPARTMENT

ENGINE STATION 32

- C. The successful contractor shall be responsible for providing the necessary accessories to facilitate the installation of the new specified products. Further the window contractor shall be responsible for any infill required facilitating a smooth structural wall finish to attach the new components to.
- D. As outlined in the design architectural drawings, it is the intention of FEMS to have the new windows installed in strict compliance with the contract documents and project specifications.

1.13 PROCEDURES FOR COMMENCEMENT AND COMPLETION OF WORK

- A. **FEMS expects this project to be completed within 180 working days from contract issuance and approvals.**
- B. The window contractor shall, within (10) ten business days of notice to proceed and or contract award, schedule a meeting with FEMS and Design Architect for a complete disclosure of any and all concerns. Failure to schedule this meeting shall not discharge the window contractor from full compliance with the contract.
- C. The window contractor shall, within (20) twenty business days of notice to proceed, contract award, submit in writing a schedule for issuance of shop drawings and submittals, a date for projected installation of “Prototype” window as well as outlining the schedule that you will require for approvals in order to meet FEMS contract scheduled completion date of 60 working days from issuance of the contract.
- D. Absent of a formal written request in writing for more allowable time, the full submittals and shop drawings shall be expected to be in FEMS possession within 30 business days from issuance of the contract.
- E. Installation shall be conducted in strict accordance with approved submittals and shop drawings. Written acceptance of the “Prototype Window Installation”, by the design architect will be required as final approval. In the event the “Prototype” window installation results in changes to the proposed design concept, the change must be documented in complete new submittals titled “*Field and File Record Shop Drawings*”.

END OF SECTION

J.1.7 Aluminum Windows (SECTION 08520)

**SECTION 08520
ALUMINUM WINDOWS**

PART 1 GENERAL**1.01 SUMMARY****A. Section Includes:**

1. Extruded aluminum windows with fixed sash and operating sash.
2. Factory glazing.
3. Operating hardware.
4. Insect screens.

B. Related Sections:

1. Section 08500 – Aluminum Windows, Glass & Glazing General Requirements
2. Section 07400 – ACP Metal Wall Panels

1.02 REFERENCES**A. Reference Standards: Comply with following:**

1. AAMA/NWWDA 101/I.S.2/A-440-08 Voluntary Specifications for Aluminum, Vinyl (PVC) and Wood Windows and Glass Doors; American Architectural Manufacturers Association; 2008.
2. AAMA 1503.1 - Voluntary Test Method for Thermal Transmittance and Condensation Resistance of Windows, Doors and Glazed Wall Sections; American Architectural Manufacturers Association; 1998.
3. AAMA 2604 - Voluntary Specification, Performance Requirements and Test Procedures for High Performance Organic Coatings on Aluminum Extrusions and Panels; 1998.
4. AAMA CW-10 - Care and Handling of Architectural Aluminum from Shop to Site; American Architectural Manufacturers Association; 1997.
5. ASCE 7 - Minimum Design Loads for Buildings and Other Structures; American Society of Civil Engineers; 1998 (Pub. 2000).
6. ASTM A 123/A 123M - Standard Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products; 2000.
7. ASTM B 221 - Standard Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes; 2000.
8. ASTM E 283 - Standard Test Method for Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen; 1991 (Reapproved 1999).
9. ASTM E 330 - Standard Test Method for Structural Performance of Exterior Windows, Curtain Walls, and Doors by Uniform Static Air Pressure Difference; 1997.
10. ASTM E 548 - Standard Guide for General Criteria Used for Evaluating Laboratory Competence; 1994.
11. ASTM E 783 - Standard Test Method for Field Measurement of Air Leakage through Installed Exterior Windows and Doors; 1993.

12. ASTM E 987 - Standard Test Methods for Deglazing Force of Fenestration Products; 1988(1994).
13. AAMA 502-08 - Standard Test Method for Field Determination of Air Infiltration and Water Penetration of Installed Exterior Windows and Doors by Uniform Static Air Pressure Difference; 2008.

1.03 SYSTEM DESCRIPTION

- A. Design Requirements: Drawings and Specifications establish requirements for aesthetic including dimensions, arrangements, alignment, and profiles of components and assemblies as they relate to sightlines, to one another, and to adjoining construction.
- B. Performance Requirements: As specified in PART 2, with the following additional requirements:
- C. Manufacturers "Certificate of Compliance" must be submitted certifying product meets requirements of AAMA 101.I.S.2/A-440-08 and 1503. AAMA Certificate of compliance will be required on all windows.
- D. Design and size windows to withstand the following load requirements, when tested in accordance with ASTM E 330.
 1. Design Wind Loads: Comply with requirements of ASCE 7-05.
 2. Minimum Design Pressure: 50 lbs/sq ft.
 3. Structural Test Pressure: 75 lbs/sq ft.
- E. Deflection: Not to exceed 1/175 of unsupported spans, when tested in accordance with ASTM E 330 using test loads equal to 1.5 times the design wind loads with 10 second duration of maximum load, and must be without permanent deformation of any component, glass breakage or anchorage failure.
 1. Member Deflection: Limit member deflection to flexure limit of glass in any direction, with full recovery of glazing materials.
- F. Movement: Accommodate movement between window and perimeter framing and deflection of lintel, without damage to components or deterioration of seals.
 1. Thermal Movement: Design and install sections to permit thermal expansion and contraction of components within perimeter opening construction, resulting from prevailing local maximum range of ambient and surface temperatures.
 2. Base engineering calculation on actual surface temperatures of materials due to solar heat gain and night-sky heat loss.
- G. U Factor of Assembly: 0.55 or lower when measured in accordance with AAMA 1503.
- H. Solar Heat-Gain Coefficient: Limit whole-window SHGC, determined with the integration of the specified glass.
- I. Air Infiltration: Limit air infiltration through assembly to 0.10 cu ft/min/sq ft of wall area, measured at a reference differential pressure across assembly of 6.24 psf as measured in accordance with ASTM E 283.

- J. Condensation Resistance Factor: CRF of 52 when measured in accordance with AAMA 1503.1.
- K. Water Leakage: None, when measured in accordance with AAMA 101.I.S.2/A-440-08 referenced test methods at a water test pressure equaling 15 percent of positive design pressure, but not less than 2.86 lbs/sq. ft. or more than 7.5 lbs/sq. ft. when tested according to AAMA/NWWDA 101/I.S.2, Water Resistance Test.
- L. STC (Sound Transmission): Provide current test conducted and certified by authorized independent acoustical testing facility for compliance with ASTM E90 for glazed window units achieving an STC of 30---31 with the incorporated both sealed insulated glass as well as the Dual Glazed Blinded Glazing specified..
- M. Air and Vapor Seal: Maintain continuous air barrier and vapor retarder throughout assembly.
 - 1. Vapor Seal: No vapor seal failure at interior static pressure of 1 inch, 72 degrees F and 40 percent relative humidity.
- N. System Internal Drainage: Drain to the exterior by means of a weep drainage network any water entering joints, condensation occurring in glazing channel, or migrating moisture occurring within system.
- O. Deglazing: No disengagement of glazing surrounds members of operable panels when tested according to ASTM E 987 at 70 lbs on vertical rails and 50 lbs on other rails.

1.04 SUBMITTALS

- A. Administrative Requirements, for submittal procedures. Submit following for review: Note all submittals must be submitted within 30 days after notice of award.
 - 1. Product Data: Provide component dimensions, information on glass and glazing, internal drainage details, and descriptions of hardware and accessories.
 - 2. Shop Drawings: Indicate opening dimensions, elevations of different types, framed opening tolerances, method for achieving air and vapor barrier seal to adjacent construction, anchorage locations, and installation requirements.
 - a. Include full scale, head, jamb, meeting stile, and sill sections.
 - b. Include isometric views of head and sill corners. Indicate all aspects of water barrier details required at the head and or sill to achieve water barrier levels required for the entire window assembly.
 - 3. Color Samples: Submit for approval two samples of frame coating, showing full range of color variations.
 - 4. Samples: Submit two samples, 12 x 12 inch in size illustrating typical corner construction, accessories, and finishes.
 - 5. Submit two samples of operating hardware.
 - 6. Submit current unexpired copies of AAMA 101.I.S.2-A440-08 certified structural test reports.
 - 7. Submit current unexpired copies of AAMA 1503 Thermal test report and summary.
 - 8. Submit current unexpired copies of Sound Transmission Loss Test in accordance

- with ASTM 90-05.
9. Submit current unexpired copies of AAMA 1302.5 Forced Entry Testing
 10. Submit current specifications of technical compliance of factory anodized finish.
- B. Quality Assurance/Control Submittals: Submit following for Project record. No action will be taken.
1. Calculations: Submit calculations, **ON THE SMALLEST OPERABLE WINDOW IN STRICT COMPLINACE WITH ASCE-7-05 PROVING COMPLIANCE WITH THE PRODUCT CAPABILITY WITHIN THE BUILDING DESIGN PRESSURE CRITERIA. SUBMITTING INSTALLATION CONTRACTOR SHALL PROVIDE THE ANCHORING SCHEDULE WITH THE SHOP DRAWINGS, INDICATING ANCHOR SIZE AND SPACING. THIS SUBMITTAL MUST BE APPROVED BY THE MANUFACTURER.**
 2. Test Reports: Manufacturer's published reports and Independent testing agency reports must be **AAMA Certified** and demonstrate compliance with specified requirements. Include the following:
 - a. Reports of Independent Testing Agency, approved by Owner and Architect, demonstrating compliance of proposed units with specified performance requirements. Test reports shall describe window and door systems completely
 - b. Written test procedure and drawings including details of units and mounting in test chamber.
 - c. Sealant compatibility reports by manufacturers of both materials including thermal break to frame corner seal, sub frame corner sealant joints to perimeter sealants, and rubber glazing components to glazing sealants.
 - d. Written confirmation of manufacturer of rubber setting blocks and other rubber glazing components, certifying compatibility between rubber and silicones used in this glazing system.
 - e. Durability under exterior exposure for polymeric and rubber materials.
 3. Manufacturer and Installer Qualifications: Submit lists of projects documenting not less than five years of documented successful experience in fabrication and installation of high rise residential and commercial windows.
 - a. For each project: List building name and address, owner's representative, general contractor, architect, and appropriate subcontractors with phone numbers and contact personnel.
 4. Manufacturer's Installation Instructions: Include complete preparation, coordination and sequence of work of other trades, installation, and cleaning requirements.
 - a. Installation Drawings: Describe step-by-step sequence and methods of installation, including coordination with related trades.
- C. Closeout Submittals: Contract Closeout Submittals:
1. Submit warranty. Ensure that forms have been completed in FEMS name and registered with manufacturer. Produce "Original" warranties by manufacturer for ownership to FEMS.
 2. Maintenance Manuals: Produced by manufacturer listing procedures and recommended frequency for inspecting, adjusting and maintaining windows specific to this project. Address all hardware, gaskets, and sealants and describe cleaning

procedures for glass and metal surfaces.

1.05 QUALITY ASSURANCE

- A. Comply with requirements of AAMA 101.I.S.2-A-440-08.
 - 1. Maintain one copy of document on site.
- B. Manufacturer and Installer: Company specializing in fabrication of commercial aluminum windows of types required, with not fewer than five years of experience.
 - 1. Check availability of all specified materials upon contract signing, and order promptly so work is not delayed. Submission of bid confirms that Contractor has verified that specified materials are available.
 - 2. Installer Qualifications: All mechanics on this project shall be completely familiar with these contract documents and procedures shown on installation sequence shop drawings before installing units.
- C. Testing Agency Qualifications: Manufacturers testing and or Independent testing agency, acceptable to authorities having jurisdiction, with experience and capability to conduct testing indicated, as documented according to ASTM E 548.
- D. Sequence affected trades including installation of flashing and sealants to ensure continuity of air and watertight installation.

1.06 MOCK UP INSTALLATION & TEST (FEMS Option)

- A. The contractor shall provide mock up of a combination window unit to be used within the project and conduct a field mock-up test in strict compliance with AAMA 502 method A and B. Both separate openings to be tested under "Contract" testing by a designated independent testing agency.
 - 1. Schedule mock up installation sufficiently in advance of need to allow adequate time for cure of sealants, testing and reconstruction, if needed, without delaying the project.
 - 2. Build mock up in building envelope wall in location selected by Owner and Architect.
- B. Notify FEMS and Architect at least one week before testing so that they may be represented during all testing.
- C. Perform tests specified in Field Quality Control Article.
 - 1. FEMS will pay Architect's fees for observing successful and unsuccessful tests, and will withhold from Contractor and reduce Contract Sum an amount equal to FEMS and Architect's fees for observation of unsuccessful tests.
 - 2. If mock-up fails test, Contractor shall propose corrections for approval of FEMS and Architect.
 - 3. Modify mock up construction and perform additional tests as required to achieve specified minimum acceptable results. If corrections are not adequate, construct new mock up, at written direction of FEMS and Architect. Co-ordinate construction of mock up with other involved trades.
 - 4. Approved mock ups may become part of completed Work if undisturbed at time of Substantial Completion.

1.07 PRE-INSTALLATION MEETING

- A. Schedule pre-installation meeting to occur immediately before or after regularly scheduled Progress Meeting.
 - 1. Convene one week before starting work of this section.
 - 2. Inspect and discuss condition of substrate and other preparatory work performed by other trades.
 - 3. Review and finalize construction schedule and verify availability of materials, Installer's personnel, equipment, and facilities needed to make progress and avoid delays.
 - 4. Review required testing and inspecting procedures.

1.08 DELIVERY, STORAGE, AND PROTECTION

- A. Comply with requirements of AAMA CW-10.
- B. Delivery: Schedule delivery to coincide with glazing schedules so that minimum handling of crates is required.
 - 1. Deliver products to project site and store in manufacturer's protective cartons until openings are ready for window and door installation. Do not open crates except as required for inspection for shipping damage.
 - 2. Inspect frames for damage, including finish damage and fracture of thermal breaks or frame corner seals.
- C. Storage: Store cases according to printed instruction on case, in areas least subject to traffic or falling objects. Provide space around frames and keep storage area clean, dry and well-ventilated to avoid condensation and other moisture-induced damage to frame finish.
- D. Handling: Unpack cases following printed instructions on case. Stack individual units on edge leaned slightly against upright supports with separators between each.

1.09 PROJECT CONDITIONS

- A. Environmental Requirements:
 - 1. Do not install sealants when ambient temperature is less than 40 degrees F .
 - a. Maintain this minimum temperature during and 24 hours after installation of sealants.
- B. Existing Conditions: Field verify openings by field measurements before fabrication, and indicate measurements on Shop Drawings.
 - 1. Established Dimensions: Where field measurements cannot be made without delaying Work, establish opening dimensions and proceed with fabricating aluminum windows without field measurements. Coordinate wall construction to ensure actual opening dimensions correspond to established dimensions.

1.10 WARRANTY

- A. Provide with submittals and Field and File submittals manufacturers warranty for materials and manufactured workmanship for a period of (5) five years from substantial completion. Warranty must convey ownership to the project owner.
 - 1. Correct defective Work within a five year period after Date of Substantial Completion.

PART 2 PRODUCTS

2.01 MANUFACTURERS

- A. Acceptable Aluminum Window Manufacturers:
 - 1. Basis of design is Winco Window Company, Series 3400 Horizontal Rolling and Series 3465 (Dual Blinded) windows.
 - 3. Alternate manufacturers shall be required to meet the performance standards specified inclusive of all aspects and features.
- B. All aluminum windows shall be provided by a sole source manufacturer capable of providing all types of the aluminum windows.

2.02 WINDOWS

- A. Windows: Tubular aluminum sections, factory fabricated, factory finished, thermally broken, vision glass, infill panels, related flashings, anchorage and attachment devices.
- B. Horizontal Rolling (First Floor 4 South 1 East) Window Type B
 - 1. Performance Requirements: AAMA 101/I.S.2 HC-60.
 - 2. Construction: Thermally broken.
 - 3. Provide screens.
 - 4. Glazing: Double; Grey; Low E insulated. **Provide Obscure Laminated insulated glass. These windows are in the head and locker room**
- D. Horizontal Rolling (First Floor North & South 20 Windows) Window Type A
 - 1. Performance Requirements: AAMA 101/I.S.2 HC-60.
 - 2. Construction: Thermally broken.
 - 3. Provide screens.
 - 4. Glazing: DUAL glazed – Blinded Grey laminated exterior with interior lift out secondary sash glazed Low E 3rd surface clear tempered.

2.03 COMPONENTS

- A. Frames: Profile as indicated, thermally broken with interior portion of frame insulated from exterior portion; applied glass stops of snap-on type.
 - 1. Frame Corner Fasteners: 18-8, AISI Type 302 stainless steel machine screws.

2. Attachment Accessories: Extruded aluminum; as detailed and required for attachment to wall structure at head, jamb and sill.
- B. Insect Screen Frame: Standard manufacturer flat screens fabricated with extruded aluminum frame of rectangular sections; fit with adjustable hardware; nominal size similar to operable glazed unit.
1. Provide for each operable exterior sash or ventilator.
 2. Design windows and hardware to accommodate screens in a tight-fitting, removable arrangement, with a minimum of exposed fasteners and latches. Fit screen within window frame, allowing clear access to operating hardware without requiring removal or opening of screen or wickets.
 3. Insect Screens: 14/18 mesh, fibrous mesh.
- C. Operable Sash Weather-stripping: Nylon pile; permanently resilient, profiled to achieve effective weather seal.
- D. Fasteners: Stainless steel.
- E. Sealant and Backing Materials: All sealants shall be structural silicone with compatible primers.

2.04 MATERIALS

- A. Extruded Aluminum: ASTM B 221 (ASTM B 221M), 6063 alloy, T5 temper.
- B. Concealed Steel Items: Profiled to suit mullion sections; galvanized in accordance with ASTM A 123/A 123M to 2.0 oz/sq ft.
- C. Fastener materials: AISI Type 302 stainless steel.
1. Fasteners for Structural Angle to Window frame to wall construction: Pan Head slotted machine screws, with split ring lock and flat washers and hex nuts, size as required, minimum 5/16 inch diameter.
- D. Plastic Components: Resist QUV exposure with UV-B 313 bulbs, 4 hour CON at 50° C/4 hour UV at 40°C, in accordance with ASTM G53 for 2000 hours without embrittlement, cracking, or fading, and shall have a verifiable 5 year successful field track record.
1. Recommended for exterior use by plastics manufacturer.
 2. Polyurethane for Poured and Debridged Thermal Breaks: Obtain from source providing material used successfully in poured and debridged thermal breaks for at least five years.
- E. Sealants: Compatible with perimeter joint caulking. Seals with double-faced tape not allowed.
1. Frame Corner Sealant: Compatible with contiguous sealants.

2.05 HARDWARE @ OPERABLE WINDOWS

- A. General: Provide manufacturer's standard hardware fabricated from stainless steel complying with AAMA 907, or other corrosion-resistant material compatible with

aluminum; designed to smoothly operate, tightly close, and securely lock aluminum windows and sized to accommodate sash or ventilator weight and dimensions. Do not use aluminum in frictional contact with other metals.

1. Sweep Locks at meeting rails and access sash at DUAL windows with exterior flat screens.
2. Pulls: Manufacturer's standard type.
3. **Limit Stops:** Limit outward sash travel to six (6") inches.

2.06 FABRICATION

- A. Fabricate components with smallest possible clearances and shim spacing around perimeter of assembly that will enable window installation and dynamic movement of perimeter seal.
 1. Accurately fit and secure joints and corners. Make joints flush, hairline, and weatherproof.
 2. Prepare components to receive anchor devices.
 3. Arrange fasteners and attachments to ensure concealment from view.
 4. Prepare components with internal reinforcement for operating hardware.
 5. Provide steel internal reinforcement in mullions as required to meet loading requirements.
- B. Provide internal drainage of glazing spaces to exterior through weep holes.
 1. Construct and install sub-frame/receptor system and window so that any joints or overlaps in the system are not against the flow of water.
 2. Base of Weeps in Vertical Surfaces: Minimum 1-1/2 inches long and flush with intersecting horizontal surface to avoid ponding water.
 3. Slope horizontal bar in transom and horizontal mullion/muntin members down to exterior and weep.
 4. Weep framing at window heads to drain any water that may accumulate.
 5. Weep each sash (operable and fixed) glazing pocket and sill frame. Locate all weeps at lowest drainage point of section to drain all water from section. At each sash, provide three weep holes/slots (beyond and between setting blocks) of minimum cross-section dimension of 3/8 inch.
- C. Perimeter Seals: Provide outer head and jamb perimeter seals, as well as a through-sill flashing (if detailed).
 1. Do not penetrate or interrupt continuity of perimeter seals.
- D. Frame Perimeter Anchorage: Arrange for frame attachment to structural substrate as required to meet Performance Requirements. Do not anchor through or to finishes.
 1. Design anchorage to building structure such that failure of any single anchor will not make anchorage system unstable or cause working loads to exceed 50% of ultimate static anchorage capacity.
 2. Design anchorage system so that fasteners shall be concealed and not visible after installation.
 3. Perimeter anchors or brackets shall not penetrate sealant joints.
 4. Do not penetrate horizontal leg of sill with sill anchors. Penetrating rear, upturned leg 1-1/2 inch or higher above horizontal leg is allowed. Mechanically anchor sill

using either continuous or discrete anchor clips with intermediate stiffening to create compression air seal between flashing and spaced not to exceed 12 inches o.c.

5. Structural Attachment: The systems are designed and intended to be a window capable of replacing the existing system in dimension. The new 4" deep windows should be installed with the use of a **two piece receptor at head and jamb and a subsill capable of managing the required water pressure.** See accompanied drawings PDF.
- E. Assemble insect screen frames with mitered and reinforced corners. Secure wire mesh tautly in frame. Fit frame with spring loaded steel pin retainers and or spring tension springs.
- F. Double weather-strip operable units.
1. Install weather-stripping continuously around opening and butt together tightly at corners. Discontinuities in backing retainer grooves at intersections shall not exceed 1/8 inch.
 2. Mechanically secure weather-stripping to prevent slippage when operating sash and to prevent other displacement.
 3. Provide single line of weather-stripping along inboard face of operable sash at sill, placed approximately, 1/4 inch below top edge of inboard vertical leg of sill track.
 4. Weather-stripping: Replaceable without disassembly of sash or unit frame or removal of unit frame from opening.
- G. Polyurethane Poured and Debridged Thermal Breaks:
1. Design and fabricate sash, frame, and sub-frame with continuous integral thermal barrier, permanently bonded to extrusions, providing solid, continuous, integral non-conducting area at all frame and sash members.
 2. Cavity Profile: Symmetric and incorporate mechanical interlock.
 3. Provide "Braded" thermal cavity preparation to insure adhesion of thermal break pour.
 4. Do not expose polyurethane to sunlight in permanent installation.
 5. Shield plastic components, such as parting blocks, in unit construction from direct exterior exposure at sills, jambs, and meeting stiles using aluminum covers. Other exterior visible components shall match frame color.
 6. Filled and debridged sections shall not distort or fracture due to handling; storage, fabrications, and in-service use.
 7. Frame Corner Sealant: Compatible with contiguous sealants.
 8. Do not drill or punch holes, including weep holes, through thermal break.
 9. Replace damaged thermal breaks.
- H. Match components to ensure continuity of line.

2.07 FINISHES

- A. Finish all exposed areas of aluminum windows and components with electrolytically deposited color, 3 coat Kynar Paint, 2605 compliant. **Color will be Custom Chinese Red**
- B. Apply 1 coat of bituminous coating or install PVC shim separations to concealed aluminum and steel surfaces in contact with dissimilar materials.

2.08 GLASS & GLAZING INSTALLATION (MANUFACTURER)

- A. Conform to latest edition of glazing standards of GANA GM - Glass Association of North America Glazing Manual and GANA SM - Glass Association of North America Sealant Manual.
1. ALL glass and glazing shall be performed by the window manufacturer. There shall be NO field glazing allowed.
 2. Allow all rubber gaskets to relax and recover several hours prior to installation. All gaskets shall be oversized 1% to 2% in length. Install gaskets at ends and center and then fit in remaining portions. Butt corner joints tightly and seal. Avoid contaminating surfaces to be sealed with any lubricating solutions. Provide 6 to 8 lb/in pressure on gaskets.
 3. Do not permit edges of insulated glass to contact any solvents.
 4. Do not allow glass to touch framing system; replace chipped or scratched glass.
 5. Keep glazing rabbet clean and dry during installation of glass.
 6. Install outboard glazing tape to provide continuous support to glass.
 7. Place setting blocks at quarter points of sill member without blocking any weep holes.
 8. Set glass centered in opening to allow at least 1/8 inch clearance between sides of glass and anti-walk pads, and to provide at least 1/2 inch bite on glass by glazing stops.
- B. Exterior Glazing Joints: Cap/Wet seal fixed and operable sash with recessed sealant bead at least 1/8 inch deep and 1/8 inch wide. Provide sufficient clearance at operable sash to allow removal from inside for reglazing.
1. Verify that exterior tape is recessed uniform 1/8 inch from face of exterior bead. Clean all surfaces to receive sealant.
 2. Use primer if recommended by sealant manufacturer. Allow primer to dry.
- C. **G-2 Dual Glazed Blinded Windows Glazing:** (All windows Type A)
Exterior glass shall be 1/4" Grey tint Laminated and shall be factory bench glazed and installed in the main frame and lift out sash by the window manufacturer. NO field glazing will be accepted. Interior lift out sash shall be glazed with tempered 1/4" clear glass with Sungate Low E 3rd surface in the interior sash (**Windows types A & C**)
1. Depth of dual glazed lift out access sash shall not be less than 1-29/32". Blinds Head rail shall be 1.085" wide x .875" high x .050" thick with bottom rail being 1.000" wide x .355" high x .050" thick of 6063-T5 extruded aluminum alloy and temper with a baked on polyester powder coat finish conforming to AAMA Specifications #603.8-1985. **Slats of blinds will be standard silver.**
 2. Ladder cord locations shall not exceed 6" from the end of the slot or 24" apart.
 3. Tilt control knob designed with slip feature to minimize damage due to over tilting of blind.
 4. Removable key operated knobs and angled tilt control knobs, optional
 5. All exterior units shall be structurally glazed with butyl tape and silicone cap bead.
 6. All access sashes are glazed with silicone to the exterior and interior bead glazed with vinyl.

- D. **G-3 Sealed Insulated Glass:** Locker Room and Head: Sealed insulated glass in all rolling and fixed windows shall be factory glazed, inside glazed, using an extruded aluminum glazing bead with reusable glazing EPDM vinyl compression. The insulated glass units shall be 1" overall thickness with two panes of .250 (1/4") glass separated by a .50 (1/2") airspace. Exterior pane shall be clear .250 (1/4") Clear **Laminated** AFG TI-AC 36 Low E 2nd surface (or equal) and the interior pane shall be .250 (1/4") **OBSCURE TEMPERED**. The overall units must render a minimum SHGC of .35, SC of .41 and a U of .29.
(Window Types B)
- E. All sealed insulated glass units shall meet the requirements of ASTM E 774 specification, Class "A". Sealed insulated glass units shall be warranted against seal failure for a period of (10) ten years from date of manufacturing.
- F. Dual sash blinded glazing and all sash components shall be warranted against seal failure for a period of (10) ten years from date of manufacturing.

2.09 SOURCE QUALITY CONTROL

- A. Fabrication Tolerances:
1. Maximum offset of frame or sash component, including glazing stops, from plane of adjacent section: 1/32 inch.
 2. Maximum metal-to-metal joint separations: 1/32 inch; positively and continuously seal exterior joints to prevent water penetration into frame.
 3. Maximum difference in corner-to-corner diagonal dimension on frames: 1/8 inch.
 4. Application of sealant to face of joints (face-sealing) is prohibited.

PART 3 EXECUTION

3.01 EXAMINATION

- A. Existing Conditions: Examine openings for aluminum windows to ensure that they are proper size plumb, square and level before installation of frames is started.
1. Verify that adjoining air and vapor seal materials are ready to receive aluminum windows.
- B. Immediately before placing into opening, inspect frames for any damage, including finish damage and fracture of thermal breaks or frame corner seals.

3.02 PREPARATION

- A. Clean down exterior caulking at perimeter of main frames and masonry: Completed prior to installation of window unit assemblies.
- B. Coat aluminum in direct contact with concrete, masonry, steel, or other non-compatible material with bituminous paint, zinc rich primer, or other suitable insulating material.

3.03 INSTALLATION

- A. Securely install windows and doors in accordance with AAMA 101, manufacturer's

instructions and accepted shop drawings.

1. Shim frames to perimeter opening to accommodate construction tolerances and other irregularities.
 2. Install sill shims at three points to support to sill track. Use wedge shim directly over sill. Set wedge and uniform thickness shims into bed of sealant.
 3. Align window plumb and level, free of warp or twist. Maintain dimensional tolerances and alignment with adjacent work.
 4. Maintain relation to established lines and grades indicated on approved shop drawings.
- B. Use anchorage devices to securely fasten unit assemblies to wall construction without distortion or imposed stresses. **See 2.06, D 5.**
1. Use approved means of frame anchorage to allow for thermal expansion and contraction of frames.
 2. Do not penetrate horizontal portion of active weep areas of unit frame with fasteners. Install frames without use of exterior exposed fasteners.
- C. Provide thermal isolation where components penetrate or disrupt building insulation. Pack fibrous insulation in shim spaces at perimeter of assembly to maintain continuity of thermal barrier.
- D. Coordinate attachment and seal of perimeter air barrier and vapor retarder materials.
- E. Install operating hardware not pre-installed by manufacturer.
- F. Install perimeter sealant in accordance with requirements specified herein.
- I. Install perimeter trim and interior closures.

3.04 ERECTION TOLERANCES

- A. Comply with following tolerances:
1. Maximum Variation from Level or Plumb: 1/16 inches every 3 ft non-cumulative or 1/8 inches per 10 ft, whichever is less?
 2. Maximum Longitudinal or Diagonal Warp: Plus or minus 1/8 inch from 10 foot straight edge.

3.05 ADJUSTING AND CLEANING

- A. Adjust hardware for smooth operation and secure weather tight closure.
- B. Cleaning:
1. Remove protective material from factory finished aluminum surfaces.
 2. Wash surfaces by method recommended and acceptable to sealant and window manufacturer; rinse and wipe surfaces clean.
 3. Remove excess sealant by moderate use of mineral spirits or other solvent acceptable to sealant and window manufacturer.

END OF SECTION

J.1.8 Drawings

EXTERIOR ALUMINUM COMPOSITE PANEL Information

MANUFACTURER IS: BAMCO
 TYPE: C-500 WALL SYSTEM
 PANEL
 Finish: Pueblo Tan

INTERIOR METAL PANEL system Information

MANUFACTURER IS:
 TYPE: 6MM. FLAT ALUMINUM PANEL
 Finish: Bone White

PROJECT INFORMATION

DC FIRESTATION #32
 2425 Irving Street S. E. - Washington, DC

Contractor Notes

- All final cleaning by others.
- All protection of system once installed is by others.
- All interior caulking by others.


Installer Notes

- Field verify all existing window framing dimensions, column widths and heights.

Abbreviations

B/H = BUTT HINGE/HUNG	H.D. = HEAVY DUTY	P/P = PUSH/PULL
C/H = CENTER HUNG	H.O. = HOLD OPEN	P.W. = PANEL WIDTH
C.O. = CLEAR OPENING	I.S. = INFILL SIZE	R.H. = RIGHT HAND
C.O.C. = CONCEALED OVER-HEAD CLOSER	L/S = IN SWINGING	R.L. = RAFTER LENGTH
C/P = CENTER PIVOT	M.H. = MULLION HEIGHT	S.A. = STACK AREA
C.S. = CASTER SPACING	M/S = MAXIMUM SECURITY	S/A = SINGLE ACTING
D/A = DOUBLE ACTING	M.S. = MEDIUM STYLE	S.C. = SURFACE CLOSER
D.O. = DAY LIGHT OPENING	N.S. = NARROW STYLE	SIM. = SIMILAR
D.S. = DOOR OPENING	O.C. = ON CENTER	S/L = STOCK LENGTH
EXT. = EXTERIOR	O.H. = OVERHEAD	T/L = TRACK LENGTH
F.C. = FLOOR CLOSER	O.P. = OFFSET PIVOT	W./ = WITH
F.H. = FRAME HEIGHT	O/P. = OPPOSITE SIDE	W/D. = WINDOW DIMENSION
F.W. = FRAME WIDTH	O/S = OUTSWING	W/O = WITH OUT
F.O. = FRAME OPENING	P.H. = PANEL HEIGHT	W.P. = WORKING POINT
		W.S. = MEDIUM STYLE

Legend



NO.	DESCRIPTION	NO.	DESCRIPTION
C1	COVER SHEET	E7	WEST ELEVATION - PART A
FP1	REFERENCE FLOOR PLAN	E8	WEST ELEVATION - PART B
W1	WINDOW SCHEDULE	E9	TYPICAL INTERIOR ELEVATIONS
E1	SOUTH ELEVATION - PART A	D1	DETAILS
E2	SOUTH ELEVATION - PART B	D2	DETAILS
E3	NORTH ELEVATION - PART A	D3	DETAILS
E4	NORTH ELEVATION - PART B	D4	DETAILS
E5	EAST ELEVATION - PART A	D5	DETAILS
E6	EAST ELEVATION - PART B		

REV	DATE	DESCRIPTION
-	07-14-10	1ST. SUBMITTAL
-	07-20-10	REVISION 1
△	07-29-10	REVISION 2


NO.	DESCRIPTION	NO.	DESCRIPTION
C1	COVER SHEET	E7	WEST ELEVATION - PART A
FP1	REFERENCE FLOOR PLAN	E8	WEST ELEVATION - PART B
W1	WINDOW SCHEDULE	E9	TYPICAL INTERIOR ELEVATIONS
E1	SOUTH ELEVATION - PART A	D1	DETAILS
E2	SOUTH ELEVATION - PART B	D2	DETAILS
E3	NORTH ELEVATION - PART A	D3	DETAILS
E4	NORTH ELEVATION - PART B	D4	DETAILS
E5	EAST ELEVATION - PART A	D5	DETAILS
E6	EAST ELEVATION - PART B		

REV.	BY	DATE
REVISION 1	RJ/AH	07/29/10
REVISION 2	RJ/AH	07/29/10

JOB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG BY: MH
 DATE STARTED: 07/29/10
 CHECKED BY:
 DATE CHECKED:

FADLLC
 Fenestration Analysis & Design, LLC
 350 G. STREET SW, SUITE N 508
 WASHINGTON, D.C. 20024
 202-494-1053

C1 OF 17



REFERENCE FLOOR PLAN GROUND LEVEL




REV.	BY	DATE
REVISION 1	RJ/AM	07/20/10
REVISION 2	RJ/AM	07/29/10

Revisions

JOB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG BY: MH
 DATE STARTED: 07/29/10
 CHECKED BY:
 DATE CHECKED:

FADLLC
 Firestation Analysis & Design, LLC
 350 G STREET SW, SUITE N 508
 WASHINGTON, D.C. 20024
 202 - 494 - 1053

Window Schedule

<p>Manufacturer: MNCO Reference: 4" Series 3450 Blind</p> <p>Inset Screen Cladding: Exterior Laminate 1/4" Gry Lite Blinds 1/4" Clear Tempered Sundata 500 3rd Interior Access Sash</p>	<p>Manufacturer: MNCO Reference: 4" Series 3400 Dual Roll</p> <p>Inset Screen Cladding: Exterior Laminate 1/4" 1/2" Spine 1/4" Double Tempered Sundata 500 3rd Interior Access Sash</p>	<p>Manufacturer: MNCO Reference: 4" Series 3455 Blind</p> <p>Inset Screen Cladding: Exterior Laminate 1/4" Gry Lite Blinds 1/4" Clear Tempered Sundata 500 3rd Interior Access Sash</p>
 <p>48" 00 [4"] 68" 00 [6-8"]</p>	 <p>48" 00 [4"] 68" 00 [6-8"]</p>	 <p>78" 00 [6-8"] 68" 00 [6-8"]</p>


Revisions

REV.	BY:	DATE:
REVISION 1	RJ/AH	07/29/10
REVISION 2	RJ/AH	07/29/10

JOB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG. BY: MH
 DATE STARTED: 07/29/10

CHECKED BY:
 DATE CHECKED:

FADLLC
 Restoration Analysis & Design, LLC
 360 G STREET SW SUITE 408
 WASHINGTON, D.C. 20024
 202 - 494 - 1053




ELEVATION 1/4' EXT
 RECD. = 1
 ARCH. REF.: SOUTH ELEVATION - PART A
 METAL PANEL SYSTEM
 BMCO C-500 WALL PANEL

Revisions	
REV.	DATE
REVISION 1	R/J/MH 07/29/10
REVISION 2	R/J/MH 07/29/10

JOB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG BY: MH
 DATE STARTED: 07/29/10
 CHECKED BY:
 DATE CHECKED:

FADLLC
 Fenestration Analysis & Design, LLC
 350 G STREET NW, SUITE A 508
 WASHINGTON, D.C. 20004
 202 - 494 - 1053



ELEVATION 18 EXT
 RECD = 1
 ARCHITECT: SOUTH ELEVATION - PART B
 METAL PANEL SYSTEM
 BAMCO C-500 WALL SYSTEM


1109 1/4" OD [18'-4"] WF

Revisions

REV.	BY	DATE
REVISION 1	R/JAH	10/29/10
REVISION 2	R/JAH	02/29/10

JOB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG BY: MH
 DATE STARTED: 07/29/10
 CHECKED BY:
 DATE CHECKED:

FADLLC
 Firestation Analysis & Design, LLC
 350 G STREET SW, SUITE N 508
 WASHINGTON, D.C. 20024
 202 - 494 - 1053




ELEVATION 2A EXT
 RECD: 1 NORTH ELEVATION - PART A
 ARCH: METAL PANEL SYSTEM
 DIM: C-500 WALL SYSTEM

Revisions		
REV.	BY:	DATE:
REVISION 1	SA/AM	07/29/10
REVISION 2	SA/AM	07/29/10

JOB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG BY: MH
 DATE STARTED: 07/29/10
 CHECKED BY:
 DATE CHECKED:

FADLLC
 Forensic Analysis & Design, LLC
 350 G. STREET SW, SUITE N 508
 WASHINGTON, D.C. 20024
 202-494-1053




ELEVATION 2/8 EXT
 RFD = 1
 ARCH-REF.: NORTH ELEVATION - PART B
 METAL PANEL SYSTEM
 BRUNO C-500 WALL SYSTEM

Revisions

REV.	BY:	DATE:
REVISION 1	RJ/AH	07/20/10
REVISION 2	RJ/AH	07/29/10

JOB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG BY: MH
 DATE STARTED: 07/20/10

FADLLC
 Firestation Analysis & Design, LLC.
 350 G STREET SW, SUITE N 508
 WASHINGTON, D.C. 20024
 202-494-1053




ELEVATION 34
 EXT
 RECD. = 1
 ARCH. NO.: EXT ELEVATION - PART A
 METAL PANEL SYSTEM
 BRACO C-350 WALL SYSTEM

1361 1/4" OD (113-5 1/4") WF

REVISIONS	
REV.	DATE
REVISION 1	RJ/AH 07/26/10
REVISION 2	RJ/AH 07/29/10

JOB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG BY: MH
 DATE STARTED: 07/29/10
 CHECKED BY:
 DATE CHECKED:

FADLLC
 Penetration Analysis & Design, LLC
 350 G. STREET SW, SUITE N 508
 WASHINGTON, D.C. 20024
 202-494-1053




ELEVATION 44 EXT
 ARCH'D. BY: J. WEST
 METAL PANEL SYSTEM
 BRICK C-500 WALL SYSTEM

1/8" = 1'-0" (1/8" = 1'-0")

Revisions		
REV.	BY	DATE
REVISION 1	RJ/AH	07/20/10
REVISION 2	RJ/AH	07/29/10

JOB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG. BY: MH
 DATE STARTED: 07/29/10
 CHECKED BY:
 DATE CHECKED:

FADLLC
 Preservation Analysis & Design, LLC
 350 G. STREET SW, SUITE N 608
 WASHINGTON, D.C. 20004
 202-494-1053




ELEVATION 48 EXT
 RECD. = 1
 ARCH. REF.: WEST ELEVATION - PART B
 METAL PANEL SYSTEM
 BRICK C-500 WALL SYSTEM

Revisions


REV.	BY	DATE
REVISION 1	R/A/MH	07/26/10
REVISION 2	R/A/MH	07/29/10

JDB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG BY: MH
 DATE STARTED: 07/29/10
 CHECKED BY:
 DATE CHECKED:

FADLLC
 Fabrication Analysis & Design, LLC
 350 G STREET SW, SUITE N 508
 WASHINGTON, D.C. 20024
 202-494-1053



ELEVATION 5 INTERIOR SIDE
 REG'D ARCHITECTURAL CONDITION
 60ML ALUMINUM FLAT PANEL



ELEVATION 6 INTERIOR SIDE
 REG'D ARCHITECTURAL CONDITION
 60ML ALUMINUM FLAT PANEL


INSTALLER NOTE:
 VERIFY QUANTITY OF APPLICABLE INTERIOR PANEL OF EACH TYPICAL CONDITION.
 VERIFY ALL DIMENSIONS AS INDICATED ON DWGS.

Revisions


REV.	BY:	DATE
REVISION 1	RJ/AH	07/20/10
REVISION 2	RJ/AH	07/29/10

JOB: D.C. FIRESTATION #32
 LOCATION: WASHINGTON, D.C.
 CONTRACTOR: G/C
 SCALE:
 FILE: FS32-072910
 DWG BY: MH
 DATE STARTED: 07/29/10
 CHECKED BY:
 DATE CHECKED:


FADLLC
 Penetration Analysis & Design, LLC
 350 G STREET SW, SUITE N 408
 WASHINGTON, D.C. 20024
 202-494-1053




VERTICAL JOINT DETAIL



COLUMN COVER DETAIL



COLUMN COVER DETAIL



COLUMN COVER DETAIL

Revisions

REV.	BY	DATE
REVISION 1	R/J/MH	07/20/10
REVISION 2	R/J/MH	07/29/10

JOB: D.C. FIRESTATION #32	CHECKED BY:
LOCATION: WASHINGTON, D.C.	DATE CHECKED:
CONTRACTOR: C/C	
SCALE:	
FILE: FS32-072910	
DWG BY: MM	
DATE STARTED: 07/29/10	

FADLLC
 Forensic Analysis & Design, LLC
 350 G STREET SW, SUITE N-508
 WASHINGTON, D.C. 20024
 202-494-1053

