

# YOUR LETTERHEAD

## EQUAL EMPLOYMENT OPPORTUNITY (EEO) POLICY STATEMENT

\_\_\_\_\_ SHALL NOT DISCRIMINATE AGAINST ANY EMPLOYEE OR APPLICANT FOR EMPLOYMENT BECAUSE OF ACTUAL OR PERCEIVED: RACE, COLOR, RELIGION, NATIONAL ORIGIN, SEX, AGE, MARITAL STATUS, PERSONAL APPEARANCE, SEXUAL ORIENTATION, GENDER IDENTITY OR EXPRESSION, FAMILIAL STATUS, FAMILY RESPONSIBILITIES, MATRICULATION, POLITICAL AFFILIATION, GENETIC INFORMATION, DISABILITY, SOURCE OF INCOME, OR PLACE OF RESIDENCE OR BUSINESS.

\_\_\_\_\_ AGREES TO AFFIRMATIVE ACTION TO ENSURE THAT APPLICANTS ARE EMPLOYED, AND THAT EMPLOYEES ARE TREATED DURING EMPLOYMENT WITHOUT REGARD TO THEIR ACTUAL OR PERCEIVED: RACE, COLOR, RELIGION, NATIONAL ORIGIN, SEX, AGE, MARITAL STATUS, PERSONAL APPEARANCE, SEXUAL ORIENTATION, GENDER IDENTITY OR EXPRESSION, FAMILIAL STATUS, FAMILY RESPONSIBILITIES, MATRICULATION, POLITICAL AFFILIATION, GENETIC INFORMATION, DISABILITY, SOURCE OF INCOME, OR PLACE OF RESIDENCE OR BUSINESS. THE AFFIRMATIVE ACTION SHALL INCLUDE, BUT NOT BE LIMITED TO THE FOLLOWING: (A) EMPLOYMENT, UPGRADING, OR TRANSFER; (B) RECRUITMENT OR RECRUITMENT ADVERTISING; (C) DEMOTION, LAYOFF, OR TERMINATION; (D) RATES OF PAY, OR OTHER FORMS OR COMPENSATION; AND (E) SELECTION FOR TRAINING AND APPRENTICESHIP.

\_\_\_\_\_ AGREES TO POST IN CONSPICUOUS PLACES THE PROVISIONS CONCERNING NON-DISCRIMINATION AND AFFIRMATIVE ACTION.

\_\_\_\_\_ SHALL STATE THAT ALL QUALIFIED APPLICANTS WILL RECEIVE CONSIDERATION FOR EMPLOYMENT PURSUANT TO SUBSECTION 1103.2 THROUGH 1103.10 OF MAYOR'S ORDER 85-85; "EQUAL EMPLOYMENT OPPORTUNITY REQUIREMENTS IN CONTRACTS."

\_\_\_\_\_ AGREES TO PERMIT ACCESS TO ALL BOOKS PERTAINING TO ITS EMPLOYMENT PRACTICES, AND TO REQUIRE EACH SUBCONTRACTOR TO PERMIT ACCESS TO BOOKS AND RECORDS.

\_\_\_\_\_ AGREES TO COMPLY WITH ALL GUIDELINES FOR EQUAL EMPLOYMENT OPPORTUNITY APPLICABLE IN THE DISTRICT OF COLUMBIA.

\_\_\_\_\_ SHALL INCLUDE IN EVERY SUBCONTRACT THE EQUAL OPPORTUNITY CLAUSES, SUBSECTION 1103.2 THROUGH 1103.10 SO THAT SUCH PROVISIONS SHALL BE BINDING UPON EACH SUBCONTRACTOR OR VENDOR.

\_\_\_\_\_  
AUTHORIZED OFFICIAL AND TITLE

\_\_\_\_\_  
DATE

\_\_\_\_\_  
AUTHORIZED SIGNATURE  
NAME

\_\_\_\_\_  
FIRM/ORGANIZATION

# YOUR LETTERHEAD

## ASSURANCE OF COMPLIANCE WITH EQUAL EMPLOYMENT OPPORTUNITY REQUIREMENTS

MAYOR'S ORDER 85-85, EFFECTIVE JUNE 10, 1985, AND THE RULES IMPLEMENTING MAYORS ORDER 85-85, 33 DCR 4952, (PUBLISHED AUGUST 15, 1986), "ON COMPLIANCE WITH EQUAL OPPORTUNITY REQUIREMENTS IN DISTRICT GOVERNMENT CONTRACTS," ARE HEREBY INCLUDED AS PART OF THIS BID/PROPOSAL. THEREFORE, EACH BIDDER/OFFEROR SHALL INDICATE BELOW THEIR WRITTEN COMMITMENT TO ASSURE COMPLIANCE WITH MAYOR'S ORDER 85-85 AND THE IMPLEMENTING RULES. FAILURE TO COMPLY WITH THE SUBJECT MAYOR'S ORDER AND THE IMPLEMENTING RULES SHALL RESULT IN REJECTION OF THE RESPECTIVE BID/PROPOSAL.

I, \_\_\_\_\_, THE AUTHORIZED REPRESENTATIVE OF \_\_\_\_\_, HEREINAFTER REFERRED TO AS "THE CONTRACTOR," CERTIFY THT THE CONTRATOR IS FULLY AWARE OF ALL OF THE PROVISIONS OF MAYOR'S ORDER 85-85, EFFECTIVE JUNE 10, 1985, AND OF THE RULES IMPLEMENTING MAYOR'S ORDER 85-85, 33 DCR 4952. I FURTHER CERTIFY AND ASSURE THAT THE CONTRACTOR WILL FULLY COMPLY WITH ALL APPLICABLE PROVISIONS OF THE MAYOR'S ORDER AND IMPLEMENTING RULES IF AWARDED THE D.C. GOVERNMENT REFERENCED BY THE CONTRACT NUMBER ENTERED BELOW. FURTHER, THE CONTRACTOR ACKNOWLEDGES AND UNDERSTANDS THAT THE AWARD OF SAID CONTRACT AND ITS CONTINUATION ARE SPECIFICALLY CONDITIONED UPON THE CONTRACTOR'S COMPLIANCE WITH THE ABOVE-CITED ORDER AND RULES.

\_\_\_\_\_  
CONTRACTOR

\_\_\_\_\_  
NAME

\_\_\_\_\_  
SIGNATURE

\_\_\_\_\_  
TITLE

\_\_\_\_\_  
CONTRACT NUMBER

\_\_\_\_\_  
DATE

## EQUAL EMPLOYMENT OPPORTUNITY EMPLOYER INFORMATION REPORT

GOVERNMENT OF THE DISTRICT OF COLUMBIA DC Office of Contracting and Procurement Employer Information Report (EEO)	Reply to: Office of Contracting and Procurement 441 4 <sup>th</sup> Street, NW, Suite 700 South Washington, DC 20001
---	---

**Instructions:**  
 Two (2) copies of DAS 84-404 or Federal Form EEO-1 shall be submitted to the Office of Contracting and Procurement.  
 One copy shall be retained by the Contractor.

### Section A – TYPE OF REPORT

1. Indicate by marking in the appropriate box the type of reporting unit for which this copy of the form is submitted (MARK ONLY ONE BOX)

Single Establishment Employer (1) <input type="checkbox"/> Single-establishment Employer Report	Multi-establishment Employer: (2) <input type="checkbox"/> Consolidated Report (3) <input type="checkbox"/> Headquarters Report (4) <input type="checkbox"/> Individual Establishment Report (submit one for each establishment with 25 or more employees) (5) <input type="checkbox"/> Special Report
--	--

1. Total number of reports being filed by this Company. \_\_\_\_\_

### Section B – COMPANY IDENTIFICATION *(To be answered by all employers)*

1. Name of Company which owns or controls the establishment for which this report is filed	OFFICIAL USE ONLY
--	-------------------------

Address (Number and street)	City or Town	Country	State	Zip Code	b.
-----------------------------	--------------	---------	-------	----------	----

b. Employer Identification No.	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> </tr> </table>																				

2. Establishment for which this report is filed.	OFFICIAL USE ONLY
--	-------------------------

a. Name of establishment	c.
--------------------------	----

Address (Number and street)	City or Town	Country	State	Zip Code	d.
-----------------------------	--------------	---------	-------	----------	----

b. Employer Identification No.	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> </tr> </table>																				

3. Parent of affiliated Company	
---------------------------------	--

a. Name of parent or affiliated Company	b. Employer Identification No.
---	--------------------------------

Address (Number and Street)	City or Town	Country	State	Zip Code
-----------------------------	--------------	---------	-------	----------

### Section C - ESTABLISHMENT INFORMATION

1. Is the location of the establishment the same as that reported last year? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Did not report last year <input type="checkbox"/> Report on combined basis	2. Is the major business activity at this establishment the same as that reported last year? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No report last year <input type="checkbox"/> Reported on combined basis	OFFICIAL USE ONLY
--	---	-------------------------

2. What is the major activity of this establishment? (Be specific, i.e., manufacturing steel castings, retail grocer, wholesale plumbing supplies, title insurance, etc. Include the specific type of product or service provided, as well as the principal business or industrial activity.	e.
--	----

3. MINORITY GROUP MEMBERS: Indicate if you are a minority business enterprise (50% owned or 51% controlled by minority members).  <div style="text-align: center;"> <input type="checkbox"/> Yes   <input type="checkbox"/> No                 </div>	
---	--

**SECTION D – EMPLOYMENT DATA**

Employment at this establishment – Report all permanent, temporary, or part-time employees including apprentices and on-the-job trainees unless specifically excluded as set forth in the instructions. Enter the appropriate figures on all lines and in all columns. Blank spaces will be considered as zero. *In columns 1, 2, and 3, include ALL employees in the establishment including those in minority groups*

JOB CATEGORIES	TOTAL EMPLOYEES IN ESTABLISHMENT			MINORITY GROUP EMPLOYEES								
	Total Employees Including Minorities (1)	Total Male Including Minorities (2)	Total Female Including Minorities (3)	MALE				FEMALE				
				Black (4)	Asian (5)	American Indian (6)	Hispanic (7)	Black (8)	Asian (9)	American Indian (10)	Hispanic (11)	
Officials and Managers												
Professionals												
Technicians												
Sales Workers												
Office and Clerical												
Craftsman (Skilled)												
Operative (Semi-Skilled)												
Laborers (Unskilled)												
Service Workers												
TOTAL												
Total employ reported in previous report												

(The trainee below should also be included in the figures for the appropriate occupation categories above)

Formal On-The-Job Trainee	White collar	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
		Production										

- |  |   |                                       |  |
|--|---|---------------------------------------|--|
| 1. How was information as to race or ethnic group in Section D obtained?<br>a. <input type="checkbox"/> Visual Survey<br>b. <input type="checkbox"/> Employment Record | c. <input type="checkbox"/> Other Specify _____ | 2. Dates of payroll period used _____ | 3. Pay period of last report submitted for this establishment. _____ |
|--|---|---------------------------------------|--|

Section E – REMARKS Use this Item to give any identification data appearing on last report which differs from that given above, explain major changes in composition or reporting units, and other pertinent information.

**Section F - CERTIFICATION**

- Check One
1.  All reports are accurate and were prepared in accordance with the instructions (check on consolidated only)
2.  This report is accurate and was prepared in accordance with the instructions.

Name of Authorized Official	Title	Signature	Date
Name of person contact regarding This report (Type of print)	Address (Number and street)	City and State	Zip Code
Title	City and State	Zip Code	Telephone Number Extension

INFORMATION CITED HEREIN SHALL BE HELD IN CONFIDENCE.

DEPARTMENT OF SMALL AND LOCAL BUSINESS DEVELOPMENT  
CONTRACT COMPLIANCE DIVISION

SUBCONTRACT SUMMARY FORM

This SUMMARY form is to be completed by the PRIME contractor.

BID NO. _____	CCB NUMBER: _____ of _____ pages	
*NOTE: The standard for minority subcontracting is 25% of the TOTAL contract dollar amount to be subcontracted.		AMOUNT OF PRIME CONTRACT: \$ _____ AMOUNT OF ALL SUBCONTRACTS: \$ _____ equals _____ % OF THE PRIME CONTRACT.
NAME OF PRIME CONTRACTOR: _____		ADDRESS: _____
TELEPHONE NO. _____		
PROJECT NAME: _____		PROJECT DESCRIPTIONS: _____
ADDRESS: _____		
WARD NO.: _____		

**SECTION II LIST ALL SUBCONTRACTORS THAT WILL BE UTILIZED ON THE ABOVE PROJECT**

1. NAME OF SUBCONTRACTOR 2. ADDRESS 3. CONTACT PERSON 4. MBOC CERT. NO.                      5. PHONE NO.	1. IS THIS A *MINORITY SUB? ____ YES ____ NO 2. TRADE OR BUSINESS PRODUCT THAT SUB WILL PROVIDE.	1. \$ AMOUNT OF SUBCONTRACT equals( = ) 2. _____ % (percent) OF TOTAL PRIME CONTRACT.
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %
1. _____ 2. _____ 3. _____ 4. _____                      5. _____	1. MINORITY SUBCONTRACTOR ____ YES ____ NO 2. _____	1. \$ _____ equals( = ) 2. _____ %

TOTAL DOLLAR AMOUNT SUBCONTRACTED TO \*MINORITY BUSINESS ENTERPRISES. \$ \_\_\_\_\_  
PERCENT OF PRIME CONTRACT. \_\_\_\_\_ %

SOLICITATION NO: \_\_\_\_\_


**PROJECTED GOALS AND TIMETABLES FOR FUTURE HIRING**

MINORITY GROUP EMPLOYES GOALS					TIMETABLES				
JOB CATEGORIES	MALE				FEMALE				
	BLACK	ASIAN	AMERICAN INDIAN	HISPANIC	BLACK	ASIAN	AMERICAN INDIAN	HISPANIC	
OFFICIALS & MANAGERS									
PROFESSIONALS									
TECHNICIANS									
SALES WORKERS									
OFFICE AND CLERICAL									
CRAFTSMANS (SKILLELD)									
OPERATIVE (SEMI-SKILLED)									
LABORERS (UNSKILLED)									
SERVICE WORKERS									
TOTALS									
NAME OF AUTHORIZED OFFICIAL:				TITLE:			SIGNATURE:		
FIRM NAME:					TELEPHONE NO:			DATE:	
INDICATE IF THE PRIME UTILIZES A "MINORITY FINANCIAL INSTITUTION" _____ Yes    _____ No  NAME:  ADDRESS:  TYPE OF ACCOUNT/S:									

**GOVERNMENT OF THE DISTRICT OF COLUMBIA**

**Office of the Chief Financial Officer**

**Office of Tax and Revenue**



**TAX CERTIFICATION AFFIDAVIT**

**THIS AFFIDAVIT IS TO BE COMPLETED ONLY BY THOSE WHO ARE REGISTERED TO CONDUCT BUSINESS IN THE DISTRICT OF COLUMBIA.**

**Date**

**Name of Organization/Entity  
Business Address (include zip code)  
Business Phone Number(s)**

**Principal Officer Name and Title  
Square and Lot Information  
Federal Identification Number  
Contract Number  
Unemployment Insurance Account No.**

"I hereby authorize the District of Columbia, Office of the Chief Financial Officer, Office of Tax and Revenue; consent to release my tax information to an authorized representative of the District of Columbia agency from which I am seeking to enter into a contractual relationship. I understand that the information released under this consent will be limited to whether or not I am in compliance with the District of Columbia tax laws and regulations as of the date found on the government request. I understand that this information is to be used solely for the purpose of determining my eligibility to enter into a contractual relationship with a District of Columbia agency. I further authorize that this consent be valid for one year from the date of this authorization."

I hereby certify that I am in compliance with the applicable tax filing and payment requirements of the District of Columbia.



The Office of Tax and Revenue is hereby authorized to verify the above information with the appropriate government authorities. The penalty for making false statements is a fine not to exceed \$5,000.00, imprisonment for not more than 180 days, or both, as prescribed by D.C. Official Code § 47-4106.

**Signature of Authorizing Agent**

**Title**



## **Dolphin® 9500 Series Mobile Computers** *with Microsoft® Windows Mobile™ 2003 Second Edition Software*



### **Features**

*Microsoft Windows Mobile 2003 Second Edition Software - Offers a user-friendly, industry standard platform for both developers and users.*

*Rugged, IP64 Sealed Construction - Operates in harsh environments, withstands rough treatment, and protects stored data.*

*Intel® X-Scale™ Processor - Provides faster processing of data collection applications, and image processing.*

*Ergonomic Designs - Facilitates comfortable, single-handed data collection for extended periods of use.*

*Adaptus Imaging Technology 5.0 - Provides instant point-and-shoot bar code scanning (1D and 2D), signature and digital image capture.*

*Triple Wireless Radio Design (9500) - Integrated WAN, LAN, and PAN for real-time data collection and access to information anytime, anywhere.*

*Lithium Ion Battery - 7.4 volt, 14.8 watt-hour ensures longer operation time with wireless communications and scan-intensive applications.*

*1/4 VGA Color Display With Industrial Touch Screen - Offers enhanced data viewing and application interface.*

*Secure Digital (SD) User - Accessible Memory Interface - Provides the option of installing additional memory for application data storage.*

*Three Intuitive Keyboard Layouts - Customize your data entry for your mobile application solution.*

Dolphin 9500 Series mobile computers deliver unparalleled performance and value for all mobile data collection applications. Their lightweight, ergonomic, and rugged designs provide the ease of use and operational reliability needed to excel in robust mobile applications such as package delivery, field service, route accounting, transportation, warehousing, retail, and industrial/manufacturing.

For maximum speed, efficiency, and usability, the Dolphin 9500 Series comes equipped with the Intel X-Scale processor and Windows Mobile software. The high-performance system architecture is powered by high-capacity, hot-swappable lithium-ion battery packs, enabling Dolphin 9500 Series terminals to operate longer in wireless, scan-intensive environments.

Designed to provide seamless data and voice connectivity for you and your mobile workers, the Dolphin 9500 terminal features an integrated triple-radio design for wireless WAN, LAN, and PAN communications. This state-of-the-art feature provides real-time information access anytime, anywhere, while communicating to any compatible wireless device, improving operational efficiency while ensuring data accuracy and security.

Integrated Adaptus Imaging Technology 5.0 provides workers with the data capture tools they need to get the job done quickly and efficiently, whether it is scanning a package for delivery, performing an inventory cycle count, capturing a signature for proof of receipt, or taking a picture of damaged goods. The Dolphin 9500 Series performs these tasks and more, extending the capabilities of your mobile applications and workforce.

To learn how Dolphin 9500 Series mobile computers can work for you, contact us at any of the locations listed on the back or visit us at [www.handheld.com](http://www.handheld.com).



# Dolphin 9900 Series

## Mobile Computers

Dolphin 9900 mobile computers are purpose-built for robust mobile data collection and communication solutions – combining a rugged, user-friendly design with a complete suite of technologies to enable maximum mobile user productivity and efficiency.

Seamless connectivity between mobile workers and the enterprise is enabled through integrated wireless WAN and LAN communications for high-speed data transfer and cellular voice communication – anytime, anywhere. Bluetooth® connectivity to any compatible wireless device broadens the mobile worker's capabilities in the field.

Integrated Global Positioning System (GPS) technology enables location-based functionality such as turn-by-turn navigation, and route optimization, and the ability to document proof of visitation or service with a time and location stamp.

Adaptus® Imaging Technology 5.0 provides workers with the data capture functionality they need to get the job done quickly and efficiently – whether it is scanning a package for delivery confirmation, tracking inventory, electronically capturing a signature for proof of receipt, or taking a picture of damaged goods.

Just as important as the technologies the user puts to work, an innovative power management system ensures they get battery-life that lasts a full work-shift, even in wireless, scan-intensive environments.

Rugged, ergonomic and full-featured, the Dolphin 9900 mobile computer is the right choice where real-time information processing and solution reliability is critical to a company's operation.



## Features

- Optimal Combination of Industrial-Grade Durability and Usability:** Internal magnesium-alloy roll cage, environmentally sealed housing and specialized wear-resistant components deliver reliability in demanding mobile environments, while an ergonomic design provides comfortable and intuitive use.
- Wireless Full Area Networking™ (WFAN):** Integrated multi-mode wireless technology includes GSM/E-GPRS and 802.11b/g for real-time data exchange and voice communications on-site or off, plus Bluetooth for efficient wireless connection to peripheral devices.
- Built-In GPS Technology:** Enables turn-by-turn navigation, driver route optimization, "bread-crumbling," geo-fencing, and other location-based applications, giving you a powerful tool to enhance the effectiveness of your mobile workforce and improve control over assets in the field.
- Versatile, High Performance Data Collection:** Adaptus Imaging Technology 5.0 reads linear and 2D bar codes, captures digital images, and enables electronic signature capture - enabling workers to do more with a single device.
- Shift-PLUS™ Power Management:** Powers scan intensive, real-time wireless applications continuously for 10 hours or more, enhancing productivity while greatly extending useful battery life and reducing replacement costs.
- Windows Mobile® 6.1:** Industry-standard platform for developers and users ensures ease of integration and intuitive use.
- User-Preferred Ergonomic Designs:** The flashlight and pistol-grip form factors facilitate comfortable, single-handed data collection for extended periods of use.

# Dolphin 9900 Technical Specifications

System Architecture	
CPU	Intel XScale PXA270 624 MHz
Operating System	Windows Mobile 6.1
Memory	256MB RAM X 1GB Flash
Display	3.5 in. 1/4 VGA (240 x 320 portrait mode) color TFT LCD display with industrial-grade, polycarbonate touch panel
Storage Expansion	User-accessible Secure Digital memory interface supports memory cards up to 4GB and SDIO
Battery	2500mAh Extended-Life, Li-ion battery pack with hot-swappable design for fast replacement in the field
Imager/Scanner	5300 Standard Range with High-Vis laser aimer, 5100 Standard Range & 5100 Smart Focus with green aimer. Caution - use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.
Laser Engines	High Performance, Long Range, Advanced Long Range
Keypad	Three in-mold, hard-top keyboard options: 35-key numeric-shifted alpha, 43-key alpha-shifted numeric, and 56-key full alpha/numeric
Audio	Two on-board speakers, microphone and standard 2.5mm headset jack
I/O Ports	Industrial I/O connector supports USB 1.1 and serial RS-232 (115 Kbps) communication and charges via cradles, AC adapter cables, Integrated IrDA port, Integrated audio jack that acts as a speaker and a microphone
Development Environment	Honeywell SDK for Windows Mobile 6.1
Third Party Software	SOTI MobiControl (remote device management), PowerNet™ Terminal Emulation (TNVT, 3270, 5250), and ITSriptNet™
Wireless Connectivity	
WWAN (9900 only)	GSM Quad-band (850/900/1800/1900MHz) radio with accessible SIM card interface, GSM release 99, EDGE (E-GPRS) multi-slot Class 12, GPRS multi-slot Class 12
WLAN	IEEE 802.11b/g
WLAN Security	Wi-Fi Certified, WPA2, EAP, CCXv4, WEP, LEAP, TKIP, MD5, EAP-TLS, EAP-TTLS, WPA-PSK, PEAP
WPAN	Bluetooth (Class 2)
GPS (9900 only)	Integrated GPS (Global Positioning System) receiver with internal antenna supporting SIRFstarIII technology
Physical & Environmental	
Dimensions	9900: Wide x Long x Deep: 3.4" (8.6 cm) x 9.6" (24 cm) x 2.1" (5.3 cm) 9950/9951: Wide x Long x Deep: 3.4" (8.6 cm) x 9.6" (24 cm) x 2.36" (6 cm) at display, 1.34" (3.4 cm) at grip
Weight	9900: 21.4 oz (606 g); 9950: 22.9 oz (649 g); 9951: 23.5 oz (665 g)
Temperature	Operating: 14° to 122°F (-10°C to 50°C); can operate down to -20°C with potential degradation in performance depending on the application; Storage: -4° to 158°F (-20° to 70°C)
Humidity	95% humidity, non-condensing
Drop	Withstands multiple 5 ft. (1.5m) drops onto concrete. Exceeds 2000 3 ft. (1m) tumbles
Sealing	Independently certified to meet IP64 standards for moisture and particle resistance
ESD	15 KV Air & 8 KV Contact

LASER LIGHT: DO NOT STARE INTO BEAM  
CLASS 2 LASER PRODUCT  
1.0 mW MAX OUTPUT: 650nm  
IEC 60825-1:1999/AA1/A2  
Complies with 21 CFR 1040.10 and 1040.11  
except for deviations pursuant to Laser  
Notice No. 56, dated June 24, 2007.

LASER LIGHT: DO NOT STARE INTO BEAM  
CLASS 2 LASER PRODUCT 1.0 mW MAX  
OUTPUT: 650nm, EC 60825-1:1999/AA1/A2  
Complies with 21 CFR 1040.10 and 1040.11  
except for deviations pursuant to Laser  
Notice No. 56, dated June 24, 2007.  
Serial Rate = 5300 - 5 Scans/Sec.

Regulatory & Compliance	
Safety	Class 2 laser product, 1.0 mW max output: 650nm. Caution - use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.
Radio	US/Canada, R&TTE
Decode Capabilities	Reads standard 1D and 2D symbologies. Visit <a href="http://www.honeywell.com/aidc/symbologies">www.honeywell.com/aidc/symbologies</a> for details.

Microsoft, Windows, and the Windows Logo are registered trademarks or trademarks of Microsoft Corporation. Intel is a registered trademark of Intel Corporation. The Bluetooth trademarks are owned by Bluetooth SIG, Inc. U.S.A. and licensed to Honeywell International Inc. Dolphin products have no affiliation with Honeywell branded batteries/chargers, which are exclusively distributed by Global Technology Systems pursuant to a license agreement.



For more information:  
[www.honeywell.com/aidc](http://www.honeywell.com/aidc)

## Honeywell Security & Data Collection

Honeywell Scanning & Mobility  
700 Visions Drive  
Skaneateles Falls, NY 13153  
800.582.4263  
[www.honeywell.com](http://www.honeywell.com)





# FAST MOVER

MICRO FLEX CE5000X SERIES



TECHNOLOGIES

## Carry efficiency, speed, long battery life and color in the field with the Microflex CE5000X!

Fitted with the latest Intel XScale RISC processor and TFT color display, the Microflex CE5000X range blends ergonomic design and ruggedness.

**Outstanding reliability, high battery performance and exceptional durability in even the toughest environments** make the Microflex CE5000X the best hardware investment for your field teams!

With an average service life of 7 years, the Microflex CE5000X will deliver long term service, a **lower total cost of ownership** and enable business process change that will improve efficiency and reduce costs.

## What is the value of your data?

Can you risk losing data collected in the field?  
Trust the Microflex CE5000X!

Rapidly pulling data from field operations with the associated reductions or elimination of paper forms, streamlined data entry processes, improved data security and reduced billing cycles are all methods used to increase productivity and reduce costs.

A key low risk enabling technology that powers process change is a DAP rugged handheld computer based solution.

Secure data is reliable data, and decisions based on reliable data are the key to achieving your goals!

# Quality, security and pro

The **unmatched reliability** of the Microflex provides you with true data safety in any work environment.

The **interoperability** of DAP Technologies' Windows CE .NET powered Microflex mobile computer ensures data transmission to whatever type of enterprise system you use, thereby eliminating manual data entry.

**Enhance your productivity and minimize the risk of data loss.**

Guarantee an **attractive return on investment** for your business thanks to the ruggedness of DAP Technologies' Microflex mobile computers.



### ► OPTIONS

*Benefit from custom or packaged solutions from DAP Technologies and its partners: barcode scanning, RFID, wireless communications, 802.11b WLAN, 12 channel WAAS enabled GPS.*

### ► SERVICE AND SUPPORT

*DAP's commitment to quality and long term service is backed up with hardware warranties and a support network second to none. Support centers are located worldwide and provide maintenance services and help desk support to respond to your needs.*

# Profitability for your field data



- ▶ Outstanding interoperability provided by the Windows CE .NET operating system.
- ▶ Intel XScale RISC 400MHz processor to boost field team performance.
- ▶ TFT color display able to support rich contents and easy to read both indoors and outdoors (portrait: 240 x 320 pixels / landscape: 320 x 240 pixels).
- ▶ 64MB of internal Flash memory and 64MB RAM provide ample storage for your data and whatever software you run.
- ▶ Multiple interfaces including USB, Ethernet, IrDa, RS232, etc.
- ▶ Two PCMCIA interfaces supporting add-on memory (up to 5GB) and peripherals, wireless communications, instruments and any other devices required for your application.
- ▶ Wide operating temperature range (-4°F / -20°C to +122°F / + 50°C).
- ▶ Designed for extreme durability, DAP Technologies mobile computers comply with the standards IP67 (1 meter immersion in water) and all MIL-STD-810F tests.

## About DAP Technologies

DAP Technologies is the leading manufacturer of rugged mobile hardware solutions and services in harsh environments for data collection, processing and transmission for: industry, public services, emergency services, the military or logistics.

A Canadian company located in Quebec, DAP Technologies employs a 150-strong team worldwide, benefits from a network of 200 partners and resellers (VARs), and markets its MICROFLEX Series in more than 60 countries. DAP has subsidiaries in Tampa (USA), Paris (France) and Bedford (United Kingdom).

Many market leading organizations rely on the MICROFLEX range of products, including: Accuread, EDF, the City of Paris, Leica, American Electric Power, NorthWest Airlines, Air Liquide, Southern California Gas, Matra...

DAP Technologies is part of Roper Industries (NYSE: ROP), a global and diversified provider of industrial products and solutions for global niche markets. Roper Industries' global revenue is US\$ 800 M.

For more information: [www.daptech.com](http://www.daptech.com)



Rain/Immersion  
IP67  
MIL-STD-810F



Dust  
IP67  
MIL-STD-810F



Heat  
+50°C/+122°F



Cold  
-40°C/-40°F



Shock  
2-meter drop  
onto concrete



Wireless  
(2.4 GHz)



Battery  
Long battery life

# Specifications

<b>Operating System</b>	▶ Windows CE .NET 4.2	
<b>Bundled/Available Software</b>	<ul style="list-style-type: none"> <li>▶ Microsoft ActiveSync</li> <li>▶ DAPSHIELD file browser and control panel applets with user/supervisor security to limit access to programs and settings</li> <li>▶ FTP client/server</li> <li>▶ CE Pad (Notepad)</li> </ul>	<ul style="list-style-type: none"> <li>▶ Playback/Recording</li> <li>▶ CE Internet Explorer and Word, Excel, PowerPoint and PDF file Viewers</li> <li>▶ DAPDUB system allowing: backup/restore utilities, cloning, OS update utility, automated file transfer</li> </ul>
<b>Processor</b>	▶ Intel XScale – PAX255, 400 MHz	
<b>Memory</b>	<ul style="list-style-type: none"> <li>▶ 64 MB Flash for WIN CE and file system</li> <li>▶ 64 MB RAM</li> </ul>	▶ Additional storage via PCMCIA Flash cards
<b>Display</b>	▶ 3.5" (89 mm) QVGA TFT transfective color LCD with backlighting	▶ Optional: <ul style="list-style-type: none"> <li>• 3.9" QVGA grey scale STN display with backlighting</li> <li>• Two display formats available: portrait (240 x 320 pixels) or landscape (320 x 240 pixels)</li> </ul>
<b>Keyboard</b>	<ul style="list-style-type: none"> <li>▶ Highly ergonomic keyboard, 54 multi-function keys including four direct access function keys ESC, CTRL, ALT and TAB</li> <li>▶ Alphanumeric keys with a large separate numeric keypad</li> <li>▶ Ergonomic key grouping to speed up data entry</li> <li>▶ Tactile and programmable audible feedback</li> </ul>	<ul style="list-style-type: none"> <li>▶ Programmable auto-repeat for certain keys</li> <li>▶ Optional:               <ul style="list-style-type: none"> <li>• 2-zone keyboard backlighting</li> <li>• Customizable keyboard membrane</li> </ul> </li> </ul>
<b>Power Supply</b>	<ul style="list-style-type: none"> <li>▶ Rechargeable Lithium-Ion battery pack (user accessible)</li> <li>▶ Intelligent fast charge</li> <li>▶ Power management system (application dependent)</li> <li>▶ Integrated charge status and low battery indicator</li> </ul>	<ul style="list-style-type: none"> <li>▶ Battery life typically 2 to 4 working days</li> <li>▶ Rechargeable Nickel metal hydride backup battery</li> <li>▶ ON/OFF switch, manual and automatic shutoff</li> <li>▶ 5 Volt power for external devices</li> </ul>
<b>Voice System</b>	<ul style="list-style-type: none"> <li>▶ Integrated environmentally sealed speaker</li> <li>▶ Recording and playback for Windows CE</li> </ul>	▶ Optional: <ul style="list-style-type: none"> <li>• Integrated environmentally sealed microphone</li> </ul>
<b>Communications</b>	<ul style="list-style-type: none"> <li>▶ Ethernet 10Base T, 10Mbps</li> <li>▶ IrDA</li> <li>▶ 1 RS232 on Lemo connector, up to 230kbps full duplex</li> </ul>	▶ Optional: <ul style="list-style-type: none"> <li>• Additional RS232 on second Lemo connector, up to 230kbps</li> </ul>
<b>PCMCIA Card Slots (PC Card)</b>	<ul style="list-style-type: none"> <li>▶ User accessible through an environmentally sealed compartment</li> <li>▶ 2 Type II PCMCIA cards or 1 Type III card (1 Type II card for CE5000X LS)</li> <li>▶ Hot swappable</li> <li>▶ 3.3V and 5V card support</li> </ul>	<ul style="list-style-type: none"> <li>▶ ATA Flash Card, Modem, 802.11b WLAN support</li> <li>▶ CF Card support via adapter</li> <li>▶ WWAN compatibility</li> </ul>
<b>Integrated Laser Bar Code Reader (Optional)</b>	<ul style="list-style-type: none"> <li>▶ Laser source: 650nm visible laser diode, 0.8mW aim mode, 1.2mW scanning mode</li> <li>▶ Scan rate: 39 (+/- 3) scans/sec (bi-directional)</li> <li>▶ Decode depth of field: 1.8" to 29" (4.5 cm to 73 cm)</li> <li>▶ Resolution: 5.0 mil</li> <li>▶ Print contrast ratio: minimum 25% absolute dark/light reflectance measured at 650 nm</li> </ul>	<ul style="list-style-type: none"> <li>▶ Ambient light immunity:               <ul style="list-style-type: none"> <li>• Sunlight: 10,000 ft candles (107,640 lux)</li> <li>• Artificial light: 450 ft candles (4,844 lux)</li> </ul> </li> <li>▶ Decoder: UPC and EAN family, code 128, 39 and 93, Interleaved 2 of 5, Codabar, MSI Plessey, keyboard wedge software included</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>▶ Height: 1.53" min, 2.36" max (39 mm min, 60 mm max)</li> <li>▶ Width: 3.53" min, 4.08" max (90 mm min, 104 mm max) except CE5320X at screen section</li> </ul>	▶ Length: 9.74" (248 mm)
<b>Weight</b>	▶ 1.94 lbs (880 g) for CE5240X with battery pack	
<b>Temperature Range</b>	<ul style="list-style-type: none"> <li>▶ Operating: -4°F to +122°F (-20°C to +50°C)</li> <li>▶ Storage: -22°F to +140°F (-30°C to +60°C) with battery</li> </ul>	▶ Humidity: 95% non-condensing
<b>Environmental Resistance</b>	<ul style="list-style-type: none"> <li>▶ MIL-STD-810F method 512.4 procedure I</li> <li>▶ IP67 (1 meter immersion)</li> <li>▶ MIL-STD-810F method 506.3 procedure I (wind blown rain)</li> </ul>	<ul style="list-style-type: none"> <li>▶ Shock resistance:               <ul style="list-style-type: none"> <li>• Exceeds: IEC 68-2-32 method 1 (a 2 meter drop on concrete, 1 meter for CE5000X LS)</li> <li>• MIL-STD-810F method 516.5 procedure IV</li> </ul> </li> <li>▶ Electrostatic Discharge:               <ul style="list-style-type: none"> <li>• Meets: EN61000-4-2</li> </ul> </li> </ul>
<b>Approvals</b>	<ul style="list-style-type: none"> <li>▶ FCC Class B</li> <li>▶ CE Certification</li> </ul>	<ul style="list-style-type: none"> <li>▶ Class B 21 CFR Chapter I, Subpart J, Part 1040.10 (Bar Code reader version)</li> <li>▶ IEC 60825-1: 1993+A2 (Bar Code reader version)</li> </ul>
<b>Others</b>	▶ Ergonomic hand strap adjustable for either left- or right-handed users	
	▶ Various communications and charging cradles	

## DAP TECHNOLOGIES

### Headquarters

955, rue Fernand-Dufour  
 Vanier (Quebec) Canada G1M 3B2  
 Phone: (418) 681-9394  
 1 800 363-1993  
 Fax: (418) 681-0799  
 E-mail: sales@daptech.com

### United States

5525, W. Cypress Street  
 Suite 205  
 Tampa, FL 33607  
 Phone: (813) 637-8800  
 1 800 229-2822  
 Fax: (813) 637-8640  
 E-mail: salestampa@daptech.com

### France

6, Place du Village des Barbannières  
 92632 Gennevilliers Cedex  
 France  
 Phone: 33 (0) 1 41 21 95 95  
 Fax: 33 (0) 1 41 21 95 65  
 E-mail: salesparis@daptech.com

### United Kingdom

61-63, St. Peter's Street  
 Bedford  
 MK40 2PR  
 England  
 Phone: 44 (0) 1234 34 11 66  
 Fax: 44 (0) 1234 34 90 49  
 E-mail: salesuk@daptech.com

