

SOLICITATION, OFFER, AND AWARD			1. Caption: 10 Wheel Dump Trucks			Page of Pages 1 46	
2. Contract Number		3. Solicitation Number DCKT-2007-B-0027		4. Type of Solicitation <input checked="" type="checkbox"/> Sealed Bid (IFB) <input type="checkbox"/> Sealed Proposals (RFP) <input type="checkbox"/> Sole Source <input type="checkbox"/> Human Care Agreements <input type="checkbox"/> Emergency		5. Date Issued 6/15/2007	
7. Issued By: Office of Contracting and Procurement Transportation and Specialty Equipment Commodity Group 2000 14th Street, NW, 6th Floor Washington, DC 20009						8. Address Offer to: Office of Contracting and Procurement Bid Room (Reeves Center) 2000 14th Street, NW, 3rd Floor Washington, DC 20009	
NOTE: In sealed bid solicitations "offer" and offeror" means "bid" and "bidder"							
9. Sealed offers in original and <u>2</u> copies for furnishing the supplies or services in the Schedule will be received at the place specified in Item 8, or if hand carried to the bid counter located at <u>2000 14th Street, NW, 3rd Floor, Bid Room, Washington, DC</u> until <u>2:00 P.M.</u> local time <u>25-Jun-07</u> (Hour) (Date)							
CAUTION: Late Submissions, Modifications and Withdrawals: See 27 DCMR chapters 15 & 16 as applicable. All offers are subject to all terms & conditions contained in this solicitation.							
10. For Information Contact		A. Name Lucille Vest		B. Telephone (Area Code) 202 (Number) 671-2338 (Ext)		C. E-mail Address lucille2.vest@dc.gov	
11. Table of Contents							
(X)	Section	Description	Page No.	(X)	Section	Description	Page No.
PART I - THE SCHEDULE				PART II - CONTRACT CLAUSES			
X	A	Solicitation/Contract Form	1	X	I	Contract Clauses	30
X	B	Supplies or Services and Price/Cost	2	PART III - LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACHMENTS			
X	C	Specifications/Work Statement	3	X	J	List of Attachments	32
x	D	Packaging and Marking	17	PART IV - REPRESENTATIONS AND INSTRUCTIONS			
X	E	Inspection and Acceptance	17	X	K	Representations, certifications and other statements of offerors	33
X	F	Deliveries or Performance	18				
X	G	Contract Administration Data	20	X	L	Instructions, conditions & notices to offerors	37
X	H	Special Contract Requirements	25	X	M	Evaluation factors for award	44
OFFER							
12. In compliance with the above, the undersigned agrees, if this offer is accepted within <u>120</u> calendar days from the date for receipt of offers specified above, to furnish any or all items upon which prices are offered at the price set opposite each item, delivered at the designated point(s), within the time specified herein.							
13. Discount for Prompt Payment		10 Calendar days %	20 Calendar days %	30 Calendar days %	___ Calendar days %		
14. Acknowledgement of Amendments (The offeror acknowledges receipt of amendments to the SOLICITATION):			Amendment Number	Date	Amendment Number	Date	
15A. Name and Address of Offeror			16. Name and Title of Person Authorized to Sign Offer/Contract				
15B. Telephone		15 C. Check if remittance address is different from above - Refer to Section G		17. Signature		18. Offer Date	
(Area Code)	(Number)	(Ext)	<input type="checkbox"/>				
AWARD (TO BE COMPLETED BY GOVERNMENT)							
19. Accepted as to Items Numbered			20. Amount		21. Accounting and Appropriation		
22. Name of Contracting Officer (Type or Print)			23. Signature of Contracting Officer (District of Columbia)			24. Award Date	



SECTION B - SUPPLIES OR SERVICE AND PRICE

SCHEDULE
INDIVIDUAL AWARD ITEMS

B.1 The Government of the District of Columbia, Office of Contracting and Procurement, Transportation and Specialty Equipment Commodity Group (The District) is seeking a contractor to provide snow ready dump trucks equipped with AVLs for the Department of Public Works, Fleet Management Administration.

B.2 The District contemplate award of a firm fixed price contract. It is the District's intent to standardize its fleet. Bids for "equal" products will not be acceptable. Bidders are not permitted to take any exceptions to the specifications enumerated herein. If "minimum" is specified, an upgrade model will be considered as meeting specifications. Bids from contractors that take any exception may be deemed non-responsive and ineligible for award.

B.3 PRICE SCHEDULE

Contract Line Item Number (CLIN)	<u>Supplies or Services</u>	<u>Estimated Qty.</u>	Unit Price	Estimated Total Price
0001	10 Wheel dump truck, 6X4, snow ready	4	\$ _____	\$ _____

Descriptive Literature Required, L.16, page 44

AVL Detailed Visio Drawing Required, see page 11

SECTION C

DESCRIPTION/SPECIFICATIONS/STATEMENT OF WORK

C.1 SCOPE:

The Government of the District of Columbia, Office of Contracting and Procurement, Transportation and Specialty Equipment Commodity Group (The District) is seeking a contractor to provide the aforementioned vehicles in accordance with the specifications enumerated herein.

The vehicles, components, assemblies and accessories to be delivered under this contract shall meet and/or exceed the requirements of these specifications. All chassis items shall be as represented in the chassis manufacturer's technical data book. Special bodies or mounted equipment shall be as represented in the body and equipment manufacturer's technical data. The chassis model furnished shall not be older than the chassis manufacturer's current model on the date of issuance of this solicitation. The vehicles shall comply with all applicable Federal Motor Vehicles Safety Standards (FMVSS) and Americans with Disabilities Act (ADA) requirements. FMVSS and ADA websites are: <http://www.nhtsa.dot.gov/cars/rules/import/FMVSS/index.html> and <http://www.usdoj.gov/crt/ada/adahom1.htm> respectively.

C.1.1 CONTRACT LINE ITEM (CLIN) 0001

**10 Wheel Dump Truck, 6X4, Snow Ready Minimum 64,000 lbs.
(7600 International Mid-Range Diesel Engine)**

C.1.2 SAFETY EQUIPMENT

- C.1.2.1 First aid kit: Mounted inside cab.
- C.1.2.2 5- Pound ABC dry chemical fire extinguisher type-mounted in cab.
- C.1.2.3 Triangle safety kit DOT approved
- C.1.2.4 Back-up alarm: Horn or buzzer type
- C.1.2.5 Air horn
- C.1.2.6 Trailer lighting

C.1.3. VEHICLE (State cab configuration)

- C.1.3.1 Conventional crew cab, 3 man (no doghouse)
(State make and model offered) _____
- C.1.3.2 Wheelbase: compatible with body
(State wheelbase offered) _____
- C.1.3.3 All glass tinted
- C.1.3.4 Dual exterior grab handles
- C.1.3.5 Bumper to back of cab: State maximum inches offered:

- C.1.3.6 Cab to axle: compatible with body
(State cab offered) _____
- C.1.3.7 Mirrors: Minimum: dual west coast
- C.1.3.8 Spot mirrors minimum : dual 8" convex mounted below west coast mirrors
- C.1.3.9 Wipers: minimum 2 speed electric w/washer

C.1.4 GROSS VEHICLE WEIGHT RATING (GVWR)

- C.1.4.1 Minimum 64,000 pounds
(State GVWR offered) _____

C.1.5 CHASSIS

- C.1.5.1 Frame type: C channel minimum 110,000 PSI steel
(State Frame Offered) _____
- C.1.5.2 Resisting bending moment: Minimum 2,230,000 inch lbs/120 KSI .
(State RBM Offered) _____
- C.1.5.3 Front frame extension: maximum 12" beyond original bumper mounting
(State frame extension offered) _____
- C.1.5.4 Front bumper: heavy duty DOT approved

C.1.6 SUSPENSION/AXLES

- C.1.6.1 Front axle: minimum 20,000 lbs. with oil lube front seals
(State front axles offered)_____
- C.1.6.2 Front springs type: multi-leaf minimum 20,000 lbs.
(State multi-leaf offered)_____
- C.1.6.3 Front shock absorbers: heavy duty
- C.1.6.4 Rear axles: 44,000 pounds minimum
(State pounds offered)_____
- C.1.6.5 Rear suspension type: multi leaf minimum 44,000 pounds
(State multi leaf offered)_____
- C.1.6.6 Auxiliary rear suspension: single leaf

C.1.7 WHEELS

- C.1.7.1 Front: 9.00 x 22.5 hub piloted steel disc
- C.1.7.2 Rear: 9.00 x 22.5 hub piloted steel disc
- C.1.7.3 Spare: 9.00 x 22.5 hub piloted steel disc

C.1.8 TIRES

- C.1.8.1 Front: 315/80R/22.5J, highway tread
- C.1.8.2 Rear: 12R22.5H, mud + snow tread
- C.1.8.3 Spare: 315/80R/22.5J, highway tread
- C.1.8.4 On-spot automatic tire chain system

C.1.9 STEERING

- C.1.9.1 Power steering

C.1.10 BRAKES

- C.1.10.1 Type: ABS, dual air
- C.1.10.2 Parking brake type: MGM or equal
(Valve operated yellow knob on dash)

DCKT-2007-B-0027

C.1.10.3 Compressor minimum 13.2 cubic feet a minute

C.1.10.4 Air dryer (alcohol evaporator not acceptable)

C.1.11 ENGINE

C.1.11.1 Type: Water-cooled, diesel
(State model offered) _____

C.1.11.2 Configuration: In-line 6 cylinder
(State configuration offered) _____

C.1.11.3 Horse power: Minimum: 370 hp @ rated RPM
(State horse power offered) _____

C.1.11.4 Torque: Minimum: 1450 foot pounds @ rated RPM
(State torque offered) _____

C.1.11.5 Automatic engine shut down system: minimum protection
to include: low oil pressure, low coolant level,
high engine temperature
(State system offered) _____

C.1.11.6 Fuel water separator: Heated

C.1.12 TRANSMISSION

C.1.12.1 Type: Minimum: 5 speed automatic Allison RDS-4500 **REQUIRED**

C.1.12.2 Transmission cooler

C.1.13 POWER TAKE OFF (PTO)

C.1.13.1 Transmission direct mounted (PTO shafts not acceptable)

C.1.13.2 Hot shift with rev limiter (Lit when on)

C.1.14 REAR END

C.1.14.1 Limited slip, top gear minimum 62 mph
(State mph offered) _____

DCKT-2007-B-0027

C.1.14.2 Axle ratio: 1 speed

C.1.15 ELECTRICAL

C.1.15.1 12 Volt negative ground

C.1.15.2 Battery: Minimum 2,250 CCA
(State CCA offered)_____

C.1.15.3 Alternator: Minimum 140 amps
(State amps offered)_____

C.1.16 FUEL SYSTEM

C.1.16.1 Fuel tank: 60 U.S. gallons **Preferred**
(State capacity offered) _____

C.1.16.2 Fuel tank type/location: step/left side **Preferred**

C.1.16.3 E.J.Ward candometer Automated Fuel System (V.I.T.) **Required**
Contact: Lee Christiansen @ (210)824-7383

C.1.17 EXHAUST SYSTEM

1.17.1 Vertical, with 45 degree turn out **Preferred**

C.1.18 EXTERIOR

C.1.18.1 Color: cab - bright white

C.1.18.2 Color: body – Dupont tangier orange

C.1.18.3 Mudguards: Rear of rear tires (rubber) DOT approved

C.1.19 INTERIOR

C.1.19.1 Color: Gray

C.1.20 SEATING

C.1.20.1 Driver' s seat: vinyl bucket type, with air suspension

C.1.20.2 Passenger seat: 2 man vinyl bench type or equal

C.1.21 FLOOR COVERING

C.1.21.1 Rubber

C.1.22 INSULATION

C.1.22.1 Manufacturer's sound package not to exceed 84 DBS **Preferred**
Prior to body installation

C.1.23 HEAT/DEFROST/AIR CONDITIONER

C.1.23.1 Multi-speed

C.1.23.2 Manual cfc free

C.1.24 INSTRUMENTATION

C.1.24.1 Tachometer

C.1.24.2 Hour meter

C.1.24.3 Transmission temperature gauge

C.1.25 RADIO

C.1.25.1 Minimum: AM/FM digital clock

C.1.26 DUMP BODY 14' X 7' WIDE WITH 31" SIDES X 37' ENDS Preferred

C.1.26.1 Spreader chains to be supplied and covered
with protective material

C.1.26.2 Steel splashguards

C.1.26.3 Rear rubber flaps DOT approved

C.1.26.4 Body marker lights LED recessed

C.1.26.5 Tailgate post lights; minimum include the following
functions: stop, tail, and turn signal

C.1.26.6 Strobe lights: Minimum: amber in top half of tailgate post and left
and right edge of cab protector

C.1.27 HOIST

- C.1.27.1 Class 50 - 35 ton minimum gross capacity
- C.1.27.2 Cylinder: minimum: 8 in. Diameter
(**Stated diameter offered:**_____)
- C.1.27.3 Double acting - power up and down
- C.1.27.4 Piston rod: minimum 4 inch.
(**State inch offered:**_____)
- C.1.27.5 Full width rear hinge assembly

C.1.28 HYDRAULICS

- C.1.28.1 Hydraulic system shall consist of a Borg Warner, front mounted, 150 G.P.M. pump for continuous operation. The drive line shall include two (2) universal joints with tubular splined shaft.
- C.1.28.2 Cab mounted control to declutch hydraulic pump at front of truck.
- C.1.28.3 Crankshaft dampener pulley
- C.1.28.4 Hydraulic pump shall have pressure balance wear plates. The pump shall be sized to produce not less than 150 gpm to operate the sprayer, and snow plow at a nominal engine operating speed of 2,000 rpm, and shall be capable at 2,800 rpm and 2,500 psi, max.
- C.1.28.5 Return filter to have a ten micron, replaceable element with an indicator gauge.
- C.1.28.6 Reservoir: minimum of thirty (30) gallon oil capacity and be equipped with a filtered breather cap. Reservoir shall be mounted outside of frame rail containing baffles to prevent cavitations of pump and help cool oil. The reservoir shall be banded and removable for replacement and repairs. Complete system to be filled with 10-w-40 motor oil. The reservoir shall have a fluid level indicator located one-third of the way down the tank on the outside face.

C.1.29 UNIVERSAL PLOW HITCH/SNOWPLOW

C.1.29.1 Universal front hitch suitable for mounting a power angling snow plow. 3 in. x 10 in. double acting cylinder or equal shall be supplied with each vehicle. Must be heavy duty series.

C.1.29.2 Snow Plow: heavy duty municipal series compatible to truck

C.1.30 ACCESSORIES

C.1.30.1 Electric back-up alarm wired in reverse 20 ton pintle hook supplied and installed at rear of vehicle mounted in 1/2" plate metal and reinforced. Two (2) rear tow hooks mounted and reinforced in rear plate six (6) prong electrical connector installed and wired at rear. Shall have electric trailer brake. Electrical quick disconnect/ wired for v-box light package left rear.

C.1.30.2 All four (4) vehicles, trailer package

C.1.30.3 Two (2) vehicles shall be equipped with a stainless steel v-box insert spreader w/pre-wet system, (shall be installed when delivered.)

C.1.30.3 Two (2) vehicles shall be equipped with a, Stratos-II, Big Range 7.8 cubic yard spreader with pre-wetted spreading system.

C.1.31 TARP COVER

Load cover system shall be hydraulically operated.

Load cover system shall have dual side mount arms and a crossbar constructed of 1.250" schedule 40 pipe minimum.

Side arm-to crossbar connectors are to be constructed from 1.0" schedule 80 pipes and attached to the crossbar by cotter pins or equal.

Side arm-to crossbar connectors shall be mandrel bent to form arches that provide maximum clearance and fit for loading material into body.

The arms shall be actuated by single or dual hydraulic cylinders mounted in such a manner that loading operations shall not damage the cylinders. The arms shall be powered by the hydraulic system on the truck. The load cover hydraulic components shall be plumbed as an integral hydraulic system that shall function simultaneously with the truck body hydraulic functions or as a stand alone hydraulic system that shall allow independent operation of the load cover system

DCKT-2007-B-0027

as well as the truck body functions. The load cover system as well as the truck body shall use the same hydraulic components including the power take off, pump and valves. The use of an electric pump that creates a separate hydraulic system shall not be acceptable.

The installed load cover system shall not extend 3.0" beyond either side of the truck body.

All of the load covers system pivoting components shall be less than 1.0" diameter axis and the journals or bushings for the axis shall be no less than 1.5" in length and shall be provided with grease fittings for lubrication. This excludes rotating components equipped with permanently lubricated roller bearings.

The drum assembly or mechanism used to roll tarp for storage when body is uncovered or dispense tarp when body is covered, shall be no less than 4.0" diameter and have an enclosed spring (within the drum assembly) to provide constant tension on the tarp cover.

The bearings for the drum assembly axis are to be sealed and permanently lubricated roller bearings.

All components are to be repairable or replaceable using common mechanics tools that are commonly used at maintenance shops or for motor pools.

The load cover tarp fabric shall be of nylon coated neoprene and is to be 84.0" in finished widths. All edges are to be doubled no less than 2.0" and double stitched along the entire perimeter of the tarp fabric. The entire front edge of the tarp fabric shall have 4 #2 spur eyelets equally spaced for attaching to drum assembly. Each longitudinal side shall have 3 spur eyelets spaced 24.0" on center for entire length. The rear end of the tarp fabric shall have a 4.0" pocket for installation of crossbar. The cover shall be long enough to completely cover the truck body with 2 rounds of cover (2 drum assembly revolutions) remaining on drum assembly or 3.0' longer than length of body.

C.1.32 TRACKING SYSTEM

C.1.32.1 Hardware Requirements

Currently, the District of Columbia Department of Transportation (DDOT) uses the Link Communications VDDS300 1XRRTT wireless modem for mobile data communications of snow AVL equipment (e.g. GPS, plow sensor, aggregate sensor) data outputs.

NOTE: A detailed Visio drawing diagramming the vehicle sensor, harness and wiring connections shall be submitted for approval by the COTR.

Given that commercial wireless carrier networks are implementing 3rd generation technology and that the District of Columbia wants to take advantage of these changes, the District is looking for hardware technology that can meet these and future upgrade requirements. The AVLs should include at a minimum the following:

- Field upgradeable, modular, with open architecture
- Multiple I/O port including RS232, USB, Ethernet
- Digital and Analog I/O for monitoring external devices or events
- Multiple communications channel (options)
- Integrated GPS receiver
- PCMCIA Card compatibility for ease of upgrade (options)
- Single enclosure packaging of all capabilities
- Enhanced features (options) such as
 - 802.11a/b/g
 - WiMAX
 - 4.9 GHz
 - MESH technology
 - 3 year warranty

The contractor shall provide a product matrix that indicates the individual products compliance with the requirements listed within this document.

C.1.32.2 Wireless Modem and GPS Receiver

The wireless modem(s) and internal GPS receiver shall incorporate the following functions and specifications:

C.1.32.3 Wireless Modem Functions

The wireless modem shall provide:

- Capability to collect, process, store and transmit data collected by internal and external sensors.

- Configurable data packets
- Configurable data packets include EAIP, NEMA 0183, and custom formatted packets to work with District applications to include DDOT's Snow Removal Tracking Software developed by Enterprise Information Systems (EIS)..
- Customized Packets are used to deliver data to the default gateway, which is a requirement for the Intergraph CAD applications, and DDOT EIS application software which includes sensor data as well as the GPS data.
- The wireless router shall have the PCMCIA drivers for the PCMCIA network procured by the District pre-loaded on the unit.
- The vendor shall work with any PC card manufacturer to load new drivers on the wireless router for any PC card selected by the District of Columbia.

C.1.32.4 Wireless Router Modem Functions

The wireless router shall operate on the commercial services employing CDMA (1xRTT, 1xEvDO), GSM (GPRS/EDGE) or iDEN/WiDEN.

- The wireless router shall have at least two (2) PCMCIA Card slots for any version of wireless data communications protocols.
- The wireless router shall contain at least two (2) OEM communication channel capability that shall be capable of any version of wireless data communications protocol. This is required for wireless data communications protocols not available in a PCMCIA format.
- The wireless router shall have internal 802.11a/b/g modem capable of supporting both client and access point modes.
- The wireless router software shall support soft switching between communications paths, should one of the communications paths fail.

C.1.32.5 Wireless Router GPS Specifications

The GPS receiver shall be incorporated internally to the wireless router and shall have the following minimum specifications:

Receiver: Minimum twelve channel GPS receiver.

Accuracy: Horizontal accuracy better than 2.8 meters (CEP), 4.9 meters (2dRMS) 3D accuracy better than 5 meters (SEP)

Time-to-first fix: Less 20 seconds for hot start, less than 48 seconds on warm start, and less than 2 minutes on cold start.

Velocity: Capable of sending velocity and direction

Environment: -30C to +50C

C.1.32.6 Vehicle Status Communications

The wireless router will transmit GPS receiver data in the standard NMEA 0183 or TAIP format, as required by the applications from the vehicle to the command centers located throughout the District of Columbia.

- Routers must be capable of sending position data bursts at a programmable rate of a minimum standard of once per second.
- The wireless router and interface equipment shall allow multiple Agency defined status inputs. These status inputs are for to-be-defined on/off attributes such as plow up/down, road/air temperature sensors, and spread control interface as utilized by DDOT.
- The wireless modem shall be capable of secure remote programming and management over the air.
- The modem shall be upgradeable to next generation technology.
- The modem shall be capable of storing and forwarding data in the event the vehicle loses its network connection due to a dropped call or network service dead spots.

C.1.32.7 Performance Specifications

Vehicle Messaging Transmission Rate: Update transmission at programmable rates of once second, with the capability for including all of the one-per-second GPS position samples, in single or batch mode.

Antenna Pattern: Continuous coverage for all vehicles at all times.

Environment: -30C to +50C

Data Rate: Adequate for a system maximum sampling rate for position fixes for all 885 vehicles every 1 second.

Wireless Communications - The system shall utilize a commercial wireless network as the primary communications link between the command center, agency vehicles with AVL only (no MDT) and the vehicles containing the Mobile Data Terminals (MDT' s).

- Tri Band Antennae in the 800, 1900 and GPS bands
- Individual Static IP Addresses

There shall be a vehicle status control unit to sense on/off status conditions to be inserted into the GPS position message stream for relay to the command center. This status control unit shall provide dynamic alarming systems readings for system diagnostics.

Discrete Sensor Input shall include dynamic alarm systems providing readings for system diagnostics. Data will be available and formatted per the defined reporting formats. This data shall be sent to the command center.

- An interface shall be established to identify whether a specific tool (plow/spreader) is in operation (on/off) and its actual position (up/down).
- Plow sensor input must provide a means to eliminate false plow sensor readings caused by excessive plow vibrations.
- Spreader Control Interface (SCI) - An interface shall be provided to convey real-time spread rates and volumes. This interface shall also provide a warning light in the driver console when the spreader has expended 95% of its aggregate.
- The system shall interface to road/air temperature sensors via J1708 or any other connectors recommended by the offeror.

C.1.32.8 GPS and RF Antenna Connectors

The router shall have female SMA GPS and TNC RF antenna connectors

C.1.32.9 I/O Ports and Connector

The wireless router shall have a field loadable connector that incorporates 12V power, ground, switched power, 4 digital inputs, 2 digital outputs and 2 analog external inputs. The router must also support future I/O expansion with support for up to an additional 32 input or outputs. All digital and analog I/O shall be contained within the single housing of the wireless router.

C.1.32.10 Serial Port

The wireless router shall have a minimum of three RS232 serial ports for internal and external connection to a MDT or other devices.

C.1.32.11 USB Ports

The router shall have at least one internal USB 1.1 port.

C.1.32.12 Ethernet Ports

The wireless router shall have at least 2 external Ethernet ports to allow the connection of two network devices without the need for an external hub.

C.1.32.13 Upgradeability

The wireless router shall be upgradeable to the next generation wireless communications technology, such as HSDPA, WiMAX or other as yet undefined wireless data protocol via the PCMCIA card slot or OEM radio module.

C.1.32.14 Static IP Addressing

The wireless router must support Static IP addressing.

C.1.32.15 VPN or IPSec

The wireless router must support VPN or IPSec internally, not through a client application running on another computer in the vehicle.

C.1.32.16 Reset Button

The wireless router shall have an external reset button. The modem shall automatically power up and fully operational in the event of a loss of power once power is restored.

C.1.32.17 Indicator Lights

The wireless router shall have indicator lights that include at least the following functions; power, LAN 1 link level, LAN 2 link level, 802.11 status, and GPS lock.

SECTION D

PACKAGING AND MARKING

The packaging and marking requirements for the resultant contract will be governed by the Shipping Instructions Clause in Section 2 of the Government of the District of Columbia's Standard Contract Provisions for use with Supplies and Services Contracts, dated March 2007.

SECTION E

INSPECTION AND ACCEPTANCE

E.1 The inspection and acceptance requirements for the resultant contract will be governed by the Inspection of Supplies Clause in Section 5 of the Government of the District of Columbia's Standard Contract Provisions for use with Supplies and Services Contracts dated March 2007.

SECTION F

DELIVERIES OR PERFORMANCE

F.1 TERM OF CONTRACT

The term of the contract shall be for a period of 310 days from the date of award indicated on page one (1) of the contract.

F.2 DELIVERABLES

CLIN (S)	Deliverable	Quantity	Format/Method of Delivery	Due Date
0001	6X4 Dump Trucks	4	F.O.B destination	240 days after award
ITEM (s)				
	Manufacturer's statement of origin	1 copy each	F.O.B destination	240 days after award
	Operators manual	1 copy each	F.O.B destination	240 days after award
	Shop manual	1 copy each	F.O.B destination	240 days after award
	Mounted equipment shop manual	1 copy each	F.O.B destination	240 days after award
	Electrical and vacuum technical manual	1 copy each	F.O.B destination	240 days after award
	Parts book with illustrated parts breakdown	1 copy each	F.O.B destination	240 days after award
	Critical parts that are needed for initial preventative maintenance program	1 list each	F.O.B destination	240 days after award
	CD Rom (To include the shop manual, electrical and vacuum technical manual and parts book with illustrated parts breakdown)	1 copy each	F.O.B destination	240 days after award
	Bidder must submit a factory scan	1 each	F.O.B destination	240 days after award
	Keys	4 sets of keys	F.O.B destination	240 days after award

F.2.1 The contractor shall submit to the District, as a deliverable, the report described in section H.3.5 of this contract that is required by the 51% District Residents New hires Requirement and First Source Agreement. If the contractor does not submit the report as part of the deliverables, final payment to the contractor may not be paid.

F.3 UNIT PRICE AND F.O.B DELIVERY POINTS:

Unit prices offered herein shall include delivery, all charge prepaid and exclusive of all taxes (see paragraph 12, Standard Contract Provision), to the following delivery point:

Department of Public Works
Fleet Management Administration
1725 15th Street, N.E.
Washington, D.C. 20002
Receiving hours: 7:00 am – 3:00 PM

Monday through Friday, Except Holidays
Contractor shall telephone 48 hours in advance of
delivery date
Contact: Lloyd Carter
Telephone No.: (202) 576-7858

SECTION G

CONTRACT ADMINISTRATION DATA

G.1 INVOICE PAYMENT

G.1.1 The District will make payments to the Contractor, upon the submission of proper invoices, at the prices stipulated in this contract, for supplies delivered and accepted or services performed and accepted, less any discounts, allowances or adjustments provided for in this contract.

G.1.2 The District will pay the Contractor on or before the 30th day after receiving a proper invoice from the Contractor.

G.2 INVOICE SUBMITTAL

G.2.1 The Contractor shall submit proper invoices on a monthly basis or as otherwise specified in Section G.4. Invoices shall be prepared in duplicate and submitted to the agency Chief Financial Officer (CFO) with concurrent copies to the Contracting Officer's Technical Representative (COTR) specified in Section G.9 below. The address of the CFO are:

Office of the Chief Financial Officer
Customer Care Division
2000 14th Street, N.W., 6th Floor
Washington, D.C. 20009
Phone: (202) 671-2300

G.2.2 To constitute a proper invoice, the Contractor shall submit the following information on the invoice:

G.2.2.1 Contractor's name, Federal tax ID and invoice date (Contractors are encouraged to date invoices as close to the date of mailing or transmittal as possible.);

G.2.2.2 Contract number and invoice number;

G.2.2.3 Description, price, quantity and the date(s) that the supplies or services were delivered or performed.

G.2.2.4 Other supporting documentation or information, as required by the Contracting Officer;

G.2.2.5 Name, title, telephone number and complete mailing address of the responsible official to whom payment is to be sent;

G.2.2.6 Name, title, phone number of person preparing the invoice;

G.2.2.7 Name, title, phone number and mailing address of person (if different from the person identified in G.2.2.6 above) to be notified in the event of a defective invoice; and

G.2.2.8 Authorized signature.

G.3 FIRST SOURCE AGREEMENT REQUEST FOR FINAL PAYMENT

G.3.1 For contracts subject to the 51% District residents New Hires Requirements and First Source Employment Agreement requirements, final request for payment must be accompanied by the report or a waiver of compliance discussed in section H.3.5.

G.3.2 No final payment shall be made to the Contractor until the CFO has received the Contracting Officer's final determination or approval of waiver of the Contractor's compliance with 51% District residents New Hires Requirements and First Source employment Agreement requirements.

G.4 PAYMENT

1) PAYMENT ON PARTIAL DELIVERIES OF GOODS

Unless otherwise specified in this contract, payment will be made on partial Deliveries of goods accepted by the District if:

- a) The amount due on the deliveries warrants it; or
- b) The Contractor requests it and the amount due on the deliveries is a least \$1,000 or 50 percent of the total contract price.

G.5 ASSIGNMENT OF CONTRACT PAYMENTS

G.5.1 In accordance with 27 DCMR 3250, the Contractor may assign funds due or to become due as a result of the performance of this contract to a bank, trust company, or other financing institution.

G.5.2 Any assignment shall cover all unpaid amounts payable under this contract, and shall not be made to more than one party.

G.5.3 Notwithstanding an assignment of contract payments, the Contractor, not the assignee, is required to prepare invoices. Where such an assignment has been made, the original copy of the invoice must refer to the assignment and must show that payment of the invoice is to be made directly to the assignee as follows:

Pursuant to the instrument of assignment dated _____,
make payment of this invoice to _____
(name and address of assignee).

G.6 THE QUICK PAYMENT CLAUSE

G.6.1 Interest Penalties to Contractors

G.6.1.1 The District will pay interest penalties on amounts due to the Contractor under the Quick Payment Act, D.C. Official Code §2-221.01 *et seq.*, for the period beginning on the day after the required payment date and ending on the date on which payment of the amount is made. Interest shall be calculated at the rate of 1% per month. No interest penalty shall be paid if payment for the completed delivery of the item of property or service is made on or before:

- a) the 3rd day after the required payment date for meat or a meat product;
- b) the 5th day after the required payment date for an agricultural commodity; or
- c) the 15th day after the required payment date for any other item.

G.6.1.2 Any amount of an interest penalty which remains unpaid at the end of any 30-day period shall be added to the principal amount of the debt and thereafter interest penalties shall accrue on the added amount.

G.6.2 Payments to Subcontractors

G.6.2.1 The Contractor must take one of the following actions within 7 days of receipt of any amount paid to the Contractor by the District for work performed by any subcontractor under a contract:

- a) Pay the subcontractor for the proportionate share of the total payment received from the district that is attributable to the subcontractor for work performed under the contract; or

- b) Notify the District and the subcontractor, in writing, of the Contractor's intention to withhold all or part of the subcontractor's payment and state the reason for the nonpayment.

G.6.2.2 The Contractor must pay any lower-tier subcontractor or supplier interest penalties on amounts due to the subcontractor or supplier beginning on the day after the payment is due and ending on the date on which the payment is made. Interest shall be calculated at the rate of 1% per month. No interest penalty shall be paid on the following if payment for the completed delivery of the item of property or service is made on or before:

- a) the 3rd day after the required payment date for meat or a meat product;
- b) the 5th day after the required payment date for an agricultural commodity; or
- c) the 15th day after the required payment date for any other item.

G.6.2.3 Any amount of an interest penalty which remains unpaid by the Contractor at the end of any 30-day period shall be added to the principal amount of the debt to the subcontractor and thereafter interest penalties shall accrue on the added amount.

G.6.2.4 A dispute between the Contractor and subcontractor relating to the amounts or entitlement of a subcontractor to a payment or a late payment interest penalty under the Quick Payment Act does not constitute a dispute to which the District of Columbia is a party. The District of Columbia may not be interpleaded in any judicial or administrative proceeding involving such a dispute.

G.7 CONTRACTING OFFICER (CO)

Contracts may be entered into and signed on behalf of the District only by contracting officers. The name, address and telephone number of the Contracting Officer is:

**James Roberts
Office of Contracting and Procurement
Transportation and Specialty Equipment Commodity Group
2000 14th Street, N.W., 6th Floor
Washington, D.C. 20009
(202) 671-2200**

G.8 AUTHORIZED CHANGES BY THE CONTRACTING OFFICER

G.8.1 The Contracting Officer is the only person authorized to approve changes in any of the requirements of this contract.

G.8.2 The Contractor shall not comply with any order, directive or request that changes or modifies the requirements of this contract, unless issued in writing and signed

by the Contracting Officer.

G.8.3 In the event the Contractor effects any change at the instruction or request of any person other than the Contracting Officer, the change will be considered to have been made without authority and no adjustment will be made in the contract price to cover any cost increase incurred as a result thereof.

G.9 CONTRACTING OFFICER'S TECHNICAL REPRESENTATIVE (COTR)

G.9.1 The COTR is responsible for general administration of the contract and advising the Contracting Officer as to the Contractor's compliance or noncompliance with the contract. In addition, the COTR is responsible for the day-to-day monitoring and supervision of the contract, of ensuring that the work conforms to the requirements of this contract and such other responsibilities and authorities as may be specified in the contract. The COTR for this contract is:

Lloyd Carter
Vehicle Acquisition and disposal Officer
Department of Public Works
Fleet Management Administration
1725 15th Street, N.E.
Washington, D.C. 20002
(202) 576-7858

G.9.2 The COTR shall not have authority to make any changes in the specifications or scope of work or terms and conditions of the contract.

G.9.3 The Contractor may be held fully responsible for any changes not authorized in advance, in writing, by the Contracting Officer; may be denied compensation or other relief for any additional work performed that is not so authorized; and may also be required, at no additional cost to the District, to take all corrective action necessitated by reason of the unauthorized changes.

SECTION H

SPECIAL CONTRACT REQUIREMENTS

H.1 PUBLICITY

The Contractor shall at all times obtain the prior written approval from the Contracting Officer before it, any of its officers, agents, employees or subcontractors, either during or after expiration or termination of the contract, make any statement, or issue any material, for publication through any medium of communication, bearing on the work performed or data collected under this contract.

H.2 FREEDOM OF INFORMATION ACT

The District of Columbia Freedom of Information Act, at D.C. Official Code § 2-532 (a-3), requires the District to make available for inspection and copying any record produced or collected pursuant to a District contract with a private contractor to perform a public function, to the same extent as if the record were maintained by the agency on whose behalf the contract is made. If the Contractor receives a request for such information, the Contractor shall immediately send the request to the COTR designated in subsection G.9 who will provide the request to the FOIA Officer for the agency with programmatic responsibility in accordance with the D.C. Freedom of Information Act. If the agency with programmatic responsibility receives a request for a record maintained by the Contractor pursuant to the contract, the COTR will forward a copy to the Contractor. In either event, the Contractor is required by law to provide all responsive records to the COTR within the timeframe designated by the COTR. The FOIA Officer for the agency with programmatic responsibility will determine the reliability of the records. The District will reimburse the Contractor for the costs of searching and copying the records in accordance with D.C. Official Code § 2-532 and Chapter 4 of Title 1 of the *D.C. Municipal Regulations*.

H.3 51% DISTRICT RESIDENTS NEW HIRES REQUIREMENTS AND FIRST SOURCE EMPLOYMENT AGREEMENT

H.3.1 The Contractor shall comply with the First Source Employment Agreement Act of 1984, as amended, D.C. Official Code, sec. 2-219.01 et seq. (“First Source Act”).

H.3.2 The Contractor shall enter into and maintain, during the term of the contract, a First Source Employment Agreement in which the Contractor shall agree that (1) The first source for finding employees to fill all jobs created in order to perform this contract shall be the Department of Employment Services (“DOES”); and

- (2) The first source for finding employees to fill any vacancy occurring in all jobs covered by the First Source Employment Agreement shall be the First Source Register.

H.3.3 The Contractor shall submit to DOES, no later than the 10th each month following execution of the contract, a First Source Agreement Contract Compliance Report (“contract compliance report”) verifying its compliance with the First Source Agreement for the preceding month. The contract compliance report for the contract shall include the:

- (1) Number of employees needed;
- (2) Number of current employees transferred;
- (3) Number of new job openings created;
- (4) Number of job openings listed with DOES;
- (5) Total number of all District residents hired for the reporting period and the cumulative total number of District residents hired; and
- (6) Total number of all employees hired for the reporting period and the cumulative total number of employees hired, including:
 - (a) Name;
 - (b) Social Security number;
 - (c) Job title;
 - (d) Hire date;
 - (e) Residence; and
 - (f) Referral source for all new hires.

H.3.4 If the contract amount is equal to or greater than \$100,000, the Contractor agrees that 51% of the new employees hired for the contract shall be District residents.

H.3.5 With the submission of the Contractor’s final request for payment from the District, the Contractor shall:

- (1) Document in a report to the Contracting Officer its compliance with the section H.3.4 of this clause; or
- (2) Submit a request to the Contracting Officer for a waiver of compliance with section H.3.4 and include the following documentation:
 - (c) Material supporting a good faith effort to comply;
 - (d) Referrals provided by DOES and other referral sources;
 - (e) Advertisement of job openings listed with DOES and other referral sources; and
 - (f) Any documentation supporting the waiver request pursuant to section H.3.6.

H.3.6 The Contracting Officer may waive the provisions of section H.3.4 if the Contracting Officer finds that:

- (1) A good faith effort to comply is demonstrated by the Contractor;
- (2) The Contractor is located outside the Washington Standard Metropolitan Statistical Area and none of the contract work is performed inside the Washington Standard Metropolitan Statistical Area which includes the District of Columbia; the Virginia Cities of Alexandria, Falls Church, Manassas, Manassas Park, Fairfax, and Fredericksburg, the Virginia Counties of Fairfax, Arlington, Prince William, Loudoun, Stafford, Clarke, Warren, Fauquier, Culpeper, Spotsylvania, and King George; the Maryland Counties of Montgomery, Prince Georges, Charles, Frederick, and Calvert; and the West Virginia Counties of Berkeley and Jefferson.
- (3) The Contractor enters into a special workforce development training or placement arrangement with DOES; or
- (4) DOES certifies that there are insufficient numbers of District residents in the labor market possessing the skills required by the positions created as a result of the contract.

H.3.7 Upon receipt of the contractor's final payment request and related documentation pursuant to sections H.3.5 and H.3.6, the Contracting Officer shall determine whether the Contractor is in compliance with section H.3.4 or whether a waiver of compliance pursuant to section H.3.6 is justified. If the Contracting Officer determines that the Contractor is in compliance, or that a waiver of compliance is justified, the Contracting Officer shall, within two business days of making the determination forward a copy of the determination to the Agency Chief Financial Officer and the COTR.

H.3.8 Willful breach of the First Source Employment Agreement, or failure to submit the report pursuant to section H.3.5, or deliberate submission of falsified data, may be enforced by the Contracting Officer through imposition of penalties, including monetary fines of 5% of the total amount of the direct and indirect labor costs of the contract. The Contractor shall make payment to DOES. The Contractor may appeal to the D.C. Contract Appeals Board as provided in the contract any decision of the Contracting Officer pursuant to this section H.3.8.

H.3.9 The provisions of sections H.3.4 through H.3.8 do not apply to nonprofit organizations.

H.4 HIRING OF DISTRICT RESIDENTS AS APPRENTICES AND TRAINEES

H.4.1 For all new employment resulting from this contract or subcontracts hereto, as defined in Mayor's Order 83-265 and implementing instructions, the Contractor shall use its best efforts to comply with the following basic goal and objectives for utilization of bona fide residents of the District of Columbia in each project's labor force:

H.4.1.1 At least fifty-one (51) percent of apprentices and trainees employed shall be residents of the District of Columbia registered in programs approved by the District of Columbia Apprenticeship Council.

H.4.1.2 The Contractor shall negotiate an Employment Agreement with the DOES for jobs created as a result of this contract. The DOES shall be the Contractor's first source of referral for qualified applicants, trainees, and other workers in the implementation of employment goals contained in this clause.

H.5 PROTECTION OF PROPERTY:

The Contractor shall be responsible for any damage to the building, interior, or their approaches in delivering equipment covered by this contract.

H.6 AMERICANS WITH DISABILITIES ACT OF 1990 (ADA)

During the performance of the contract, the Contractor and any of its subcontractors shall comply with the ADA. The ADA makes it unlawful to discriminate in employment against a qualified individual with a disability. See 42 U.S.C. 12101 et seq.

H.7 SECTION 504 OF THE REHABILITATION ACT OF 1973, as amended.

During the performance of the contract, the Contractor and any of its subcontractors shall comply with Section 504 of the Rehabilitation Act of 1973, as amended. This Act prohibits discrimination against disabled people in federally funded program and activities. See 29 U.S.C. 794 (1983) et seq.

H.8 CONFLICT OF INTEREST

H.8.1 No official or employee of the District of Columbia or the Federal Government who exercises any functions or responsibilities in the review or approval of the undertaking or carrying out of this contract shall, prior to the completion of the project, voluntarily acquire any personal interest, direct or indirect, in the contract or proposed contract. (DC Procurement Practices Act of 1985, D.C. Law 6-85, D.C. Official Code 2-310.01 and Chapter 18 of the DC Personnel Regulations).

H.8.2 The Contractor represents and covenants that it presently has no interest and shall not acquire any interest, direct or indirect, which would conflict in any manner or degree with the performance of its services hereunder. The Contractor further covenants not to employ any person having such known interests in the performance of the contract.

H.9 WARRANTY:

The contractor warrants that the equipment furnished by the contractor shall be free from all defects whatsoever and agrees that for a period of one (1) year from date of acceptance by the District of Columbia, any repair, replacement, or adjustments made necessary because of such defects will be made promptly by the contractor without cost to and to the satisfaction of the District of Columbia. This warranty shall not operate to defect the purpose of page 2, paragraph 6 Standard Contract Provisions, nor shall it act to void longer guarantees by the manufacturer of the equipment or its components.

The contractor shall warrant the Tracking System for a minimum period of three years.

SECTION I:

CONTRACT CLAUSES

I.1 APPLICABILITY OF STANDARD CONTRACT PROVISIONS

The Standard Contract Provisions for use with District of Columbia Government Supplies and Services Contracts dated March 2007 (“SCP”) are incorporated as part of the contract resulting from this solicitation. To obtain a copy of the SCP go to www.ocp.in.dc.gov, click on OCP Policies under the heading “Information”, then click on “Solicitation Attachments – Standard Contract Provisions (March 2007)”.

I.2 CONTRACTS THAT CROSS FISCAL YEARS

Continuation of this contract beyond the current fiscal year is contingent upon future Fiscal appropriations.

I.3 CONFIDENTIALITY OF INFORMATION

All information obtained by the Contractor relating to any employee or customer of The District will be kept in absolute confidence and shall not be used by the Contractor in connection with any other matters, nor shall any such information be disclosed to any other person, firm, or corporation, in accordance with the District and Federal laws governing the confidentiality of records.

I.4 TIME

Time, if stated in a number of days, will include Saturdays, Sundays, and holidays, Unless otherwise stated herein.

I.5 OTHER CONTRACTORS

The Contractor shall not commit or permit any act that will interfere with the performance of work by another District contractor or by any District employee.

I.6 SUBCONTRACTS

The Contractor hereunder shall not subcontract any of the Contractor’s work or services to any subcontractor without the prior written consent of the Contracting Officer. Any work or service so subcontracted shall be performed pursuant to a subcontract agreement, which the District will have the right to review and approve prior to its execution by the Contractor. Any such subcontract shall specify that the Contractor and the subcontractor shall be subject to every provision of this contract. Notwithstanding any such subcontract

DCKT-2007-B-0027

approved by the District, the Contractor shall remain liable to the District for all Contractor's work and services required hereunder.

I.7 ORDER OF PRECEDENCE

Any inconsistency in this solicitation shall be resolved by giving precedence in the following order: the Supplies or Services and Price/Cost Section (Section B), Specifications/Work Statement (Section C), the Special Contract Requirements (Section H), the Contract Clauses (Section I), and the SCP.

SECTION J

LIST OF ATTACHMENTS

J.1 INCORPORATED ATTACHMENTS (The following forms, located at www.ocp.dc.gov shall be completed and incorporated with the bid.)

J.1.1 E.E.O. Information and Mayor Orders 85-85

J.1.2 Tax Certification Affidavit – OTR and DOES

J.1.3 First Source Employment Agreement

SECTION K

REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS OF BEDDERS

K.1 TYPE OF BUSINESS ORGANIZATION

K.1.1 The bidder, by checking the applicable box, represents that

(a) It operates as:

- a corporation incorporated under the laws of the State of: _____
- an individual,
- a partnership,
- a nonprofit organization, or
- a joint venture.

(b) If the bidder is a foreign entity, it operates as:

- an individual,
- a joint venture, or
- a corporation registered for business in _____
(Country)

K.2 CERTIFICATION AS TO COMPLIANCE WITH EQUAL OPPORTUNITY OBLIGATIONS

Mayor's Order 85-85, "Compliance with Equal Opportunity Obligations in Contracts", dated June 10, 1985 and the Office of Human Rights' regulations, Chapter 11, "Equal Employment Opportunity Requirements in Contracts", promulgated August 15, 1986 (4 DCMR Chapter 11, 33 DCR 4952) are included as a part of this solicitation and require the following certification for contracts subject to the order. Failure to complete the certification may result in rejection of the bidder for a contract subject to the order. I hereby certify that I am fully aware of the content of the Mayor's Order 85-85 and the Office of Human Rights' regulations, Chapter 11, and agree to comply with them in performance of this contract.

Bidder _____ Date _____

Name _____ Title _____

Signature _____

Bidder ___ has ___ has not participated in a previous contract or subcontract subject to the Mayor's Order 85-85. Bidder ___ has ___ has not filed all required compliance

reports, and representations indicating submission of required reports signed by proposed sub-bidders. (The above representations need not be submitted in connection with contracts or subcontracts which are exempt for the Mayor’s order.)

K.3 BUY AMERICAN CERTIFICATION

The bidder hereby certifies that each end product, except the end products listed below, is a domestic end product (as defined in Paragraph 23 of the SCP, “Buy American Act”), and that components of unknown origin are considered to have been mined, produced, or manufactured outside the United States.

	EXCLUDED END PRODUCTS
	COUNTRY OF ORIGIN

K4 DISTRICT EMPLOYEES NOT TO BENEFIT CERTIFICATION

Each Bidder shall check one of the following:

_____ No person listed in Clause 13 of the SCP, “District Employees Not To Benefit” will benefit from this contract.

_____ The following person(s) listed in Clause 13 may benefit from this contract. For each person listed, attach the affidavit required by Clause 13 of the SCP.

K.5 CERTIFICATION OF INDEPENDENT PRICE DETERMINATION

(a) Each signature of the bidder is considered to be a certification by the signatory that:

- 1) The prices in this contract have been arrived at independently, without, for the purpose of restricting competition, any consultation, communication, or agreement with any bidder or competitor relating to:
 - (i) those prices
 - (ii) the intention to submit a contract, or
 - (iii) the methods or factors used to calculate the prices in the contract.
- 2) The prices in this Contract have not been and will not be knowingly disclosed by the Bidder, directly or indirectly, to any other Bidder or competitor before Contract opening unless otherwise required by law; and

- 3) No attempt has been made or will be made by the bidder to induce any other concern to submit or not to submit a contract for the purpose of restricting competition.
- (b) Each signature on the bid is considered to be a certification by the signatory that the signatory;
- 1) Is the person in the bidder's organization responsible for determining the prices being offered in this contract, and that the signatory has not participated and will not participate in any action contrary to subparagraphs (a)(1) through (a)(3) above; or
 - 2) Has been authorized, in writing, to act as agent for the following principals in certifying that those principals have not participated, and will not participate in any action contrary to subparagraphs (a)(1) through (a)(3) above:

(insert full name of person(s) in the organization responsible for determining the prices offered in this contract and the title of his or her position in the bidder's organization);

- (i) As an authorized agent, does certify that the principals named in subdivision (b)(2) above have not participated, and will not participate, in any action contrary to subparagraphs (a)(1) through (a)(3) above; and
 - (ii) As an agent, has not participated, and will not participate, in any action contrary to subparagraphs (a)(1) through (a)(3) above.
- (c) If the bidder deletes or modifies subparagraph (a)(2) above, the bidder must furnish with its bid a signed statement setting forth in detail the circumstances of the disclosure.

K.6 TAX CERTIFICATION

Each bidder must submit with its offer, a sworn Tax Certification Affidavit, incorporated herein as Section J.1.3.

K.7 WALSH-HEALEY ACT

If this contract is for the manufacture of furnishing of materials, supplies articles or equipment in an amount that exceeds or may exceed \$10,000, and is subject to the Walsh-Healey Public Contract Act, as amended (41 U.S.C. 35-45) (the Act, as used in this section), the following terms and conditions apply:

- (i) All representations and stipulations required by the Act and regulations issued by the Secretary of Labor (41 CFR 50-201.3) are incorporated by reference. These representations and stipulations are subject to all applicable rulings and interpretations of the Secretary of Labor that are now, or may hereafter, be in effect.
- (ii) All employees whose works relate to this contract shall be paid not less than the minimum wage prescribed by regulations issued by the Secretary of Labor (41 CFR 50-202.2(41 U.S.C. 40). Learners, student learners, apprentices, and handicapped workers may be employed at less than the prescribed minimum wage (See 41 CFR 50-203.3) to the same extent that such employment is permitted under Section 14 of the Fair Labor Standards Act (29 U.S.C. 214).

SECTION L

INSTRUCTIONS, CONDITIONS AND NOTICES TO BIDDERS

L.1 METHOD OF AWARD

- L.1.1** The District contemplates award of a firm fixed price contract.
- L.1.2** The District intends, but is not obligated, to award a single contract resulting from this solicitation to the responsive and responsible bidder who has the lowest evaluated bid.
- L.1.3** The District reserves the right to accept/reject any/all bids resulting from this solicitation. The Contracting Officer may reject all bids or waive any minor informality or irregularity in bids received whenever it is determined that such action is in the best interest of the District.

L.2 PREPARATION AND SUBMISSION OF BIDS

- L.2.1** Bidders shall submit a signed original and two (2) copies. The District will not accept a facsimile copy of a bid as an original bid. All items accepted by the District, all pages of the Invitation for Bids (IFB), all attachments and all documents containing the bidder's offer shall constitute the formal contract. **Each bid shall be submitted in a sealed envelope conspicuously marked: "Bid in Response to Solicitation No. DCKT-2007-B-0027"**
- L.2.2** The original bid shall govern if there is a variance between the original bid and the copy submitted by the bidder. Each bidder shall return the complete solicitation as its bid.
- L.2.3** The District may reject as non-responsive any bid that fails to conform in any material respect to the Invitation for Bids.
- L.2.4** The District may also reject as non-responsive any bids submitted on forms not included in or required by the solicitation. Bidders shall make no changes to the requirements set forth in the solicitation.

L.3 BID SUBMISSION DATE AND TIME

Bids must be submitted no later than 2:00 p.m. local time on the date indicated on page one.

L.4 WITHDRAWAL OR MODIFICATION OF BIDS

A bidder may modify or withdraw its bid upon written, telegraphic notice, or facsimile transmission if received at the location designated in the solicitation for submission of bids, but not later than the exact time set for opening of bids.

L.5 LATE SUBMISSIONS, LATE MODIFICATIONS, AND LATE WITHDRAWALS

L.5.1 Bids, modifications to bids, or requests for withdrawals that are received in the designated District office after the exact local time specified above, are "late" and shall be considered only if they are received before the award is made and one (1) or more of the following circumstances apply:

- a. The bid or modification was sent by registered or certified mail no later than the fifth (5th) day before the date specified for receipt of bids; or
- b. The bid or modification was sent by mail and it is determined by the Contracting Officer that the late receipt at the location specified in the solicitation was caused by mishandling by the District after receipt.

L.5.2 Postmarks

The only acceptable evidence to establish the date of a late bid, late modification or late withdrawal sent either by registered or certified mail shall be a U.S. or Canadian Postal Service postmark on the wrapper or on the original receipt from the U.S. or Canadian Postal Service. If neither postmark shows a legible date, the bid, modification or withdrawal shall be deemed to have been mailed late. When the postmark shows the date but not the hour, the time is presumed to be the last minute of the date shown. If no date is shown on the postmark, the bid shall be considered late unless the bidder can furnish evidence from the postal authorities of timely mailing.

L.5.3 Late Submissions

A late bid, late request for modification or late request for withdrawal shall not be considered, except as provided in this section.

L.5.4 Late Modifications

A late modification of a successful bid which makes its terms more favorable to the District will be considered at any time it is received and may be accepted.

L.5.5 Late Bids

A late bid, late modification or late withdrawal of a bid that is not considered shall be held unopened, unless opened for identification, until after award and then retained with unsuccessful bids resulting from this solicitation.

L.6 HAND DELIVERY OR MAILING OF BIDS

DELIVER OR MAIL TO:

Office of Contracting and Procurement
Bid Room (Reeves Center)
2000 14th Street, N.W., 3rd Floor
Washington, D. C. 20009

L.7 ERRORS IN BIDS

Bidders are expected to read and understand fully all information and requirements contained in the solicitation; failure to do so will be at the bidder's risk. In event of a discrepancy between the unit price and the total price, the unit price shall govern.

L.8 QUESTIONS ABOUT THE SOLICITATION

If a prospective bidder has any questions relative to this solicitation, the prospective bidder shall submit the questions in writing to the Contracting Officer. The prospective bidder shall submit questions no later than 14 days prior to the closing date and time indicated for this solicitation. The District will not consider any questions received less than 14 days before the date set for submission of bids. The District will furnish responses promptly to all other prospective bidders. An amendment to the solicitation will be issued, if that information is necessary in submitting bids, or if the lack of it would be prejudicial to any other prospective bidders. Oral explanations or instructions given before the award of the contract will not be binding.

L.9 FAILURE TO SUBMIT BIDS

Recipients of this solicitation not responding with a bid should not return this solicitation. Instead, they should advise the Contracting Officer, Office of Contracting and Procurement, Transportation and Specialty Equipment Commodity Group, 2000 14th Street, N.W., 6th Floor, Washington, D.C. 20009, (202) 671-2200, by letter or postcard whether they want to receive future solicitations for similar requirements. It is also requested that such recipients advise the Contracting Officer, Office of Contracting and Procurement, Transportation and Specialty Equipment Commodity Group, of the reason for not submitting a bid in response to this solicitation. If a recipient does not submit a

bid and does not notify the Contracting Officer, Office of Contracting and Procurement, Transportation and Specialty Equipment Commodity Group, that future solicitations are desired, the recipient's name may be removed from the applicable mailing list.

L.10 BID PROTESTS

Any actual or prospective bidder or contractor who is aggrieved in connection with the solicitation or award of a contract, must file with the D.C. Contract Appeals Board (Board) a protest no later than 10 business days after the basis of protest is known or should have been known, whichever is earlier. A protest based on alleged improprieties in a solicitation which are apparent prior to bid opening or the time set for receipt of initial bids shall be filed with the Board prior to bid opening or the time set for receipt of initial bids. In procurements in which bids are requested, alleged improprieties which do not exist in the initial solicitation, but which are subsequently incorporated into this solicitation, must be protested no later than the next closing time for receipt of bids following the incorporation. The protest shall be filed in writing, with the Contract Appeals Board, 717 14th Street, N.W., Suite 430, Washington, D.C. 20004. The aggrieved person shall also mail a copy of the protest to the Contracting Officer.

L.11 SIGNING OF BIDS

L.11.1 The Contractor shall sign the bid and print or type its name on the Solicitation, Offer and Award form of this solicitation. Each bid must show a full business address and telephone number of the bidder and be signed by the person or persons legally authorized to sign contracts. Erasures or other changes must be initialed by the person signing the bid. Bids signed by an agent shall be accompanied by evidence of that agent's authority, unless that evidence has been previously furnished to the Contracting Officer.

L.11.2 All correspondence concerning the bid or resulting contract will be mailed to the address shown on the bid in the absence of written instructions from the bidder or contractor to the contrary. Any bid submitted by a partnership must be signed with the partnership name by a general partner with authority to bind the partnership. Any bid submitted by a corporation must be signed with the name of the corporation followed by the signature and title of the person having authority to sign for the corporation. Bidders shall complete and sign all Representations, Certifications and Acknowledgments as appropriate. Failure to do so may result in a bid rejection.

L.12 ACKNOWLEDGMENT OF AMENDMENTS

The bidder shall acknowledge receipt of any amendment to this solicitation (a) by signing and returning the amendment; (b) by identifying the amendment number and date in the

space provided for this purpose in Section A.14 of the solicitation; or (c) by letter or telegram, including mailgrams. The District must receive the acknowledgment by the date and time specified for receipt of bids. Bidder's failure to acknowledge an amendment may result in rejection of the bid.

L.13 ACCEPTANCE PERIOD

The bidder agrees that its bid remains valid for a period of 120 days from the solicitation's closing date.

L.14 LEGAL STATUS OF BIDDER

Each bid must provide the following information:

L.14.1 Name, Address, Telephone Number, Federal tax identification number and DUNS Number of bidder;

L.14.2 A copy of each District of Columbia license, registration or certification that the bidder is required by law to obtain. This mandate also requires the bidder to provide a copy of the executed "Clean Hands Certification" that is referenced in D.C. Official Code §47-2862 (2001), if the bidder is required by law to make such certification. If the bidder is a corporation or partnership and does not provide a copy of its license, registration or certification to transact business in the District of Columbia, the bid shall certify its intent to obtain the necessary license, registration or certification prior to contract award or its exemption from such requirements; and

L.14.3 If the bidder is a partnership or joint venture, the names and addresses of the general partners or individual members of the joint venture, and copies of any joint venture or teaming agreements.

L.15 STANDARDS OF RESPONSIBILITY

The prospective contractor must demonstrate to the satisfaction of the District the capability in all respects to perform fully the contract requirements, therefore, the prospective contractor must submit the documentation listed below, within five (5) days of the request by the District.

L.15.1 Evidence of adequate financial resources, credit or the ability to obtain such resources as required during the performance of the contract.

L.15.2 Evidence of the ability to comply with the required or proposed delivery or performance schedule, taking into consideration all existing commercial and governmental business commitments.

- L.15.3** Evidence of the necessary organization, experience, accounting and operational control, technical skills or the ability to obtain them.
- L.15.4** Evidence of compliance with the applicable District licensing and tax laws and regulations.
- L.15.5** Evidence of a satisfactory performance record, record of integrity and business ethics.
- L.15.6** Furnish evidence of the necessary production, construction and technical equipment and facilities or the ability to obtain them.
- L.15.7** Evidence of other qualifications and eligibility criteria necessary to receive an award under applicable laws and regulations
- L.15.8** If the prospective contractor fails to supply the information requested, the Contracting Officer shall make the determination of responsibility or nonresponsibility based upon available information. If the available information is insufficient to make a determination of responsibility, the Contracting Officer shall determine the prospective contractor to be nonresponsible.

L.16 REQUIREMENT FOR DESCRIPTIVE LITERATURE:

- A.** Descriptive literature must be furnished as a part of the bid and must be received before the time set for opening bids. The literature furnishes must be identified to show the items in the bid to which it pertains. The descriptive literature is required to establish, for the purpose of bid evaluation and award, details of the products the bidder proposes to furnish as to design, material, quality, construction and performance characteristics.
- B.** Failure of descriptive literature to show that the product offered conforms to the specifications and other requirements of this invitation for bids will require rejection of the bid. Failure to furnish the descriptive literature by the time and date set for receipt of bids will require rejection of the bid, except that if the materials are transmitted by mail and is received late, it may be considered under the provision for considering late bids, as set forth in section L.5 of this invitation for bids.
- C.** The Contracting Officer may waive the requirement for furnishing descriptive literature if either of the following occurs:

DCKT-2007-B-0027

- (1) The bidder states in the bid that the product being offered is the same as a product previously or currently being furnished to the District; or
- (2) The Contracting Officer, on advice of technical personnel, determines that the product offered by the bidder complies with the specification requirements of the current invitation for bids.

SECTION M - EVALUATION FACTORS

1. OPEN MARKET CLAUSES WITH NO SUBCONTRACTING SET-ASIDE (SUPPLIES AND SERVICES)

M.1 PREFERENCES FOR LOCAL BUSINESSES, DISADVANTAGED BUSINESSES, RESIDENT-OWNED BUSINESSES, SMALL BUSINESSES, LONGTIME RESIDENT BUSINESSES, OR LOCAL BUSINESSES WITH PRINCIPAL OFFICES LOCATED IN AN ENTERPRISE ZONE

Under the provisions of the “Small, Local, and Disadvantaged Business Enterprise Development and Assistance Act of 2005” as amended (the Act), Title II, Subtitle N, of the “Fiscal Year 2006 Budget Support Act of 2005”, D.C. Law 16-33, effective October 20, 2005, the District shall apply preferences in evaluating bids or proposals from businesses that are small, local, disadvantaged, resident-owned, longtime resident, or local with a principal office located in an enterprise zone of the District of Columbia.

M.1.1 General Preferences

For evaluation purposes, the allowable preferences under the Act for this procurement are as follows:

- M.1.1.1** Three percent reduction in the bid price or the addition of three points on a 100-point scale for a small business enterprise (SBE) certified by the Small and Local Business Opportunity Commission (SLBOC) or the Department of Small and Local Business Development (DSLBD), as applicable;
- M.1.1.2** Three percent reduction in the bid price or the addition of three points on a 100-point scale for a resident-owned business enterprise (ROB) certified by the SLBOC or the DSLBD, as applicable;
- M.1.1.3** Ten percent reduction in the bid price or the addition of ten points on a 100-point scale for a longtime resident business (LRB) certified by the SLBOC or the DSLBD, as applicable;
- M.1.1.4** Two percent reduction in the bid price or the addition of two points on a 100-point scale for a local business enterprise (LBE) certified by the SLBOC or the DSLBD, as applicable;
- M.1.1.5** Two percent reduction in the bid price or the addition of two points on a 100-point scale for a local business enterprise with its principal office located in an

enterprise zone (DZE) and certified by the SLBOC or the DSLBD, as applicable; and

- M.1.1.6 Two percent reduction in the bid price or the addition of two points on a 100-point scale for a disadvantaged business enterprise (DBE) certified by the SLBOC or the DSLBD, as applicable.

M.1.2 Application of Preferences

The preferences shall be applicable to prime contractors as follows:

- M.1.2.1 Any prime contractor that is an SBE certified by the SLBOC or the DSLBD, as applicable, will receive a three percent (3%) reduction in the bid price for a bid submitted by the SBE in response to an Invitation for Bids (IFB) or the addition of three points on a 100-point scale added to the overall score for proposals submitted by the SBE in response to a Request for Proposals (RFP).
- M.1.2.2 Any prime contractor that is an ROB certified by the SLBOC or the DSLBD, as applicable, will receive a three percent (3%) reduction in the bid price for a bid submitted by the ROB in response to an IFB or the addition of three points on a 100-point scale added to the overall score for proposals submitted by the ROB in response to an RFP.
- M.1.2.3 Any prime contractor that is an LRB certified by the SLBOC or the DSLBD, as applicable, will receive a ten percent (10%) reduction in the bid price for a bid submitted by the LRB in response to an IFB or the addition of ten points on a 100-point scale added to the overall score for proposals submitted by the LRB in response to an RFP.
- M.1.2.4 Any prime contractor that is an LBE certified by the SLBOC or the DSLBD, as applicable, will receive a two percent (2%) reduction in the bid price for a bid submitted by the LBE in response to an IFB or the addition of two points on a 100-point scale added to the overall score for proposals submitted by the LBE in response to an RFP.
- M.1.2.5 Any prime contractor that is a DZE certified by the SLBOC or the DSLBD, as applicable, will receive a two percent (2%) reduction in the bid price for a bid submitted by the DZE in response to an IFB or the addition of two points on a 100-point scale added to the overall score for proposals submitted by the DZE in response to an RFP.
- M.1.2.6 Any prime contractor that is a DBE certified by the SLBOC or the DSLBD, as applicable, will receive a two percent (2%) reduction in the bid price for a bid submitted by the DBE in response to an IFB or the addition of two points on a

100-point scale added to the overall score for proposals submitted by the DBE in response to an RFP.

M.1.3 Maximum Preference Awarded

Notwithstanding the availability of the preceding preferences, the maximum total preference to which a certified business enterprise is entitled under the Act for this procurement is twelve percent (12%) for bids submitted in response to an IFB or the equivalent of twelve (12) points on a 100-point scale for proposals submitted in response to an RFP. There will be no preference awarded for subcontracting by the prime contractor with certified business enterprises.

M.1.4 Preferences for Certified Joint Ventures

When the SLBOC or the DSLBD, as applicable, certifies a joint venture, the certified joint venture will receive preferences as a prime contractor for categories in which the joint venture and the certified joint venture partner are certified, subject to the maximum preference limitation set forth in the preceding paragraph.

M.1.5 Vendor Submission for Preferences

M.1.5.1 Any vendor seeking to receive preferences on this solicitation must submit at the time of, and as part of its bid or proposal, the following documentation, as applicable to the preference being sought:

M.1.5.1.1 Evidence of the vendor's or joint venture's certification by the SLBOC as an SBE, LBE, DBE, DZE, LRB, or RBO, to include a copy of all relevant letters of certification from the SLBOC; or

M.1.5.1.2 Evidence of the vendor's or joint venture's provisional certification by the DSLBD as an SBE, LBE, DBE, DZE, LRB, or RBO, to include a copy of the provisional certification from the DSLBD.

M.1.5.2 Any vendor seeking certification or provisional certification in order to receive preferences under this solicitation should contact the:

Department of Small and Local Business Development
ATTN: LSDBE Certification Program
441 Fourth Street, N.W., Suite 970N
Washington, DC 20001

M.1.5.3 All vendors are encouraged to contact the DSLBD at (202) 727-3900 if additional information is required on certification procedures and requirements.