

<b>AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT</b>			1. Contract Number	Page of Pages 1   2
2. Amendment/Modification Number DCKT-2011-B-0156-001	3. Effective Date See 16C Below	4. Requisition/Purchase Request No.	5. Solicitation Caption Installation of Storm Water Management System	
6. Issued by: Office of Contracting and Procurement Transportation and Specialty Equipment Commodity Group 2000 14 <sup>th</sup> Street, NW, 6 <sup>th</sup> Floor Washington, DC 20009		Code	7. Administered by (If other than line 6) Department of Public Works Office of Administrative Services 2000 14 <sup>th</sup> Street, NW, 6 <sup>th</sup> Floor Washington, DC 20009	
8. Name and Address of Contractor (No. street, city, county, state and zip code)		Code	Facility	X 9A. Amendment of Solicitation DCKT-2011-B-0156
				9B. Dated (See Item 11) 9/14/11
				10A. Modification of Contract Order No.
				10B. Dated (See Item 13)
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended. <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) BY separate letter or fax which includes a reference to the solicitation and amendment number. <b>FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.</b> If by virtue of this amendment you desire to change an offer already submitted, such may be made by letter or fax, provided each letter or telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. Accounting and Appropriation Data (If Required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14				
A. This change order is issued pursuant to (Specify Authority): The changes set forth in Item 14 are made in the contract/order no. in item 10A.				
B. The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data etc.) set forth in item 14, pursuant to the authority of 27 DCMR, Chapter 36, Section 3601.2.				
C. This supplemental agreement is entered into pursuant to authority of:				
D. Other (Specify type of modification and authority)				
<b>E. IMPORTANT:</b> Contractor <input type="checkbox"/> is not <input type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.				
14. Description of Amendment/Modification (Organized by UCF Section headings, including solicitation/contract subject matter where feasible.)  DCKT-2011-B-0156 is amended to provide responses to bidders questions. See page 2 of this amendment.				
Except as provided herein, all terms and conditions of the document referenced in item (9A or 10A) remain unchanged and in full force and effect.				
15A. Name and Title of Signer (Type or print)		16A. Name of Contracting Officer James Roberts		
15B. Name of Contractor  (Signature)	15C. Date Signed	16B. District of Columbia  James Roberts (Signature of Contracting Officer)	16C. Date Signed 10/6/2011	

<b>AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT</b>			1. Contract Number	Page of Pages
2. Amendment/Modification Number			3. Effective Date	4. Requisition/Purchase Request No.
5. Solicitation Caption			2	2
DCKT-2011-B-0156-001	See 16C Below		Installation of Storm Water Management System	

Responses to Bidders Questions:

- Q1. Can you supply the recorded list of the attendance roster from the pre-bid conference on September 27th? Also please provide meeting minutes if they were recorded.
- A1. The attendance sheet from the Pre-bid is provided as Attachment A.
- Q2. Is the existing canopy structure over the parking entrance and guard shack area intended to remain or is it a demolition item?
- A2. The structure remains.
- Q3. The picnic structures require 3-phase power as per plans and specifications. Is there a 3-phase power source on site that we can tap into in order to provide this type of service for these structures?
- A3. Yes there is .
- Q4. Certain locations of the site plan call for concrete block curb 20" wide by 12" height as per the Site Improvement Legend Item #3. Can you provide a detail of what exactly we are to install in the noted locations?
- A4. See attached concrete block and curb details. (Attachment B)
- Q5. Is the demo of the existing guard booth to include demolition of the existing slab or is the existing slab to be used for placement of the new 8' x 14' guard house?
- A5. You can use the existing slab, however, the contractor shall expand and adjust the slab to fit the new booth.
- Q6. Section C.2.6 of the bid documents specifies that daily reports and daily progress photos are required to be submitted weekly. Are you going to require the daily documentation of work by photographs? Can these photographs be taken by a site representative or must these be done by a professional photographer as per Section G.31 of the documents?
- A6. The pictured required in C.2.6 can be taken by a site representative.
- Q7. Section G.31 lists specific details for the photo submission. Is it required that the information and photographs submitted be completed by a professional photographer?
- A7. Follow directions in paragraph G.31.5
- Q8. Can you please provide a copy of the NPDES permit for this project?
- A8. NPDES permit is not required. See attached Notice of Intent (NOI) from EPA. (Attachment C)
- Q9. Section C.2.7 of the bid documents specifies that a minimum of 2 construction signs with listed project information, contact information, etc. be provided by the contractor and installed on the site. Can you provide a detail for the sign requirements?
- A9. Please see attached details "Construction Sign Specs" (Attachment D). Replace the scripts on the signs reading "Office of Property Management" with "Department of Public Works" and "Anthony A. Williams" with "Vincent C. Gray".
- Q10. Is it to be understood that all vehicles that need to be relocated in order for us to perform the work in phases as per the E+S Plans will be moved by DC Public Works?
- A10. Yes
- Q11. Can you provide a plan and specification for the proposed water service for the new water fountain?
- A11. There is none.
- Q12. Can you provide a plan and specification for the proposed electric service for the new water fountain?
- A12. Follow manufacturer and NEC 2008 guidelines for the provision of electricity to the fountain.
- Q13. Is all the proposed chain link fence shown on the plan to include barbed wire as per Specification J.1.11?
- A13. Yes
- Q14. What is the acceptable procedure for abandoning the existing electrical lighting conduit on site?
- A14. All the existing exposed lighting conduits have to be removed and disposed of. All underground conduits can be abandoned in place provided all conductors are pulled out and all circuits are killed at the panel box.

SOLICITATION DCKT-2011-B-0156

AMENDMENT 1

ATTACHMENT A – PRE-BID ATTENDANCE SHEET

---

STORM WATER PRE-BID


<u>NAME</u>	<u>COMPANY NAME</u>	<u>EMAIL</u>	<u>PRIME/SUB</u>
ADEBAUNSO OSURU	General Services Inc	bango.quiri@gskworld.com	Prime.
MIKE ALETZ	FLIPPO CONSTR.	% RWINDISH@FLIPPO.COM	PRIME
MIKE dAcosta	Arji Group Inc	argjgroup@myway.com	Prime
KARLO AVILA	CAPITOL PAVING	m dAcosta68@yahoo.com	PRIME
Maurice MICHAM	FEI	KARLOVIC AVILA @GMAIL.COM	PRIME
Piteah Shook	FEI	Maurice@foregent.com	Prime
Rob Rafi	Omni Excavators, Inc.	piteah@foregent.com	Prime
Arthurou TEMONEY	DPW	omniex11@verizon.net	Prime
Ahmed Eyow	DPW	Arthurou.Temoney@DC.GOV	PR
Ron Marshall	DPW	Ahmed.Eyow@dc.gov	PR
Aaron Holland	DPW	ronald.marshall@dc.gov	
		aaron.holland@dc.gov	

SOLICITATION DCKT-2011-B-0156

AMENDMENT 1

ATTACHMENT B – CONCRETED BLOCK AND CURB DETAIL

---



## TYPICAL 20"X12" CONCRETE BLOCK DETAIL

NOT TO SCALE



SOLICITATION DCKT-2011-B-0156


AMENDMENT 1

ATTACHMENT C – NOTICE OF INTENT FROM EPA

---



U.S. ENVIRONMENTAL PROTECTION  
AGENCY (EPA)  
NATIONAL POLLUTANT DISCHARGE  
ELIMINATION SYSTEM (NPDES)  
EPA's NOI PROCESSING CENTER



04/14/2010

Company: DELON HAMPTON ASSOCIATES  
ATTN: SHAYNE PHILPOTTS  
8403 COLESVILLE ROAD SUITE 600  
SILVER SPRING, MD 20910

Facility: BLUE PLAINS VEHICLE  
IMPOUNDMENT LOT  
5001 SHEPARD PARKWAY, SW  
WASHINGTON, DC 20032

Permit Number: DCR10A842

Dear SHAYNE PHILPOTTS:

This email/letter acknowledges that you have submitted a complete Notice of Intent form to be covered under the NPDES General Permit for Stormwater Discharges for Construction General Permit Activity (Construction General Permit). Coverage under this permit begins at the conclusion of your seven-day waiting period, on 04/21/2010.

As stated above, this letter acknowledges receipt of a complete Notice of Intent. However, it is not an EPA determination of the validity of the information you provided. Your eligibility for coverage under the Permit is based on the validity of the certification you provided. Your signature on the Notice of Intent certifies that you have read, understood, and are implementing all of the applicable requirements. An important aspect of this certification requires that you correctly determine whether you are eligible for coverage under this permit.

As you know, the Construction General Permit requires you to have developed and begun implementing a Stormwater Pollution Prevention Plan (SWPPP) and outlines important inspection and record keeping requirements. You must also comply with any additional location-specific requirements applicable to your state or tribal area. A copy of the Construction General Permit must be kept with your SWPPP. An electronic copy of the Permit and additional guidance materials can be viewed and downloaded at <http://www.epa.gov/npdes/stormwater>.

For tracking purposes, the following number has been assigned to your Notice of Intent Form:  
DCR10A842.

If you have general questions regarding the stormwater program or your responsibilities under the Construction General Permit, please call

EPA Region 3

Paula Estornell (215) 814-5632

If you have questions about your Notice of Intent form, please call the EPA NOI Processing Center at 1-866-352-7755 (toll free) or send an inquiry via the online form at <http://www.epa.gov/npdes/noicontact>.

Next time, you can use the eNOI system (<http://www.epa.gov/npdes>) to apply for a Notice of Intent.

EPA NOI Processing Center  
Operated by Avanti Corporation  
1200 Pennsylvania Ave., NW  
Mail Code: 4203M  
Washington, DC 20460  
1-866-352-7755

---

SOLICITATION DCKT-2011-B-0156

AMENDMENT 1

ATTACHMENT D – CONSTRUCTION SIGN SPECS

---

**SECTION 01095**

**CONSTRUCTION AND SAFETY SIGNS**

**PART I -- GENERAL**

**1.1 -- DESCRIPTION OF WORK**

- A. Documents referred to in SCOPES of WORK, Section C, Bid Forms, are part hereof, the same as if repeated herein.
- B. The Contractor shall furnish and erect a construction sign and a safety sign on the site of the project, as soon as practicable after commencement of the work, where directed by the Contracting Officer.

**PART II. -- PRODUCTS**

**2.1 -- MATERIALS**

- A. Lumber shall conform to Fed. Spec. MM-L-751 H sized as shown and shaped as shown.
- B. Plywood shall conform to U.S. Product Standard PS 1-74 Exterior Type, AA or Overian surface.
- C. Paint shall conform to the following Federal Specification:
  - (1) For priming - TT-P-25a.
  - (2) For finishing and lettering - TT-E-489.

**PART III. -- EXECUTION**

**3.1 -- CONSTRUCTION AND SAFETY SIGN**

- A. Design and installation shall be as detailed on the drawings.
  - (1) All woodwork shall receive one (1) primer and one (1) finishing coat of paint.
  - (2) Paint supporting framework white; all other colors as noted on contract drawings.
  - (3) Lettering shall be as shown on drawings.
- B. The Contractor shall maintain the construction sign in good condition for the duration of project.





PAINTING:  
 D.C. FLAG STARS AND STRIPES RED, FIELD WHITE, OUTLINE OF FLAG BLACK  
 OUTSIDE FRAME DARK BLUE  
 BACKGROUND WHITE  
 ALL LETTERING BLACK  
 EMBLEM GREEN;  
 CROSSGREEN ON WHITE CIRCLE  
 BACKGROUND: LETTERING WHITE



**FRONT ELEVATION**

NOT TO SCALE



**SECTION A-A (TYPICAL) CS-2**

NOT TO SCALE

**SAFETY SIGN**

END OF SECTION 01095