

AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT			1. Contract Number	Page of Pages	
				1	5
2. Amendment/Modification Number A0006	3. Effective Date See Block 16	4. Requisition/Purchase Request No.	5. Solicitation Caption Systems Furniture, Casegoods and Related Products and Services		
6. Issued by: Office of Contracting and Procurement 64 New York Ave., N.E 6 TH Floor Washington, DC 20002		Code	7. Administered by (If other than line 6)		
8. Name and Address of Contractor (No. street, city, county, state and zip code) Prospective Offerors		9A. Amendment of Solicitation No. DCPO-2009-B-0020		9B. Dated June 5, 2009	
10. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended. <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) BY separate letter or fax which includes a reference to the solicitation and amendment number. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such may be made by letter or fax, provided each letter or telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
11. Accounting and Appropriation Data (If Required)					
12. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTORS/ORDERS , IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14					
A. This change order is issued pursuant to (Specify Authority): The changes set forth in Item 14 are made in the contract/order no. in item 10A.					
B. The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data etc.) set forth in item 14, pursuant to the authority of 27 DCMR, Chapter 36, Section 3601.2.					
C. This supplemental agreement is entered into pursuant to authority of:					
X D. Other (Specify type of modification and authority) 27 DCMR 1517.2					
E. IMPORTANT: Contractor <input type="checkbox"/> is not <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copy to the issuing office.					
14. Description of Amendment/Modification (Organized by UCF Section headings, including solicitation/contract subject matter where feasible.) This amendment is for the following changes to Systems Furniture, Casegoods and Related Products and Services, Solicitation No. DCPO-2009-B-0020 issued on June 5, 2009:					
1) The response to offeror's written questions submitted regarding Invitation For Bids No. DCPO-2009-B-0020 are hereby described on page 2.					
2) Delete: J.1.13 Exhibit A (Pricing table only). Insert: J.1.13 Exhibit A on page 4 of this amendment.					
3) Delete: C.5.4.8 The Contractor shall install one project standard type "G" 6-ft by 9-ft workstation, complete with accessories, at the job site. The mock-up and presentation shall be scheduled with Owner and Architect as expeditiously as possible after award of contract. Insert: C.5.4.8 The Contractor shall install one project standard type "G" 6-ft by 9-ft workstation, complete with accessories, at the job site. The mock-up and presentation shall be scheduled with Owner and Architect as expeditiously as possible prior to award of contract.					
All other conditions of the solicitation remain unchanged.					
15A. Name and Title of Signer (Type or print)			16A. Name of Contracting Officer Angela Turner		
15B. Name of Contractor (Signature of person authorized to sign)	15C. Date Signed	16B. District of Columbia <i>Angela Turner</i> (Signature of Contracting Officer)		16C. Date Signed 6/30/09	

RESPONSE TO PROSPECTIVE OFFEROR'S WRITTEN QUESTIONS

The following are responses to questions:

1. **Question:** Is a 3" panel system acceptable as long as it fit the current floorplan and meets the current pricing criteria?

Answer: Yes. As long as the alternate systems furniture line does not impede all aisle widths as shown on the plans.

2. **Question:** I noticed there was no "T" listed on Exhibit A. Should we just add it manually?.

Answer: No. A new Exhibit A in this amendment replaces the old one.

3. **Question:** Does the First Source Employment Agreement apply to installers and subcontractors?

Answer: Only if their contract is over \$100,000.00.

4. **Question:** For TYPICALS J, K, L, M, and N construction material :specification reads laminate desk with wood trim, this is translated as all laminate chassis construction except for a hard wood on all edges. Priority is an all wood veneer chassis and desk with an option for a laminate top. Please clarify which you desire a) an all laminate desk chassis and top with only hardwood edge banding on the edges; or b) an all wood veneer desk chassis with hardwood edge banding on the edges but and a laminate top

Answer: We prefer an all laminate desk chassis and top with only hardwood edge banding on the edges,

5. **Question:** . For Typical L, primary worksurface is listed as a 36" by 24" surface, is this correct?

Answer: The worksurface is 36" x 72".

6. **Question:** For Typical L, tackboard is needed, what size is it and is it to go above the main 36" wide worksurface or is it to go above the 120" return? If above the return, does it span the entire 120" or just one half of it ?

Answer: There is no tackboard above the worksurface. The specification indicates a modesty panel as illustrated in the typical graphic on the plan. The tackboard is located in the high back organizer (overhead)..

7. **Question:** For Typical L, An overhead is listed as needed. What width is it and does it go over the main 36" wide worksurface or is it to go above the 120" return ? If above the return, does it span the entire 120" or just one half of it?

Answer: We need a 108" wide high back organizer (overhead); 52" wide x 16" high tackboards?

8. **Question:** . For Typical L, the tasklight is listed as 49" wide, what overhead is this mounted to? This relates to question 7 above.

Answer: The tasklight is mounted to the high back organizer (overhead).

9. **Question:** For Typical M, primary worksurface is listed as a 36” by 24” surface, is this correct?

Answer: The worksurface is 36” x 72”.

10. **Question:** For Typical M, tackboard is needed, what size is it and is it to go above the main 36” wide worksurface or is it to go above the 120” return ? If above the return, does it span the entire 120” or just one half of it?

Answer: There is no tackboard above the worksurface. The specification indicates a modesty panel as illustrated in the typical graphic on the plan. The tackboard is located in the high back organizer (overhead).

11. **Question:** For Typical M, an overhead is listed as needed. What width is it and does it go over the main 36” wide worksurface or is it to go above the 120” return ? If above the return, does it span the entire 120” or just one half of it?

Answer: We need a 108” wide high back organizer (overhead); 52” wide x 16” high tackboards? .

12. **Question:** For Typical M, the tasklight is listed as 49” wide, what overhead is this mounted to? This relates to question 11 above.

Answer: .The tasklight is mounted to the high back organizer (overhead).

13. **Question:** Vertical Storage Unit – see question, # 9 above, need clarification on construction material. Since this has four drawers it appears to be a 4 high lateral file as opposed to a vertical storage unit which typically has a wardrobe door and various drawer sizes or open cubbies.

Answer: Vertical storage unit per manufacturer standard.

14. **Question:** Can you provide larger PDF drawings of the floor plans?

Answer: Yes. Use the following link: https://order.e-arc.com/arcEOC/x_project.asp?de=15b82cf9-22c9-4a26-8ae0-e82a2f763059

15. **Question:** In rooms 4058-East and 3041-West the furniture plans labels these rooms as type L, however due to the furniture utilized in the layout and the label of the occupant of these rooms on the plan, we have reason to believe these rooms may actually be a type M office (Agency Directors Only), please clarify.

Answer: Room #4058 East and Room #3041 West are specified with an “L” shaped station.

EXHIBIT A

Exhibit A – Waterfront Specifications and Pricing			
No.	Product	Option	*Est. Qty.
1	AC1 - Desk Lamp	"Or Equal"	Per Drawings
2	AC2 - Chair dolly Kimball	"Or Equal"	Per Drawings
3	B1 Bookcase- HON Company	"Or Equal"	Per Drawings
4	B2 Bookcase -HON Company	"Or Equal"	Per Drawings
5	C1 Lounge Chair -Kimball	"Or Equal"	Per Drawings
6	C10 Open Conf Chair- Kimbal	"Or Equal"	Per Drawings
7	C11 Lunch Room Stool Izzy Design	"Or Equal"	Per Drawings
8	C12 Guest Chair - Kimball	"Or Equal"	Per Drawings
9	C2 Task Chair - Kimball	"Or Equal"	Per Drawings
10	C3 Guest Chair - Kimball	"Or Equal"	Per Drawings
11	C4 Conf Chair- Kimball	"Or Equal"	Per Drawings
12	C5 Lunch Room Chair - Izzy Design	"Or Equal"	Per Drawings
13	C6 Training Room Chair - Kimball	"Or Equal"	Per Drawings
14	C7 Stool - Kimball	"Or Equal"	Per Drawings
15	C8 Tandem Seating - Davis Furniture	"Or Equal"	Per Drawings
16	C9 Side Chair - Kimball	"Or Equal"	Per Drawings
17	F1 Flat File - Dick Blick	"Or Equal"	Per Drawings
18	L1 Lateral File - HON Company	"Or Equal"	Per Drawings
19	L2 Lateral File - HON Company	"Or Equal"	Per Drawings
20	L3 Lateral File - HON Company	"Or Equal"	Per Drawings
21	L4 Lateral File - HON Company	"Or Equal"	Per Drawings
22	L4T Lateral File Lam, Top- HON Company	"Or Equal"	Per Drawings
23	S1 Storage Cabinet - HON Company	"Or Equal"	Per Drawings
24	SH1 Open Met Shelving Penco Products	"Or Equal"	Per Drawings
25	SH2 Open Met Shelving Penco Products	"Or Equal"	Per Drawings
26	T1 Conference Table - Kimball	"Or Equal"	Per Drawings
27	T10 Café Table - Izzy Design	"Or Equal"	Per Drawings
28	T11 Café Table - Izzy Design	"Or Equal"	Per Drawings
29	T12 Café Table - Izzy Design	"Or Equal"	Per Drawings
30	T13 Side Table - Kimball	"Or Equal"	Per Drawings
31	T14 Work table - Hamilton Sorter	"Or Equal"	Per Drawings
32	T15 Training Table Kimball	"Or Equal"	Per Drawings
33	T16 Conference Table Kimball	"Or Equal"	Per Drawings
34	T17 Café table - Izzy design	"Or Equal"	Per Drawings
35	T18 Conference Table Kimball	"Or Equal"	Per Drawings
36	T19 Training Table Kimball	"Or Equal"	Per Drawings
37	T2 Conf Table - Kimball	"Or Equal"	Per Drawings
38	T20 Work Table Hamilton Sorter Mail System	"Or Equal"	Per Drawings
39	T21 Training Table (Static) - Kimball	"Or Equal"	Per Drawings
40	T22 Training Table (Static) - Kimball	"Or Equal"	Per Drawings
41	T23 Training Table - Kimball	"Or Equal"	Per Drawings
42	T3 Conference Table - Kimball	"Or Equal"	Per Drawings
43	T4 Conference Table - Kimball	"Or Equal"	Per Drawings
44	T5 Conference Table - Kimball	"Or Equal"	Per Drawings
45	T6 Conference Table - Kimball	"Or Equal"	Per Drawings
46	T7 Conference Table - Kimball	"Or Equal"	Per Drawings
47	T8 Conference Table - Kimball	"Or Equal"	Per Drawings
48	T9 Conference Table - Kimball	"Or Equal"	Per Drawings
49	(A) -Kimball Interworks EQ	"Or Equal"	Per Drawings
50	(AA) -Kimball Interworks EQ	"Or Equal"	Per Drawings
51	(B)-Kimball Interworks EQ	"Or Equal"	Per Drawings
52	(C) Kimball Interworks EQ	"Or Equal"	Per Drawings
53	(D) Kimball Interworks EQ	"Or Equal"	Per Drawings
54	(E) Kimball Interworks EQ	"Or Equal"	Per Drawings
55	(F) Kimball Interworks EQ	"Or Equal"	Per Drawings
56	(G)Kimball Interworks EQ	"Or Equal"	Per Drawings
57	(H) Kimball Interworks EQ	"Or Equal"	Per Drawings
57	(I) Kimball Interworks EQ	"Or Equal"	Per Drawings
59	(K) Kimball "Priority" L-Shaped Workstation	"Or Equal"	Per Drawings
60	(L) Kimball "Priority" L-Shaped Workstation	"Or Equal"	Per Drawings
61	(M) Kimball "Priority" L-Shaped Workstation	"Or Equal"	Per Drawings
62	(N) Kimball "Priority" L-Shaped Workstation	"Or Equal"	Per Drawings
63			
64	Total - Product Cost		
65	Installation Cost		
66	Total		