

AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT		1. Contract Number DCRL-2017-T-0025		Page of Pages 1, plus attachments	
2. Amendment/Modification Number A002		3. Effective Date See Box 16C		4. Requisition/Purchase Request No.	
				5. Solicitation Caption Audio Visual and Video Teleconferencing System for Office of Youth Empowerment	
6. Issued by: District of Columbia Child and Family Services Agency Contracts and Procurement Administration 200 I (Eye) Street SE Suite 2031 Washington, DC 20003		Code		7. Administered by (If other than line 6) District of Columbia Child and Family Services Agency Office of the Deputy Director for Administration Administrative Operations 200 I (Eye) Street, SE Washington, DC 20003	
8. Name and Address of Contractor (No. street, city, county, state and zip code)		9A. Amendment of Solicitation No. A002		9B. Dated (See Item 11) 11/16/2016	
Facility		10A. Modification of Contract/Order No.		10B. Dated (See Item 13)	
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended. <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) BY separate letter or fax which includes a reference to the solicitation and amendment number. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such may be made by letter or fax, provided each letter or telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. Accounting and Appropriation Data (If Required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14					
A. This change order is issued pursuant to (Specify Authority): 27 DCMR, Chapter 36, Contract Modifications The changes set forth in Item 14 are made in the contract/order no. in item 10A.					
B. The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data etc.) set forth in item 14, pursuant to the authority of 27 DCMR, Chapter 36, Section 3601.2.					
C. This supplemental agreement is entered into pursuant to authority of:					
D. Other (Specify type of modification and authority) :27 DCMR 3601.2 (c): Unilateral Modification					
E. IMPORTANT: Contractor <input checked="" type="checkbox"/> is not <input type="checkbox"/> is required to sign this document and return <u> </u> copies to the issuing office.					
14. Description of Amendment/Modification (Organized by UCF Section headings, including solicitation/contract subject matter where feasible.)					
1. The solicitation has been revised, dated 11/23/2016 (see attached).					
2. In response to a question raised at the first site visit: DGS will install "preside hollow panel bases" and "preside Flip-top power data boxes". The specifications for both are hereby incorporated as an attachment. (see attached)					
Except as provided herein, all terms and conditions of the document is referenced in Item 9A or 10A remain unchanged and in full force and effect.					
15A. Name and Title of Signer (Type or print)			16A. Name of Contracting Officer		
			Tara Sigamoni		
15B. Name of Contractor		15C. Date Signed		16B. District of Columbia	
				<i>Tara Sigamoni</i> (Signature of Contracting Officer)	
(Signature of person authorized to sign)				16C. Date Signed 11-22-2016.	



GOVERNMENT OF THE DISTRICT OF COLUMBIA
Child and Family Service Agency



REQUEST FOR TASK ORDER BID
(REVISED 11/23/2016)

Solicitation No.: DCRL-2017-T-0025

Caption: Audio Visual and Video Teleconferencing System for Office of Youth Empowerment

Issuance Date: Wednesday, November 16, 2016

Due Date: ~~Monday, November 28, 2016~~ Friday, December 2, 2016, no later than 2:00pm

The District of Columbia Child and Family Services Agency, on behalf of the Office of Youth Empowerment has a need for the purchase and installation of Audio Visual and Teleconferencing Equipment for the new offices of the Office of Youth Empowerment.

The task order bid should be prepared according to the instructions listed below:

1. Bid Submission Requirements

The task order bid shall be submitted as "Task Order Bid in response to Solicitation No. DCKA-2017-T-0025"

The Bidder's Bid shall, at minimum, include:

- a. A Bid in accordance with Attachment A;
- b. Copy of the Bidder's DC Supply Price Schedule
- c. Completed Price Schedule (Attachment B) – Revised 11/23/2016
- d. Completed loaded rate sheet

2. Task of Solicitation

Bid should be submitted online via email to lisa.minor-smith@dc.gov

MANDATORY SITE VISIT: It shall be **MANDATORY** that each bidder representative be present for a pre-bid site visit on Friday, November 18, 2016 or Tuesday, November 29, 2016. Please note: you are not required to attend both site visits. Attendees are to meet promptly at 10:00am at 3350 9th Street, NE, Washington, DC 20017. All attendees must sign in at this time. The purpose of this visit is for all prospective bidders to acquaint themselves with the conditions and requirements of the task to be performed. Attendees will be apprised of all conditions of installation and should take any necessary measurements. Bidders shall stay for the duration of the site visit. No allowances will be made for unreported conditions which a prudent bidder would recognize as affecting the work called for or implied by this bid. **FAILURE TO COMPLY WITH THIS REQUIREMENT WILL RESULT IN REJECTION OF YOUR BID.**

3. Bid Submission Date

The closing date for receipt of bids is no later than 2:00 P.M., ~~Monday, November 28, 2016.~~
Friday, December 2, 2016.

4. Evaluation for Award

(a) In order to be considered responsive, bidder must meet the following minimum requirements.

- 1) The bidder must propose goods/services which comply with their identified DC Supply Schedule
- 2) Must provide completed attachment B.
- 3) Complete the loaded rate sheet in accordance with **Wage Determination 2015-4281, Revision 3, dated 4/8/16**

5. Term of Contract

The period of performance shall be for one year from the date of award.

6. Attachments

Attachment A – Statement of Work

Attachment B – Price Schedule – Revised 11/23/2016

ATTACHMENT A

GOVERNMENT OF THE DISTRICT OF COLUMBIA
CHILD AND FAMILY SERVICES AGENCY
OFFICE OF YOUTH EMPOWERMENT (OYE)

AUDIO VISUAL HD VIDEO TELECONFERENCE (VTC)

1. SCOPE OF SERVICES

The DC Child and Family Services Agency (DCCFSA), on behalf of the OYE needs the services of a contractor to design, provide, implement and fully integrate a state of the art Audio Visual HD Video Teleconference (VTC) system for the new offices of OYE, located at 3350 Ninth Street, NE, Washington, DC 20017. The Contractor must provide a turnkey solution that is fully calibrated and tested. The system must be able to support multipurposes, multi-party conferencing and personal computer (PC) presentations. The system must have the capability to facilitate Voice Over Internet Protocol (VoIP) conference audio calls utilizing codec and a touch-panel to provide full control of the AV system's functionality. The scope will also include the installation of iPads with secure enclosures to be recessed in-wall (must have dedicated power source POE); installation of wall-mount display monitors, mini PCs, to be mounted securely with brackets behind monitors or in centralized location; ceiling mounted HD projectors (minimum 6000 lumens of brightness); motorized retractable projection screens, HD cameras, microphones - (ceiling, wireless with charging base, and lapel); and installation of AV wall interface plates to integrate network connections (laptop, VGA with audio, HDMI, data).

2. REQUIREMENTS

The contractor will perform the following services:

2nd Floor - Hall way (waiting area)

- Install wall mount display monitor *42" minimum*, a mini pc, AV input interface wall plate - (VGA w/audio, HDMI, data, power outlet).

2nd Floor Conference Room – 200-04 (VTC)

- Install *flat panel HD display monitor 70" minimum/80' maximum*.
- Integrate custom wireless control system touch panel that will be recessed in-wall (close proximity to podium location and display screen).
- Install ceiling microphones (2), ceiling speakers (4), one front facing HD camera, (1) rear facing HD camera (minimum 1080 pixel video 12 pan tilt zoom, (PTZ).
- Install AV input plates (VGA with audio, HDMI), located at front side wall.
- **Install 1 iPad (9.45x6.67x0.03 inches) secure enclosures that will be recessed in-wall outside of room entrance with dedicated power source.**
- Install dedicated standing rack mount to house backend AV equipment (centralized location), 2x2 ceiling mount AV rack enclosure with necessary cooling and ventilation requirement.

- VTC system must be compatible with WebEx applications and other similar third party video conferencing applications.

2nd Floor - Training Room 200-13

- Install ceiling mounted HD projector and motorized (w/remote) wall mount retractable projection screen 106" diagonal minimum, ceiling speakers (2), AV wall interface plates (VGA w/audio, HDMI, data, electrical), located at front side wall. Install 2x2 ceiling mount AV rack enclosure with necessary cooling and ventilation requirement.
- *Install 1 iPad (9.45x6.67x0.03 inches) secure enclosures that will be recessed in-wall outside of room entrance with dedicated power source. (CFSA will provide iPads)*

2nd Floor - Staff Room 200-12

- Install wall mount display monitor 46" minimum; install mini pc, AV input interface wall plate - (VGA w/audio, HDMI, data, power outlet).

3rd Floor - Conference Room 300-04

- Install *flat panel interactive touch display monitor 70" minimum*, AV input interface wall plates - (VGA w/audio, HDMI, data, power outlet, USB charger), 1 located at front side wall and one in floor box located toward the center of the room. Ceiling speakers (4) 6", ceiling microphones (2).
- Integrate custom wireless control system touch panel recessed in-wall (close proximity to podium location).
- *Install 1 iPad (9.45x6.67x0.03 inches) secure enclosures that will be recessed in-wall outside of room entrance with dedicated power source. (CFSA will provide iPads)*

3rd Floor - Parent Conference Room 300-05

- *Install 1 iPad (9.45x6.67x0.03 inches) secure enclosures that will be recessed in-wall outside of room entrance with dedicated power source. (CFSA will provide iPads)*

3rd Floor - Conference Room 300-20

- *Install 1 iPad (9.45x6.67x0.03 inches) secure enclosures that will be recessed in-wall outside of room entrance with dedicated power source. (CFSA will provide iPads)*

3rd Floor - Teen Rec Room 300-09

- Install wall mount display monitor 46" minimum; install mini pc, AV input interface wall plate - (VGA w/audio, HDMI, data, power outlet).

3rd Floor - Training Room 300-10

- Install ceiling mount HD projector, wall mount motorized retractable projection screen 106 inch diagonal minimum, ceiling speakers (2), AV wall interface plates (VGA w/audio, HDMI, data, power outlets).

- Install 1 iPad (9.45x6.67x0.03 inches) secure enclosures that will be recessed in-wall outside of room entrance with dedicated power source. *(CFSA will provide iPads)*

(IT-Room) – 3RD Floor

IT room must be designed as centralized location for managing peripherals and must be scalable to add services as needed. Contractor shall install all necessary backend equipment, provide all mounting hardware, all UPS power distribution units (20 amp minimum) or accordance to equipment requirements.

- Gangable AV hardware rack with appropriate shelving and thermal management, to include rack mountable 123W or *(recommended)* DC power distribution unit.
- Contractor shall provide rack mountable switches with POE feature *(48 port minimum)* all necessary Uni stacking cables, as well as all necessary licenses.
- Install (decoders, encoders transmitters, scalars, routing device modules, all mounting hardware and cables- HDMI and fiber ports.
- LED commercial display 26" minimum, dual swing arm wall display mount 18" minimum extension.
- Wireless (keyboard) computing RF-512 or similar.

3. CONTRACTOR'S RESPONSIBILITY

3.1 The contractor shall provide all equipment except where specified:

3.2 Display Monitors shall be of commercial grade to prevent screen burnout

3.3 Provide CFSA personnel with training to utilize the new equipment

ATTACHMENT B - PRICE SCHEDULE (REVISED 11/23/2016)

The District contemplates award of a firm-fixed price contract for the services to be performed at the unit prices specified herein in Section B.1

2nd Floor – Hallway (waiting area)

Contract Line Item No. (CLIN)	Description	Estimated Quantity	Unit	Price Per Unit	Estimated Total Amount
0001-A	Wall Mount Monitor, 42" minimum	1	ea	\$ _____	\$ _____
0002-A	Medium Fusion micro-adjustable tilt wall mount	1	ea	\$ _____	\$ _____
0003-A	Metal Stud Anchor Kit	3	ea	\$ _____	\$ _____
0004-A	ASUS VivioMini UN45 mini PC (OS windows 10 pro, CPU - Intel 6th generation Core i5-Processor, Storage 256GB SSD, Memory 8GB) with wireless keyboard and mouse	1	ea	\$ _____	\$ _____
0005-A	AV Input Interface wall plate (VGA w/ audio, HDMI, data, power outlets)	1	ea	\$ _____	\$ _____

2nd Floor – Conference Room 200-04 (VTC)

Contract Line Item No. (CLIN)	Description	Estimated Quantity	Unit	Price per Unit	Estimated Total Amount
0001-B	Flat Panel HD Display Monitor, 70" minimum or 80" maximum	1	ea	\$ _____	\$ _____
0002-B	Large Fusion micro-adjustable tilt wall mount	1	ea	\$ _____	\$ _____
0003-B	Metal Stud Anchor Kit	3	ea	\$ _____	\$ _____
0004-B	CISCO SX80 Codec, Precision 60 CAM, Touch 10 – brand name or equal	1	ea	\$ _____	\$ _____
0005-B	License- SW Encryption Module	1	ea	\$ _____	\$ _____

0006-B	License – Multi-Site Software Option	1	ea	\$ _____	\$ _____
0007-B	Codec	1	ea	\$ _____	\$ _____
0008-B	Rack Ears	1	ea	\$ _____	\$ _____
0009-B	Camera – TelePresence Precision 60 Camera- Auto Expand Only	1	ea	\$ _____	\$ _____
0010-B	Touch 10-Auto Expand Only	1	ea	\$ _____	\$ _____
0011-B	POE Injector	1	ea	\$ _____	\$ _____
0012-B	Power Supply – 12VDC – 40W	2	ea	\$ _____	\$ _____
0013-B	Cable – Power-US, Black 1.8m	4	ea	\$ _____	\$ _____
0014-B	Cable – DVI to VGA, Phoenix Audio Connector	1	ea	\$ _____	\$ _____
0015-B	Cable- Ethernet – Grey 12.5m	1	ea	\$ _____	\$ _____
0016-B	Cable –Ethernet- Grey 4m	1	ea	\$ _____	\$ _____
0017-B	Camera-TelePresence Precision 60 Camera	1	ea	\$ _____	\$ _____
0018-B	Multiple Output Power Supply Thin profile wall mount bracket for Precision 60 Camera	1	ea	\$ _____	\$ _____
0019-B	7" Touch Screen Controller – Black	1	ea	\$ _____	\$ _____
0020-B	Table Top Kit for TWS 752- Black	1	ea	\$ _____	\$ _____
0021-B	Encoder with HDMI/VGA and fiber port	1	ea	\$ _____	\$ _____
0022-B	Decoder with HDMI and fiber port	1	ea	\$ _____	\$ _____
0023-B	Audio transceiver with L/R input, L/R output and 2 contact ports	1	ea	\$ _____	\$ _____

0024-B	Mounting wings for N series devices	4	ea	\$ _____	\$ _____
0025-B	Audio Processor with Telephone Conferencing	1	ea	\$ _____	\$ _____
0026-B	Expander Module – 4-in	2	ea	\$ _____	\$ _____
0027-B	Low Profile Boundary Microphone Cardioid (Black)	2	ea	\$ _____	\$ _____
0028-B	Low Profile Boundary Microphone – Bidirectional (Black)	6	ea	\$ _____	\$ _____
0029-B	iPad Flush Mount with Black Box and Cover-Box	1	ea	\$ _____	\$ _____
0030-B	POE to USB Charger Universal USB Charger	1	ea	\$ _____	\$ _____
0031-B	2 x 2 ceiling mount A/V Rack Enclosure	1	ea	\$ _____	\$ _____
0032-B	Ceiling Speakers	4	ea	\$ _____	\$ _____

2nd Floor – Training Room 200-13

Contract Line Item No. (CLIN)	Description	Estimated Quantity	Unit	Price Per Unit	Estimated Total Amount
0001-C	Ceiling mounted HD projector	1	ea	\$ _____	\$ _____
0002-C	Motorized (w/ remote) wall mount retractable projection screen 106" minimum	1	ea	\$ _____	\$ _____
0003-C	Ceiling speakers	2	ea	\$ _____	\$ _____
0004-C	AV wall interface plates (VGA w/ audio, HDMI, data, electrical)	1	ea	\$ _____	\$ _____
0005-C	2 x 2 ceiling mount AV rack enclosure with necessary cooling and ventilation requirement	1	ea	\$ _____	\$ _____
0006-C	Codec	1	ea	\$ _____	\$ _____
0007-C	Rack Ears	1	ea	\$ _____	\$ _____
0008-C	Camera – TelePresence Precision 60 Camera- Auto	1	ea	\$ _____	\$ _____

	Expand Only				
0009-C	Touch 10-Auto Expand Only	1	ea	\$ _____	\$ _____
0010-C	POE Injector	1	ea	\$ _____	\$ _____
0011-C	Power Supply – 12VDC – 40W	2	ea	\$ _____	\$ _____
0012-C	Cable – Power-US, Black 1.8m	4	ea	\$ _____	\$ _____

2nd Floor – Staff Room 200-12

Contract Line Item No. (CLIN)	Description	Estimated Quantity	Unit	Price Per Unit	Estimated Total Amount
0001-D	Wall Mount Display monitor, 46" minimum	1	ea	\$ _____	\$ _____
0002-D	ASUS VivoMini UN45 mini PC (OS windows 10 pro, CPU - Intel 6th generation Core i5-Processor, Storage 256GB SSD, Memory 8GB)	1	ea	\$ _____	\$ _____
0003-D	A/V Wall Interface plates (VGA w/ audio, HDMI, Data, power outlet)	1	ea	\$ _____	\$ _____

3rd Floor Conference Room – 300-04

Contract Line Item No. (CLIN)	Description	Estimated Quantity	Unit	Price per Unit	Estimated Total Amount
0001-E	Flat Panel HD Display Monitor, 70" maximum	1	ea	\$ _____	\$ _____
0002-E	Large Fusion micro-adjustable tilt wall mount	1	ea	\$ _____	\$ _____
0003-E	Metal Stud Anchor Kit	3	ea	\$ _____	\$ _____
0004-E	CISCO SX80 Codec, Precision 60 CAM, Touch 10 – brand name or equal	1	ea	\$ _____	\$ _____
0005-E	License- SW Encryption Module	1	ea	\$ _____	\$ _____

0006-E	License – Multi-Site Software Option	1	ea	\$ _____	\$ _____
0007-E	Codec	1	ea	\$ _____	\$ _____
0008-E	Rack Ears	1	ea	\$ _____	\$ _____
0009-E	Camera – TelePresence Precision 60 Camera- Auto Expand Only	1	ea	\$ _____	\$ _____
0010-E	Touch 10-Auto Expand Only	1	ea	\$ _____	\$ _____
0011-E	POE Injector	1	ea	\$ _____	\$ _____
0012-E	Power Supply – 12VDC – 40W	2	ea	\$ _____	\$ _____
0013-E	Cable – Power-US, Black 1.8m	4	ea	\$ _____	\$ _____
0014-E	Cable – DVI to VGA, Phoenix Audio Connector	1	ea	\$ _____	\$ _____
0015-E	Cable- Ethernet – Grey 12.5m	1	ea	\$ _____	\$ _____
0016-E	Cable –Ethernet- Grey 4m	1	ea	\$ _____	\$ _____
0017-E	Camera-TelePresence Precision 60 Camera	1	ea	\$ _____	\$ _____
0018-E	Multiple Output Power Supply Thin profile wall mount bracket for Precision 60 Camera	1	ea	\$ _____	\$ _____
0019-E	7" Touch Screen Controller – Black	1	ea	\$ _____	\$ _____
0020-E	Table Top Kit for TWS 752- Black	1	ea	\$ _____	\$ _____
0021-E	Encoder with HDMI/VGA and fiber port	1	ea	\$ _____	\$ _____
0022-E	Decoder with HDMI and fiber port	1	ea	\$ _____	\$ _____
0023-E	Audio transceiver with L/R input, L/R output and 2 contact ports	1	ea	\$ _____	\$ _____
0024-E	Mounting wings for N Series Devices	4	ea	\$ _____	\$ _____

0025-E	E-Audio Processor with Telephone Conferencing	1	ea	\$ _____	\$ _____
0026-E	Expander Module – 4-in	2	ea	\$ _____	\$ _____
0027-E	Low Profile Boundary Microphone Cardioid (Black)	2	ea	\$ _____	\$ _____
0028-E	Low Profile Boundary Microphone – Bidirectional (Black)	6	ea	\$ _____	\$ _____
0029-E	iPad Flush Mount with Black Box and Cover-Box	1	ea	\$ _____	\$ _____
0030-E	POE to USB Charger Universal USB Charger	1	ea	\$ _____	\$ _____

3rd Floor Parent Conference Room 300-05

Contract Line Item No. (CLIN)	Description	Estimated Quantity	Unit	Price Per Unit	Estimated Total Amount
0001-F	iPad Flush Mount with Black Box and Cover-Box	1	ea	\$ _____	\$ _____

3rd Floor Conference Room 300-20

Contract Line Item No. (CLIN)	Description	Estimated Quantity	Unit	Price Per Unit	Estimated Total Amount
0001-G	iPad Flush Mount with Black Box and Cover-Box	1	ea	\$ _____	\$ _____

3rd Floor Teen Recreation Room 300-09

Contract Line Item No. (CLIN)	Description	Estimated Quantity	Unit	Price Per Unit	Estimated Total Amount
0001-H	Wall Mount display monitor, 46" minimum	1	ea	\$ _____	\$ _____

0002-H	ASUS VivoMini UN45 mini PC(OS windows 10 pro, CPU - Intel 6th generation Core i5- Processor, Storage 256GB SSD, Memory 8GB)	1	ea	\$ _____	\$ _____
0003-H	A/V Wall Interface plates (VGA w/ audio, HDMI, Data, power outlet)	1	ea	\$ _____	\$ _____

3rd Floor – Training Room 300-10

Contract Line Item Number (CLIN)	Description	Estimated Quantity	Unit	Price Per Unit	Estimated Total Amount
0001-I	Ceiling mounted HD projector	1	ea	\$ _____	\$ _____
0002-I	Motorized (w/ remote) wall mount retractable projection screen 106" minimum	1	ea	\$ _____	\$ _____
0003-I	Ceiling speakers	2	ea	\$ _____	\$ _____
0004-I	AV wall interface plates (VGA w/ audio, HDMI, data, electrical)	1	ea	\$ _____	\$ _____
0005-I	2 x 2 ceiling mount AV rack enclosure with necessary cooling and ventilation requirement	1	ea	\$ _____	\$ _____
0006-I	Codec	1	ea	\$ _____	\$ _____
0007-I	Rack Ears	1	ea	\$ _____	\$ _____
0008-I	Camera – TelePresence Precision 60 Camera- Auto Expand Only <i>brand name or equal</i>	1	ea	\$ _____	\$ _____
0009-I	Touch 10-Auto Expand Only	1	ea	\$ _____	\$ _____
0010-I	POE Injector	1	ea	\$ _____	\$ _____

0011-I	Power Supply – 12VDC – 40W	2	ea	\$ _____	\$ _____
0012-I	Cable – Power-US, Black 1.8m	4	ea	\$ _____	\$ _____

3rd Floor IT Room

Contract Line Item No. (CLIN)	Description	Estimated Quantity	Unit	Price Per Unit	Estimated Total Amount
0001-J	48 port rack mount gigabit switch with POE and 10G stacking SFP Port	2	ea	\$ _____	\$ _____
0002-J	Stack/Unistack Stacking Cable 0.5m	2	ea	\$ _____	\$ _____
0003-J	Licensing	2	ea	\$ _____	\$ _____
0004-J	AVB License	2	ea	\$ _____	\$ _____
0005-J	3 Series Control System	1	ea	\$ _____	\$ _____
0006-J	N-Series Controller	1	ea	\$ _____	\$ _____
0007-J	16 channel 12v power supply	1	ea	\$ _____	\$ _____
0008-J	Mounting wings for N series devices	4	ea	\$ _____	\$ _____
0008-J	1RU shelf for two N series devices side by side	12	ea	\$ _____	\$ _____
0009-J	Encoder with HDMI/VGA and fiber port	2	ea	\$ _____	\$ _____
0010-J	Decoder with HDMI and fiber port	1	ea	\$ _____	\$ _____
0011-J	USB over Ethernet with Routing – Device Module	1	ea	\$ _____	\$ _____
0012-J	Wireless Computing	1	ea	\$ _____	\$ _____

0013-J	LED DM Series Commercial Display – 32” Class Medium Thinstall Dual Swing Arm Wall brand name or equal	1	ea	\$ _____	\$ _____
0014-J	Display Mount – 18” Extension	1	ea	\$ _____	\$ _____
0015-J	Metal Stud Anchor Kit	3	ea	\$ _____	\$ _____
0016-J	Rackmount 20 amp UPS with IP control – brand name or equal	3	ea	\$ _____	\$ _____
0017-J	Rackmount 20 amp power distribution unit with Series Protection	1	ea	\$ _____	\$ _____
0018_J	Rackmount 20 amp power distribution unit	1	ea	\$ _____	\$ _____
0019-J	Series Gangable AV Rack	2	ea	\$ _____	\$ _____
0020-J	Rack shelves, power and thermal management	1	ea	\$ _____	\$ _____
0021-J	Wire, connectors and installation accessories		ea	\$ _____	\$ _____



Preside™ Conference Solutions

Hollow Panel Base

Technical Specifications

CONSTRUCTION AND FEATURES

- 1-1/8" particleboard panel walls with double-sided melamine and 1mm adhered edgeband on laminate models
- 1-1/8" MDF panel walls with finished veneer on veneer models
- Metal-to-metal european style fasteners and wood dowel construction
- Removable end caps of either wrapped MDF or painted aluminum
- 3/16" thick steel mounting plates
- 1-1/2" adjustable leveling glides
- Internal wire routing capability
- Removable end caps on both sides assist in wire routing
- Dual aluminum support beams with integral wire management
- Bases allow a finished top height of 29-3/8" with glides fully retracted and using 1-1/8" top

COMPLIANCE

Meets or exceeds current ANSI/BIFMA and ISTA requirements
 Particleboard grade ANSI IM3 or better

SHIPPING INFORMATION




Bases are shipped ready to be assembled to support beams and table tops. Instructions and hardware included.

MODEL NUMBER	DESCRIPTION	QTY	PRODUCT			PACKAGED	
			DEPTH (IN)	WIDTH (IN)	HEIGHT (IN)	WEIGHT (LB)	VOLUME (FT^3)
HTLHPM	Model in pricer					71	5.9
HTLHPB	(sub-component) Laminate Hollow Panel Base	1	25 1/2	5 1/2	28 1/4	58	5.2
HTBEAMMID	(sub-component) Support Beam For 72" Adder Section	1	2 1/2	72	3 1/2	13	0.7
HTLHP96	Model in pricer					125	11.0
HTLHPB	(sub-component) Laminate Hollow Panel Base	2	25 1/2	5 1/2	28 1/4	58	5.2
HTBEAM96	(sub-component) Support Beam For 96" W Table Tops	1	2 1/2	56	3 1/2	9	0.6
HTLHP120	Model in pricer					131	11.2
HTLHPB	(sub-component) Laminate Hollow Panel Base	2	25 1/2	5 1/2	28 1/4	58	5.2
HTBEAM120	(sub-component) Support Beam For 120" W Table Tops	1	2 1/2	80	3 1/2	15	0.8
HTLHP144	Model in pricer					133	11.4
HTLHPB	(sub-component) Laminate Hollow Panel Base	2	25 1/2	5 1/2	28 1/4	58	5.2
HTBEAM144	(sub-component) Support Beam For 144" W Table Tops	1	2 1/2	104	3 1/2	17	1.0
HTLHP168	Model in pricer					135	11.6
HTLHPB	(sub-component) Laminate Hollow Panel Base	2	25 1/2	5 1/2	28 1/4	58	5.2
HTBEAM168	(sub-component) Support Beam For 168" W Table Tops	1	2 1/2	120	3 1/2	19	1.2
HTLHP192	Model in pricer					201	17.1
HTLHPB	(sub-component) Laminate Hollow Panel Base	3	25 1/2	5 1/2	28 1/4	58	5.2
HTBEAM120	(sub-component) Support Beam For 120" W Table Tops	1	2 1/2	80	3 1/2	15	0.8
HTBEAMMID	(sub-component) Support Beam For 72" Adder Section	1	2 1/2	72	3 1/2	13	0.7
HTLHP216	Model in pricer					203	17.3
HTLHPB	(sub-component) Laminate Hollow Panel Base	3	25 1/2	5 1/2	28 1/4	58	5.2
HTBEAM144	(sub-component) Support Beam For 144" W Table Tops	1	2 1/2	104	3 1/2	17	1.0
HTBEAMMID	(sub-component) Support Beam For 72" Adder Section	1	2 1/2	72	3 1/2	13	0.7
HTLHP240	Model in pricer					205	17.5
HTLHPB	(sub-component) Laminate Hollow Panel Base	3	25 1/2	5 1/2	28 1/4	58	5.2
HTBEAM168	(sub-component) Support Beam For 168" W Table Tops	1	2 1/2	120	3 1/2	19	1.2
HTBEAMMID	(sub-component) Support Beam For 72" Adder Section	1	2 1/2	72	3 1/2	13	0.7

Note: Laminate models shown; veneer specs match laminate



Preside™ Conference Solutions Hollow Panel Base Technical Specifications



HTBEAM* PROFILE
(USED AS A PAIR)

The HON Company
200 Oak Street
Muscatine, IA 52761
800-833-3964
hon.com

© 2011 The HON Company
H4010 (01/11)
HON is a registered trademark
of HNI Technologies, under
license to The HON Company.

Ryan Nearing

From: Ryan Nearing
Sent: Monday, August 18, 2014 2:51 PM
To: Ryan Nearing
Subject: MOI / HBX - Conf Table Pwr/Data Boxes

Description

This flip-top port will provide easy access to power for laptops and more on your Preside conference table. It features four power ports and two blank data receptacles.

Features:

- Fits into 5" x 11" cutout
- Specify "Flip-top" cutout in table top
- Flip-top Port provides four power ports and two blank data receptacles
- Conceals wires and allows power cords to be plugged in while in use
- Includes 6' cord with three-prong circuit breaker plug

Weight & Dimensions

Weight	Measurements
5 Lbs.	1" H x 11" W x 5" D

Shipping Information

Free Delivery

Ships via LTL


Estimated Delivery: HON products are made and have a delivery time of 15-21 Business Days.

[▲ Back to top](#)

HON Preside Flip-top Port

by **HON Furniture**


Item # HTL-HTPWRGROM2



HON Preside Flip-top Port

by HON Furniture

Item # HTL-HTPWRGROM2



Ryan Nearing Associate, Project Management

MOI

1200 19th St NW Suite 210 Washington DC 20036

Office 202.469.7650 | Mobile 703.216.7666

rnearing@moii.com | www.moii.com



Celebrating 30 years