

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT		1. Contract Number DCTO-2008-B-0168	Page of Pages 1 8	
2. Amendment/Modification Number M0001	3. Effective Date 5/22/2008	4. Requisition/Purchase Request No.	5. Solicitation Caption Mounting Components & Accessories	
6. Issued By: Office of Contracting and Procurement Information Technology Unit 441 4th Street, NW, Suite 930 South Washington, DC 20001		7. Administered By (If other than line 6)		
8. Name and Address of Contractor (No. Street, city, country, state and ZIP Code)		(X)	9A. Amendment of Solicitation No. DCTO-2008-R-0168	
			9B. Dated (See Item 11) 5/16/2008	
			10A. Modification of Contract/Order No.	
			10B. Dated (See Item 13)	
Code	Facility			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended. <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or fax which includes a reference to the solicitation and amendment number. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or fax, provided each letter or telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. Accounting and Appropriation Data (If Required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14				
(X)	A. This change order is issued pursuant to: (Specify Authority) The changes set forth in Item 14 are made in the contract/order no. in item 10A.			
	B. The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation date, etc.) set forth in item 14, pursuant to the authority of 27 DCMR, Chapter 36, Section 3601.2.			
	C. This supplemental agreement is entered into pursuant to authority of:			
X	D. Other (Specify type of modification and authority)			
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>5</u> copies to the issuing office.				
14. Description of amendment/modification (Organized by UCF Section headings, including solicitation/contract subject matter where feasible.) Modification is being issued to complete the quantities of items requested to be priced in Section B. Specifically items 0015 thru 0032. All Terms and Conditions remain the same.				
Except as provided herein, all terms and conditions of the document referenced in Item (9A or 10A) remain unchanged and in full force and effect				
15A. Name and Title of Signer (Type or print)		16A. Name of Contracting Officer Annie R. Watkins		
15B. Name of Contractor	15C. Date Signed	16B. District of Columbia	16C. Date Signed 5/22/2008	
(Signature of person authorized to sign)		(Signature of Contracting Officer)		

SECTION B

SUPPLIES OR SERVICES AND PRICE

B.1 The Government of the District of Columbia, Office of Contracting and Procurement, on behalf of the Office of Unified Communications, (the District) is seeking a contractor to laptop computers and accessories.

B.2 The District contemplates award of a fixed unit price contract.

B.3 BASE YEAR

(CLIN)	Item Description	Estimated Quantity	Unit Price	Total Estimated Price
0001	Docking Station for CF19 with the following ports (1) PS2, (1) VGA, (1) Speaker, (1) Microphone, (4) Fully powered USB 2.0, (1) RJ45 Ethernet, Noise Filtering, EMI Filtering and High Gain Dual Pass Through Antenna Mfg _____ Mfg Model # _____	233		\$ _____
0002	External power supply and cable for Panasonic CF19 CF30 Toughbook or equal Mfg _____ Mfg Model # _____	233		
0003	Designed to mount to a CF18X TuffDock to aid in cable management and strain relief – Ideal application for systems utilizing multiple peripherals or equal Mfg _____ Mfg Model # _____	233		
(CLIN)	Item Description	Estimated Quantity	Unit Price	Total Estimated Price
0004	This kit is designed to provide tamper protection and harddrive theft prevention - made of strong steel and utilizing tamper-proof screws - keeping the laptop safe Mfg _____ Mfg Model # _____	233		
0005	Panasonic CF30/29/28 compatible docking station including: three fully powered USB 2.0 - two DB9 Serial port - speaker/mic jacks - Internal Power Supply (12-16V) - hi-gain dual antenna pass-through - Includes keys and mounting hardware or equal	15		

	Mfg _____ MFg Model # _____			
0006	Self-contained unit that provides circuit protection for a vehicle's power system and is regulated on a programmable timer Mfg _____ MFg Model # _____	248		
0007	Passenger side mounting package for Ford Crown Victoria ('95-'08) - Includes Sidewinder (SW.CV) - Cobra Swing Arm (CSA) - Tilt Lazy Susan Mount (TLSM) - 5 Inch Tube (TUB5) - No drilling required Mfg _____ MFg Model # _____	35		
0008	Passenger side mounting package for Chevrolet Suburban - Tahoe - Silverado ('00-'07) Sierra - Yukon ('00-'08) - GMC Denali ('06) - Includes Sidewinder (SW.GMT) - Cobra Swing Arm (CSA) - Lazy Susan (LS) - 10 Inch Tube (TUB10) - No drilling require Mfg _____ MFg Model # _____	12		
0009	Passenger side mounting package for Chevrolet Impala ('00-'07) - Includes Sidewinder (SW.I) - Cobra Swing Arm (CSA) - Tilt Lazy Susan Mount (TLSM) - 8 Inch Tube (TUB8) - No drilling required Mfg _____ MFg Model # _____	4		
0010	Mounting pedestal adjustable from 16 Inches to 26 Inches - Designed with four gusseted legs to minimize solution vibration - Flanged gussets have slots which will accept either 5/16 bolts (supplied in hardware kit) or 3/8 bolts. Mounting slots on the flange allows for a 9-11 Inch diameter circular mounting hole pattern - Fits any LEDCO base plate - Includes mounting Mfg _____ MFg Model # _____	2		

(CLIN)	Item Description	Estimated Quantity	Unit Price	Total Estimated Price
0011	Mounting pedestal adjustable from 10.5 inches to 15.4 inches - Fits any LEDCO base plate - Includes mounting hardware Mfg _____ MFg Model # _____	78		
0012	Universal adapter base used for mounting LEDCO tubes to flat surfaces - Includes mounting hardware - Drilling required Mfg _____ MFg Model # _____	78		
0013	Backing plate for support typically used with a Universal Flat Base (UFB) Mfg _____ MFg Model # _____	78		
0014	Easily fits below a dock, tray or motion device (for increased range of motion). Also fits on top of any mounting tube - exceptional for applications where cost efficiency is required without sacrificing motion - Automatic self tensioning. Never requires user torquing - Heavy-gauge steel for rugged durability - 120° horizontal rotation provides notebook access to driver and passenger - Provides 5" of offset from the base Mfg _____ MFg Model # _____	93		
0015	Motion device mounted below a dock or tray that offers horizontal axis rotation of 90 degrees and slides up to 3.3 inches - Complete with a handle to lock down position - Includes mounting hardware Mfg _____ MFg Model # _____	80		

(CLIN)	Item Description	Estimated Quantity	Unit Price	Total Estimated Price
0016	<p>Works by either mounting to a tilted surface to create a level mounting surface, or by mounting to a flat surface to create a fixed tilted plane – Tilt angles range from 5 degrees to 45 degrees in fixed increments of 5 degrees - Ideal for large vehicles with angled planes where mounting needs to be placed - Includes pinch plate for securing the AMB to thin walled structures and mounting hardware</p> <p>Mfg _____ MFg Model # _____</p>	72		
0017	<p>Motion device mounted below a dock or tray that offers horizontal axis rotation of 180 degrees and tilts up to a 90 degree vertical axis - Complete with a handle to lock down position - Includes mounting hardware</p> <p>Mfg _____ MFg Model # _____</p>	183		
0018	<p>Universal adapter base for mounting LEDCO motion devices to a flat surface - Includes mounting hardware and backing plate for additional stability</p> <p>Mfg _____ MFg Model # _____</p>	25		
0019	<p>Bulkhead mount designed to work with LEDCO's full line of motion devices. Effectively combines a FAM.S, TUB5, and MC5 into one super-rugged unit. Allows 360 degree rotation and 6.5" of height adjustability. Made of high quality powder-coated steel</p> <p>Mfg _____ MFg Model # _____</p>	6		
0020	<p>Stiffener kit for tubes taller than 8 inches that utilizes a tube cylinder attachment to offer additional stability - Includes mounting hardware</p> <p>Mfg _____ MFg Model # _____</p>	110		
0021	<p>Motion device mounted below a dock or tray that offers horizontal axis rotation of 90 degrees and slides up to 3.3 inches - Complete with a handle to lock down position – Includes</p> <p>Mfg _____ MFg Model # _____</p>	8		

(CLIN)	Item Description	Estimated Quantity	Unit Price	Total Estimated Price
0022	Motion device mounted below a dock or tray that offers horizontal axis rotation of 180 degrees and tilts up to a 90 degree vertical axis - Complete with a handle to lock down position - Includes mounting hardware Mfg _____ MFg Model # _____	8		\$ _____
0023	Passenger side mounting system for Ford Expedition ('97-'07) - Ford Expedition XLT ('08) - Ford F150 ('97-'03) and Ford F250 Light Duty ('97-'04) - Includes angle tube and offset adapter plate - No drilling required Mfg _____ MFg Model # _____	8		
0024	Mounting pedestal adjustable from 10.5 inches to 15.4 inches - Fits any LEDCO base plate - Includes mounting hardware Mfg _____ MFg Model # _____	8		
0025	Motion device mounted below a dock or tray that offers horizontal axis rotation of 90 degrees and slides up to 3.3 inches - Complete with a handle to lock down position - Includes mounting hardware Mfg _____ MFg Model # _____	5		
0026	Motion device mounted below a dock or tray that offers horizontal axis rotation of 180 degrees and tilts up to a 90 degree vertical axis - Complete with a handle to lock down position - Includes mounting hardware Mfg _____ MFg Model # _____	5		
0027	Passenger side mounting system for Ford F250 - F350 - F650 ('99-'07) - Ford F450 - F550 - F750 ('99-'08) Ford Excursion ('00-'05) - Includes angle tube and offset adapter plate - No drilling required Mfg _____ MFg Model # _____	5		

(CLIN)	Item Description	Estimated Quantity	Unit Price	Total Estimated Price
0028	Mounting pedestal adjustable from 10.5 inches to 15.4 inches - Fits any LEDCO base plate - Includes mounting hardware Mfg _____ MFg Model # _____	5		
0029	Motion device mounted below a dock or tray that offers horizontal axis rotation of 90 degrees and slides up to 3.3 inches - Complete with a handle to lock down position - Includes mounting hardware Mfg _____ MFg Model # _____	1		
0030	Motion device mounted below a dock or tray that offers horizontal axis rotation of 180 degrees and tilts up to a 90 degree vertical axis - Complete with a handle to lock down position - Includes mounting hardware Mfg _____ MFg Model # _____	1		
0031	Passenger side mounting system for Ford Explorer ('95-'01), Ford Explorer Sport Track ('06) and Ford Ranger ('99-'07) - Includes angle tube and offset adapter plate - No drilling required Mfg _____ MFg Model # _____	1		
0032	Mounting pedestal adjustable from 8.4 inches to 11.4 inches - Fits any LEDCO base plate - Includes mounting hardware Mfg _____ MFg Model # _____	1		
0033	TOTAL CONTRACT AMOUNT			