

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>			1. Contract Number	Page of Pages 1   1	
2. Amendment/Modification Number DCTO-2008-B-0170-001		3. Effective Date 13-Jun-08	4. Requisition/Purchase Request No.	5. Solicitation Caption CCTV Equipment	
6. Issued By: Office of Contracting and Procurement Office of the Chief Technology Officer 441 4th Street, NW, 9th Floor Washington, DC 20001			Code	7. Administered By (If other than line 6) Office of the Chief Technology Officer 441 4th Street, NW Suite 707 Washington, DC 20001	
8. Name and Address of Contractor (No. Street, city, country, state and ZIP Code)			9A. Amendment of Solicitation No. DCTO-2008-B-0170		
			X	9B. Dated (See Item 11) 5/22/2008	
			10A. Modification of Contract/Order No.		
			10B. Dated (See Item 13) 2/29/2008		
Code	Facility		11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS		
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended. <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or fax which includes a reference to the solicitation and amendment number. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or fax, provided each letter or telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. Accounting and Appropriation Data (If Required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14					
(X)	A. This change order is issued pursuant to: (Specify Authority) The changes set forth in Item 14 are made in the contract/order no. in item 10A.				
	B. The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation date, etc.) set forth in item 14, pursuant to the authority of 27 DCMR, Chapter 36, Section 3601.2.				
	C. This supplemental agreement is entered into pursuant to authority of:				
	D. Other (Specify type of modification and authority)				
<b>E. IMPORTANT:</b> Contractor <input checked="" type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. Description of amendment/modification (Organized by UCF Section headings, including solicitation/contract subject matter where feasible.)					
A. Amendment 001 contains questions and responses regarding Solicitation Number DCTO-2008-B-0170. Please refer to the attached spreadsheet of questions and answers.					
B. The solicitation closing date remains the same, Monday, June 23, 2008.					
Except as provided herein, all terms and conditions of the document referenced in Item (9A or 10A) remain unchanged and in full force and effect					
15A. Name and Title of Signer (Type or print)			16A. Name of Contracting Officer Annie R. Watkins		
15B. Name of Contractor		15C. Date Signed	16B. District of Columbia		16C. Date Signed 6/13/2008
(Signature of person authorized to sign)			(Signature of Contracting Officer)		

## ***DCTO-2008-B-0170 IFB QA v05 (5).xls***

<b>ID</b>	<b>Ref Section #</b>	<b>Vendor</b>	<b>Question</b>	<b>District's Response</b>
1		Total Recall	How can you quote an installation price? a. The RFI says to include mounts as well. You list (23) of them.	Under CLIN 0010, the vendor shall provide a cost estimate for all mounting hardware for each camera they are proposing. Under CLIN 0009 the vendor is requested to provide cost estimates for the different mounting scenarios. The vendor should concentrate on their strengths and experiences in developing their pricing scenarios.
2			b. Are they indoor or outdoor?	The vendor shall provide a cost estimates for foreseeable mounting scenarios. The District foresees cameras deployed in multiple environments to include rooftops, light poles, and multiple building scenarios.
3			c. How far is the wire run?	For CLIN 0009, the vendor shall provide a cost estimate on a per-foot basis tied to design templates each detailing the assumptions under which the cost was based.
4			d. Are they on a rooftop?	The District foresees cameras deployed in multiple environments to include rooftops, light poles, and multiple building scenarios.
5			e. Does the cable need to be placed in conduit?	Conduit is preferred. The vendor is requested to provide a cost estimate for two scenarios: with and without conduit.
6			f. How far is it from electric?	For CLIN 0009, the vendor shall provide a cost estimate on a per-foot basis tied to design templates each detailing the assumptions under which the cost was based.
7		Total Recall	Who is responsible to tie the new cameras into the existing network?	Each agency is responsible for the integration of new cameras into their current CCTV (agency based) network. However, the vendor shall ensure full operation and functionality of the camera and shall be responsible for working cooperatively with the District until the integration is complete.
8		Total Recall	Who is responsible to program the network switch & DVR or NVR?	The District will be responsible for the programming and configuring of all items not purchased with this solicitation.
9		Total Recall	Who is responsible for the cost and task of obtaining permits?	For CLIN 0008 & CLIN 0009, The vendor will be responsible for providing the necessary materials (e.g. drawings) for acquiring the permits. The District agencies will be responsible for acquiring and the paying for all necessary permits.

## **DCTO-2008-B-0170 IFB QA v05 (5).xls**

<b>ID</b>	<b>Ref Section #</b>	<b>Vendor</b>	<b>Question</b>	<b>District's Response</b>
10		Total Recall	If it's a new installation, then who is responsible for all of the infrastructure cabling required?	For CLIN 0008 & CLIN 0009, the vendor is responsible for all cabling if necessary for the installation. The vendor shall provide a cost estimate on a per-foot basis tied to design templates each detailing the assumptions under which the cost was based.
11		Total Recall	If it's a camera replacement who is responsible for new cabling? *Note: Old analog cameras used coax, while new network cameras use CAT5, therefore you can't simply swap out old for new.	For CLIN 0008 & CLIN 0009, the vendor is responsible for all cabling if necessary. The vendor shall provide a cost estimate on a per-foot basis tied to design templates each detailing the assumptions under which the cost was based.
12		Total Recall	Old coax runs could be up to 1000'. New CAT5 requirements are a maximum of 300' as per IEEE standards. This is a whole different topology Who will manage this process and ensure that proper compliance is maintained?	This solicitation is intended for new IP camera installations, (CLIN 0009), therefore new cabling should be assumed. If distance limitations are encountered, then, the issue will be resolved cooperatively. The vendor shall propose hardware solutions for these cases for approval by the COTR.
13		Total Recall	If you indicate that any of all this falls on the vendor, where should we add this into our price?	The District will reference the CLIN in each response as appropriate.
14			Will this bid be awarded as a line item bid or as a single bid in its entirety?	See Solicitation Section L.18 "Aggregate Group."
15			For this procurement, is it acceptable to provide pricing for services based on commercial FAR part 12 terms?	No. Shall comply with District Terms and Conditions
16		Unilux Ltd	As I read through the Scope of Work I noticed that categories 8 and 9 are for "Optional Maintenance" and "Optional Installation." Are these line items optional for bidding?	The District has the option to award on a CLIN-by-CLIN basis however has the preference to minimize the number of awarded vendors. Vendors are requested to bid on all items. A "No" responses will effect the vendor's evaluation for that CLIN item.
17		Unilux Ltd	The Pelco DX4608 DVD-500 does not support some of these cameras.	CLIN 0012 is for a comparable DVR. The vendor/supplier should propose a comparable model the features of the Pelco DX4608 DVD 500 (ex. video compression, IP capabilities, CPU, etc.).
18			The entire system specifies IP cameras but then adds DVRs which are not compatible in will not allow for multiple site or system integration.	CLIN 0012 is for a comparable DVR. The vendor/supplier should propose a comparable model the features of the Pelco DX4608 DVD 500 (ex. video compression, IP capabilities, CPU, etc.). The DVR selected was to satisfy our legacy systems.

## ***DCTO-2008-B-0170 IFB QA v05 (5).xls***

<b>ID</b>	<b>Ref Section #</b>	<b>Vendor</b>	<b>Question</b>	<b>District's Response</b>
19			In addition, the JVC camera that was specified is being discontinued and total stock of these cameras is well below 500 total. In the bid the request calls for 1500 pieces. There are no alternative cameras that match specifications exactly.	The intent of CLIN 0005 was to offer a bridge device between legacy infrastructure and new IP capabilities. An alternative to the JVC camera can be recommended as long as the camera specified meets or exceeds the specified requirements. The District is open to review your alternatives.
20			We have done City, State, and Country wide implementations and there are alternatives that should be added to the bid in order to ensure you receive a system that will be more appropriate for your application.	No. The vendor is suggested to stay within the scope of this solicitation.
21			In the base period of the contract, the SOW lists a combined total of 6000 camera units from categories 1, 2 and 3. There is an optional pricing requirement in CLIN 0009 for that same base period which asks for pricing for installation of 3000 camera units. What is the reason for the difference in quantities?	The "estimate quantities" were based upon potential maximums of each, not cumulative totals. The vendors are to provide quantity discounted pricing as requested.
22	CLIN 0009		What categories of cameras will require pricing for installation services?	The vendor shall provide pricing for categories 1, 2, & 3, as requested in CLIN 0009.
23	CLIN 0009		What is the breakdown by category for installation?	Categories 1, 2, & 3, as requested in CLIN 0009.
24	CLIN 0009		Can the pricing for CLIN 0009 be broken down by camera category?	Categories 1, 2, & 3, as requested in CLIN 0009.
25			Will all camera take place in government controlled facilities?	A majority of the cameras will be deployed on various District properties (e.g. public schools, District facilities, District leased properties, roads, bridges, and other outdoor facilities such as District Park and Recreation properties, etc.)
26	CLIN 0010		CLIN 0010 optional mounting hardware lists 23 different mounting scenarios. Does the government want one price for each mounting scenario or one price for all mounting scenarios?	The District would like pricing for all mounting hardware listed in CLIN 0010 as requested. The vendor shall provide a cost estimate for various mounting scenarios under CLIN 0009 based upon the vendor's experience and expertise.
27			Are you going to have a vendor conference?	No.
28	Section M.1		Can you verify that this procurement is set aside for small business?	Please see block #6 of page 1 of this solicitation.
29			I am writing in regards to Bid DCTO-2008-B-0170-CCTV equipment. CLIN 0007 is no longer manufactured.	An alternative to the item can be recommended as long as the item specified meets or exceeds the specified requirements. The District is open to review your alternatives.

***DCTO-2008-B-0170 IFB QA v05 (5).xls***

ID	Ref Section #	Vendor	Question	District's Response
30			Will this job be bonded?	No.
31			Can you please clarify what B.1.2 means ("An SBE must be certified as small in the procurement category of "Goods and Equipment and General Service in order to be eligible to submit a bit in response to this solicitation").	That is correct.
32			Are there specific NIGP codes for this bid?	NIGP codes do not apply
33		Firetide	(a) the network infrastructure is already present	The District will be responsible for providing the network infrastructure, except the cabling requirements that may be necessary CLIN 0008 & CLIN 0009.
34		Firetide	(b) if not, would you be considering wireless network infrastructure equipment as a part of the bid	Wireless network infrastructure is out scope for solicitation.
35		Firetide	(c) is there a separate bid proposal for the network infrastructure.	No.
36		ESI	Is this project set-aside specifically for a DC Small Business Contractor	Please refer to Section B.1.1
37		ESI	The equipment listed for CCTV Equipment does not include power supplies for the cameras Do I need to include this equipment in the quote?	Yes. Vendor shall include all ancillary equipment necessary for the basic operation of the camera.
38	C.2.3.12	ESI	CLIN 0012 - Optional Digital Video Recorder - Pelco DX4608DVD-500 Technical Specification do not match the described capabilities in this section. The Digital Recorder Model is listed for a 16 channels and only contains up to 240 images per second recording rate. Which digital recorder is need for this solicitation?	CLIN 0012 is for a comparable DVR. The vendor/supplier should propose a comparable model the features of the Pelco DX4608 DVD 500 (ex. video compression, IP capabilities, CPU, etc.). The DVR selected was to satisfy our legacy systems.
39	CLIN0012		Is the optional Pelco DVR the storage device for the Axis and Sony Cameras or should we recommend an NVR solution?	The vendor shall recommend the most suitable storage device for the proposed cameras; if possible provide options.
40	CLIN0009		What are the power, cabling, and miscellaneous requirements per site that impact the installation costs?	For CLIN 0008 & CLIN 0009, the vendor shall provide a cost estimates for foreseeable power, cabling and miscellaneous needs. The District foresees cameras deployed in multiple environments to include rooftops, light poles, and multiple building scenarios.

## **DCTO-2008-B-0170 IFB QA v05 (5).xls**

<b>ID</b>	<b>Ref Section #</b>	<b>Vendor</b>	<b>Question</b>	<b>District's Response</b>
41			RFP states contractor will be responsible for the battery back for all equipment provided, there is no line item for UPS or battery back systems. Engineering for these types of system cannot be performed with out additional details as to what type load they are to support. This would also determine the amount of time the units would be in operation without commercial power.	The Installation and Purchase of battery back up systems are not a part of this solicitation. Spares necessary for the ongoing maintenance of the system will be provided by the District.
42			The RFP stated items may be installed outside on building / poles there are not provision for conduit or other raceways to support and or protect cabling from elements.	The vendor shall provide a cost estimates for mounting hardware and mounting scenarios. Cabling cost should be provided on a per-foot basis.
43			If all items are expected to be IP based there is no mention of the assignment of neither static IP address nor the topology to support the video connectivity / throughput.	All devices will require static IP addresses. The District will manage all IP address assignments. The vendor is required to coordinate the connectivity with District personnel.
44			There is no mention of overall architecture for monitoring and or storing data/ images.	This is out of the scope of this solicitation.
45			There is no mention of floor plans to be provided for documentation of services to be performed and for the contractor to configure AS-Built- Drawings.	The vendor shall provide as-built drawing for all installations. The vendor is required provide a cost breakdown for this item. The District will provide existing drawings where possible.
46			Office of local business development uses the term CBE Certified Business Enterprise which covers local small, local small disadvantaged, hubzone etc...	Refer to your individual CBE Certification Letter issued by the Department of Small and Local/Business Development.
47			SBE means to me Small Business Enterprise. However I cannot find any SBE's with the code listed on the solicitation. How many exist in the dc database?	There are no individual NIGP codes listed in the IFB. Please contact the Department of Small and Local Development regarding their database.
48			When I searched the CBE database no CBE's came up with that code?	What code? There are no NIGP codes listed in the IFB.
49			Do SBE's need to be certified to do business with DC government?	Yes.