

QUOTES MUST BE ON **THIS** DOCUMENT

REQUEST FOR QUOTATIONS <i>(THIS IS NOT AN ORDER)</i>	The Notice of Small Business Purchase Set-Aside on the reverse of this form <input type="checkbox"/> is <input checked="" type="checkbox"/> is not applicable.	PAGE OF PAGES 1 8
--	---	------------------------

1. REQUEST NO. RQ 696593	2. DATE ISSUED 07/26/10	3. REQUEST/PURCHASE REQUEST NO.	4. COMMODITY GROUP AND CLASS	RATING
-----------------------------	----------------------------	---------------------------------	------------------------------	--------

5A. ISSUED BY Office of Contracting & Procurement 441 4 th St. NW 700S Washington DC 20001	6. DELIVER BY (Date)
--	----------------------

5B. FOR INFORMATION CALL: (Name and telephone no.) (No collect calls) Antwanette Murphy, Contract Specialist Phone (202) 727-5829 Fax (202) 727-8843	7. DELIVERY FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)
--	--

8. TO: NAME AND ADDRESS, INCLUDING ZIP CODE ALL PROSPECTIVE BIDDERS	9. DESTINATION (Consignee and address, including ZIP code) Department of Parks and Recreation Gary Drew/Louis Hall 1480 Girard Street NW 2 nd Floor Washington, DC 20009
---	---

8a. Vendor Tax ID # 8b. Dun and Bradstreet#	
--	--

10. PLEASE FURNISH QUOTATIONS TO ISSUING OFFICE ON OR BEFORE: August 2, 2010 by 4 PM	11. BUSINESS CLASSIFICATION (Check appropriate boxes) <input type="checkbox"/> SMALL <input type="checkbox"/> LOCAL <input type="checkbox"/> DISADVANTAGED <input type="checkbox"/> RESIDENT-OWNED
---	---

IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contracts for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.

12. SCHEDULE (Include applicable Federal, State and local taxes)

ITEM NO. (a)	SUPPLIES/SERVICES (b)	QUANTITY (c)	UNIT (d)	UNIT PRICE (e)	AMOUNT (f)
1	Manufacturer #: GYHD250STL16 GY-HD250 STUDIO PACKAGE with 16X LENS Includes " GY-HD250U (Th16x5.5BRMU Fuji Lens, Viewfinder, Mic Holder, Microphone, SD Memory Card, KA-551U Tripod Adapter) " KA-HD250 Camera Studio Adapter " VF-HP840U LCD HD Studio Viewfinder " HZ-FM500 Focus Control " HZ-ZS13U Rear Zoom Control " RM-HP250AU Camera Control Unit	2	Each	\$ _____	\$ _____
2	Manufacturer#:GY-HD250U 3-CCD ProHD CAMCORDER w/ 16:1 FUJINON LENS. Features: " Compact shoulder form factor " Bayonet mount interchangeable lenses " Native 1280x720 progressive CCD's (x3) " HDV 24p, 25p, 30p, 50p and 60p recording " 60p live output (analog, 4:2:2) " Focus assist " 14-bit A/D (better highlight, shadow, & color gradations) " New DSP (improves picture accuracy) " Wide band analog front end (lower noise, better lowlight, sharper image) " High speed Super Encoder (enables 50p/60p recording) " New cross converter outputs 1080i from live or recorded HDV " Image inversion (HV flip) for prime lenses " White shading adjustment to compensate for differing lens characteristics " Pro Anton/Bauer battery mount (basic battery &adapter not included)	1	Each	\$ _____	\$ _____

	<p>" 6-pin remote control connector</p> <p>" Genlock</p> <p>" Time code input/output</p> <p>" HD/SD-SDI output with embedded audio & TC, Varicam flags (HD mode only)</p> <p>" HD-SDI output of 1080i from built-in cross converter</p> <p>" Composite Video input (for SD pool feed)</p> <p>" Studio capability with optional multicore adapter</p> <p>" Tripod plate and mount included</p>				
3	<p>Manufacturer #: AB-DIONIC-T2</p> <p>CHARGER/ POWER SUPPLY, 2 DIONIC 90, 1 XXL Cable</p> <p>" Anton Bauer Battery System with Power Supply</p> <p>" The Dionic 90, matched with the GY-HD100, provides in excess of 5 hours runtime, helps counter balance the full size lens and is an ideal battery to start your Anton/Bauer battery system.</p>	1	Each	\$ _____	\$ _____
4	<p>Manufacturer #: 1686</p> <p>MILLER 1686 SYSTEM ARROW 40 WITH MID-LEVEL SPREADER- 2 STAGE</p> <p>Features:</p> <p>" Ultra rigid, ultra fast Sprinter II 2-stage alloy tripod</p> <p>" Mid Spreader with adjustable centre hub</p> <p>" Inline carry handles</p> <p>" Arrow40 7-Position selectable Pan and Tilt head</p> <p>" 4-position rear-mount Counterbalance</p> <p>" Illuminated rear controls</p> <p>" Material: Aluminum</p> <p>" Construction: 2-Stage</p> <p>" Maximum Height: 1692 mm (66.6 in)</p> <p>" Minimum Height: 602 mm (23.7 in)</p>	1	Each	\$ _____	\$ _____
5	<p>Manufacturer #: 1681</p> <p>MILLER 1681 SYSTEM ARROW 40 TRIPOD WITH MID-LEVEL SPREADER- SINGLE STAGE</p> <p>" Mid Spreader with adjustable centre hub</p> <p>" Inline carry handles</p> <p>" Arrow40 7-Position selectable Pan and Tilt head</p> <p>" 4-position rear-mount Counterbalance</p> <p>" Illuminated rear controls</p> <p>" Material: Aluminum</p> <p>" Construction: Single Stage</p> <p>" Maximum Height: 1692 mm (66.6 in)</p> <p>" Minimum Height: 602 mm (23.7 in)</p>	1	Each	\$ _____	\$ _____
6	<p>Manufacturer #: TRICASTER-XD300</p> <p>NEWTEK TRICASTER-XD300 Live All-In-One HD Video Production System</p> <p>" The TriCaster TCXD300 is a high definition, network-quality portable live production solution. In one small box you gain multi-channel HD switching, HD network-style virtual sets, HD titling, HD digital disk recording, audio mixing, HD editing, full HD streaming and more.</p> <p>" The TriCaster" TCXD300 represents the state-of-the-art in portable live production systems with the highest quality 32-bit floating point, 4:4:4:4 video processing. TriCaster TCXD300 accepts high definition video in both 1080i and 720p along with SDI, Y/C, component and composite.</p>	1	Each	\$ _____	\$ _____
7	<p>Manufacturer #: TRICASTER-LIVETEXT</p> <p>NEWTEK TRICASTER-LIVETEXT</p> <p>LiveText communicates directly with the TriCaster or VT[5] during a live production or web stream and provides scrolls, crawls and still pages. With LiveText, a separate graphics operator can ensure the correct title is ready for display at all times and</p>	1	Each	\$ _____	\$ _____

	<p>title updates can be incorporated on the fly. Further, LiveText allows you to streamline pre-production by creating titles and graphics on your laptop off-site or on the way to the location.</p> <p>Features:</p> <ul style="list-style-type: none"> " Build graphic pages enroute to location " Improve production quality and accuracy " Dedicated graphics operation, just like TV stations " Easily manage last-minute speaker changes " Keyboard shortcuts to send to Live Out " Keyboard shortcuts to play, pause and stop " Create live titles on a Windows laptop " Control TriCaster on-air titles from remote station " Easy creation of still, scroll and crawl pages " Save one page or the entire project " Use any installed TrueType" font " font Pages saved as 32-bit image for transparency " Instantly save or recall text styles " Create graphic objects (boxes, circles, splines) " Powerful vector-based drawing tools 				
8	<p>Manufacturer #: TRICASTER-LC11 NEWTEK LC11 LIVE CONTROL</p> <p>NewTek's LiveControl" is an optional TriCaster PRO, STUDIO, BROADCAST and VT[5] switching control surface for portable live production and virtual set systems that provides touch control of each input for more compelling productions with tighter pacing. LiveControl can be used in tandem with NewTek's other new LiveText" and TimeWarp" accessories to more efficiently integrate titling, replay and slow motion into your live productions.</p> <p>Features:</p> <ul style="list-style-type: none"> " Tactile control of all inputs aids technical directors " Director maintains better focus on show " Improved accuracy for fast-paced productions <p>Specifications:</p> <ul style="list-style-type: none"> " High quality, hermetically-sealed magnetic-reed switches " High quality, Panasonic rotary encoders <ul style="list-style-type: none"> o Speed control o Effects selection o CG page selection " 8-bit stepping for 256 discrete transition levels on T-bar " USB 1.1 or 2.0 compatible connection 	1	Each	\$ _____	\$ _____
9	<p>Manufacturer #: MS-702 CLEARCOM MS-702 ENCORE 2 CHANNEL HEADSET/SPEAKER MAIN STATION- Compact, feature-laden, single rack-space intercom main stations or 12 headset stations on two channels.</p> <p>Other features include:</p> <ul style="list-style-type: none"> " Channel A B linking " Program input with individual channel level controls " Remote mic kill switch " External relay circuit 	1	Each	\$ _____	\$ _____
10	<p>Manufacturer #: CC-260-XX CLEARCOM CC260 DOUBLE EAR STANDARD HEADSET</p> <p>The CC-260 is a double ear enclosed durable and professional headset that offers full range audio response and great comfort. The CC-260 includes an enclosed ear design with leatherette cushion to reduce background noise and provide excellent acoustic isolation. The boom microphone is equipped with a noise cancelling mic element and 270 degree rotation for left or right side use.</p>	2	Each	\$ _____	\$ _____
11	<p>Manufacturer #: CC-95-XX CLEARCOM CC95 SINGLE EAR STANDARD HEADSET</p> <p>The CC-95 is a single-ear enclosed headset that</p>	1	Each	\$ _____	\$ _____

	offers the same full range audio response, acoustic isolation, comfort and durability as the CC-260. The 270 degrees boom rotation offers the user the option of left or right ear operation.				
12	<p>Manufacturer #: 259535 MATTHEWS FULL APPLE BOX - 12" x 8" x 20" Apple Boxes are some of the handiest tools to have on the set or in the studio. Use them for propping or leveling, sitting or standing. Nail Wall Plates to them to hold low angle lighting fixtures and multiple other purposes. They are precisely made, supported in the center, and dimensionally correct.</p>	4	Each	\$ _____	\$ _____
13	<p>Manufacturer #: 259536 MATTHEWS HALF APPLE BOX - 12" x 4" x 20" Apple Boxes are some of the handiest tools to have on the set or in the studio. Use them for propping or leveling, sitting or standing. Nail Wall Plates to them to hold low angle lighting fixtures and multiple other purposes. They are precisely made, supported in the center, and dimensionally correct.</p>	4	Each	\$ _____	\$ _____
14	<p>Manufacturer #: CM-20 LOWEL SCISSOR MOUNT Attaches small lights and accessories to grid of dropped-ceilings in offices and other areas. (Set of 2).</p>	10	Set	\$ _____	\$ _____
15	<p>Manufacturer #: ES-380U ESE UP/DOWN TIMER Features: " 1" Yellow LED Display " 100 Minute Up / Down count range (00:00 - 99:59) " Up, Down, Stop, Min-Set, Sec-Set & Reset Inputs " The ES-380U is a 100 Minute Up / Down Timer in a desk-top case. Up, Down, Stop, Minute-Set, Second-Set and Reset control inputs are accessible on the rear connector.</p>	1	Each	\$ _____	\$ _____
16	<p>Manufacturer #: 395100 MATTHEWS DOORWAY DOLLY Quick change pneumatic wheels are standard equipment. Combination Track/Stage Wheels allow for running on hard surfaces. The platform is fitted with a recessed camera Tie down and is carpeted for a nonslip, low maintenance surface. The Doorway Dolly will move through a full range of with either the Push Bar or Pull Bar. Ground clearance is 9" or 3" when inverted. The removable side boards add an extra 10" per side for increased platform width. The wheelbase is 28-1/4" wide and the platform length is 51". Weight Capacity 800Lbs. (363kg).</p>	1	Each	\$ _____	\$ _____
17	<p>Manufacturer #: HVR-M25AU SONY DIGITAL HD VIDEO RECORDER, NEW ENHANCED VERSION The HDV HVR-M25AU, digital HD videocassette recorder, is the enhanced successor model to the HVR-M25U. This new VTR features HDV native progressive format capability, providing a stunning 1080p image at 24, 25 or 30 frames per second. It is compatible with standard and mini cassettes, providing extended recording times up to 276 minutes. The HVR-M25AU is optimized for use with nonlinear editing systems due to its highly compact size and ease of operation.</p>	1	Each	\$ _____	\$ _____
18	<p>Manufacturer #: LP2475W HP LP2475w - 24" - WIDESCREEN TFT ACTIVE MATRIX LCD DISPLAY w/ USB HUB- The super-sized HP LP2475w 24-inch Widescreen LCD Monitor offers premier performance and connectivity features in an elegant 24-inch diagonal wide-aspect screen engineered for power users,</p>	2	Each	\$ _____	\$ _____

	designers and workstation users who appreciate expansive widescreen presentation of their graphics, video, and data projects. PC, Silver, carbonite, 1920 x 1200 / 60 Hz, 0.27 mm, 400 cd/m2, 3 year warranty				
19	<p>Manufacturer #: M-8DX FURMAN M-8DX POWER CONDITIONER WITH LIGHTS AND METER- The Furman Merit Series M-8DX Power Conditioner is the perfect low-cost AC power solution for any rack mount audio system. The M8-DX has 8 switched AC outlets in the rear panel power to protect all your equipment from power surges with up to a 15-amp load. Features: Filtration of noise from radio frequencies and electromagnetic interference Standard level of surge suppression Digital LED voltmeter to display incoming line voltage Dual pullout rack lights with dimmer control 8 rear panel outlets Sturdy one rack space design 15-amp capacity with circuit breaker</p>	1	Each	\$ _____	\$ _____
20	<p>Manufacturer #: D3LK MIDDLE ATLANTIC 3 SPACE RACK DRAWER WITH LOCK (Black Brushed)- The D3LK 3-Space Rack Drawer with Lock (Black Brushed) is part of the Middle Atlantic line of modular rack systems. This three-space drawer is fully enclosed with inside dimensions measuring 15.9" wide by 14.5" deep and features spring-loaded latches and rugged, straightforward construction with full extension ball bearing slides. Face plates are also available in silver brushed and anodized, and anodized or textured black powder coat finish.</p>	1	Each	\$ _____	\$ _____
21	<p>Manufacturer #: 756040 MATTHEWS HOLLYWOOD CENTURY C STAND GRIP ARM KIT - 10.5' (3.2m)- " 40" Double Riser "C" Stand " Sliding Leg " 40" Arm with Griphead</p>	1	Each	\$ _____	\$ _____
22	<p>Manufacturer #: 10994 CREEPER BUTT DOLLY- The Creeper Butt-Dolly is a must-have for low-angle, dynamic, hand-held camera movement on a variety of smooth or semi-smooth surfaces. New, super-quiet casters and wheels provide ultra-smooth direction changes and fast, effortless moves.</p> <p>Use this lightweight camera dolly as an "over-keeper", or to move aggressively at lower angles. The clear base allows the assistant to see his focus marks, while the ultra-comfortable seat can be adjusted to variable heights up to 30", using any of the 5 quickly adjustable risers included. The seat also functions as a cradle to accommodate ultra-low, "dog pov" angles, or remove the seat assembly for an operating height of 4". Base diameter is 18".</p> <p>The Creeper Butt-Dolly Includes: (1) 5" tall 5-Wheel Platform (5) 3" diameter wheels (1) 4" thick Padded Comfort Seat (2) 9" seat-riser poles (2) 12" seat-riser poles (2) 15" seat-riser poles (2) 18" seat-riser poles (2) 21" seat-riser poles</p>	1	Each	\$ _____	\$ _____
23	<p>Manufacturer #: 10994 FILMTOOLS SLATE & POUCH KIT- The</p>	1	Each	\$ _____	\$ _____

	Filmtools Slate & Pouch Kit comes with the Filmtools 1000D nylon Camera Slate Pouch, specially made by Lindcraft. Manufactured for a snug fit, and secured with a hook and loop trimmed flap. Used by leading camera assistants worldwide. Water resistant.				
24	Manufacturer #: MSCCPP COLOR CHECKER PASSPORT " Creative Enhancement Target " Classic Target " White Balance Target " Protective Pocket-Sized Case " Camera Calibration Software " Accurate Consistent Color	1	Each	\$ _____	\$ _____
25	Manufacturer #: DV-901LBZ LOWEL DV CREATOR 1 Kit, LB-30 CASE- " 1450 Total Watts " Pro-, Omni-, Tota-lights with 120V Bulbs " Umbrellas, Barndoors, Flag " Gel Frame with Gels " Stands, Soft Case " 120-240VAC/12-30VDC	1	Each	\$ _____	\$ _____
26	Manufacturer #: GBDT625 General Brand Duvetyne Tape, Black - 6" x 25 Yards- is a black polyester felt tape which is used for joining and temporarily repairing duvetyne fabric, curtains and cloth drapes in backdrops. It features one fuzzy side and the other has adhesive.	1	Each	\$ _____	\$ _____
27	Manufacturer #: 851057055050 Pro Tape Black Opaque Duvetyne Backdrop Tape. Polyester w/ Acrylic adhesive; 2" x 55'- Duvetyne Adhesive Tape is used for joining Duvetyne fabric. Hides all seams being photographed.	1	Each	\$ _____	\$ _____
28	Manufacturer #: t11030-780c Director's Chair Contemporary Folding Chair 30 Inch Bar Height (Gold Metal)- Self Contouring Seats: (15 x 19 1/2); 14 oz. Cotton Canvas Covers - Load Tested 400 lbs	2	Each	\$ _____	\$ _____
29	Manufacturer #: PP132 Great American Blackwrap -36"x 25' - GAM Blackwrap is often used as Flags, in Conjunction with Barndoors or other Configurations. Ideal for Masking Light Leaks and/or Eliminating Unwanted Reflections.	1	Each	\$ _____	\$ _____
30	Manufacturer #: PP132 Jerry Day Productions DVD-Video: Light Like A Pro - Powerhouse 3 (Lighting Tutorial) by Jerry Day- Light Like a Pro - is packed with valuable content to give early-career lighting technicians fast but complete training in theories, techniques and styles of lighting. These tutorials use locations, studio setups, 3D graphics, live talent and standard lighting equipment to make the demonstrations clear and comprehensible. " A crash course in the principles of lighting that are not easy to pick up intuitively " The topics in Light Like a Pro - Powerhouse 3-Pack were developed through research of the most useful and requested topics for early-career lighting technicians, videographers, filmmakers and photographers " Learn how to give your images the snap, sizzle and dreaminess of the pros. Vivid demonstrations, great visuals and down-to-earth explanations of key methods demystify the art and craft of lighting for all media	1	Each	\$ _____	\$ _____
31	Manufacturer #: ILDVD Vortex Media DVD Video: How to Setup, Light and Shoot Great Looking Interviews by Doug Jensen- How to Setup, Light, & Shoot Great Looking	1	Each	\$ _____	\$ _____

	Interviews is a hands-on, practical guide for television and video cameramen of all abilities. It will teach you all the fundamentals and advanced techniques you need to know for lighting great looking interviews with nothing more than a basic light kit.				
32	<p>Manufacturer #: MDL4848ENV 4 x 4 ENHANCED DOUBLE WALL INSULATION WHISPER ROOM- Basic Features " 12 x 30 Door Window " 1-24 Florescent Light " 4- Acoustical Foam Sheets " Exterior Dimensions: Height- 7x 1; Dimensions- 4x 2 " Interior Dimensions: Height- 6x 8; Dimensions- 3x 5.5 " Vendor Must Set-Up</p>	1	Each	\$ _____	\$ _____
33	<p>Manufacturer #: n/a WPS USP10 UNIVERSAL SUPPORT PLAN (10 hours)- Universal Support Plans (or USPs) are a great way to have premium technical support available when you need it. WPS offers on-demand-access to a vast array of services at tremendous savings over traditional service contracts. Each USP consists of a specific number of pre-paid service units. You can then use these units on important elements of your audio-video business for up to eighteen months after the date of purchase. A USP is an excellent way to keep your staff and systems running at peak efficiency while keeping your budget in line. Whether you are having equipment problems, or have just hired a new editor that could benefit from some expert training, rest assured with the fast and flexible services offered from WPS.</p>	1	Each	\$ _____	\$ _____
34	<p>Manufacturer #: THIS PRODUCT IS CUSTOM MADE WHIRLWIND CUSTOM RACK PANEL PLATE- 5 x 4 Thick; 2 BNC Out Connectors; 3 BMC Camera Connectors; 2-XLR Out Connectors; 6-XLR Female Connectors.</p>	1	Each	\$ _____	\$ _____
35	<p>Manufacturer #: VC-P113U JVC VC-P113U 164' (50m) Camera to Remote Cable, for RM-P200U and RM-P300U Controllers- The JVC VC-P113U is a cable specifically designed to connect RM-P200U and RM-P300U remote controllers to KY27/KY17 and BY10 CCD cameras.</p>	2	Each	\$ _____	\$ _____
36	<p>Manufacturer #: THIS PRODUCT IS CUSTOM MADE WPS CUSTOM RACK MOUNT FOR NEWTEK- Mounts to 19EIA Standard rack panel; Width- 17, Material- 1/16 Aluminum, Finish- Gold Alodine</p>	1	Each	\$ _____	\$ _____
37	<p>Manufacturer #: RMMHVRM15 Rack Mount For Sony HVR Deck- Can be used for single and dual applications and comes applied with a blank for single applications. With its black powder coated finish, this rackmount will match the HDV VTR color scheme and is made for custom cabinet installations and 19" rackmounting.</p>	1	Each	\$ _____	\$ _____
38	<p>Manufacturer #: SC20U-20SL 20 SPACE ATA SHOCK DEEP AMP RACK CASE w/ TABLE - Deluxe Shock Mount 20 Space 20" Depth Amp Rack Case w/ 4" casters and mounting hardware. This is a shock mount 19" rack case, 20 spaces high, 20" deep with the lids off. All the same features as the RC series and then some. The SC Series are our shockmount rack cases. They feature a 1" wall of heavy foam between the outer wall and the inner wall where the rack rails are mounted. They also feature egg-crate foam</p>	1	Each	\$ _____	\$ _____

	insulation on both the front and back doors for added protection of your rack gear. Outer Dimensions with Lids on: 27 1/4" x 23 5/8" x 39 3/8" Features: " 3/8" Plywood w/Black Laminate " Foam-insulated Covers " Tongue & Groove Metal Railing " Ball Corners " Industrial Rivets " Industrial Latches " Spring-loaded Handles " Heavy-Duty pre-tapped Rack Rails " Shock Absorption " 4" Casters w/ Brakes on 2 wheels " Aluminum Extrusion around Caster Plate " Front & Rear Rack Rails " Folding Leg on Front Panel " Hook attachments for table				
39	XD 300 Live Switcher -Installation/Set Up and tutorial (20 Hours (approximately) - 4 employees)	1		\$ _____	\$ _____
Note: (Period of performance is from date of award through September 30, 2010). Name Brand/Equivalent Manufacturer numbers may vary (for informational purposes) Submits Quotes on or before 4 PM, August 2, 2010 to: Office of Contracting and Procurement (Fax) 202-727-8843 or email: Antwanette.murphy@dc.gov No Bid: If your company is not interested in bidding on the RFQ, please fax the attached form back to my attention to (202) 727-8843.				Total	\$ _____
13. DISCOUNT FOR PROMPT PAYMENT	10 CALENDAR DAYS	20 CALENDAR DAYS	30 CALENDAR DAYS		CALENDAR DAYS
	%	%	%		%
14. NAME AND ADDRESS OF QUOTER (<i>Street, city, county, State and ZIP Code</i>) Government Tax ID number		14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		16. DATE OF QUOTATION	
		17. NAME AND TITLE OF SIGNER (<i>Type or print</i>)		18. TELEPHONE NO. (<i>Include area code</i>)	