

REQUEST FOR QUOTATIONS (RFQ) (THIS IS NOT AN ORDER)			PAGE OF 1	PAGES 2	
1. RFQ NO. DCTO-2008-Q-0053	2. DATE ISSUED 11-18-08	3. REQUISITION NO.	4. TYPE OF MARKET <input type="checkbox"/> Open <input checked="" type="checkbox"/> Set Aside <input type="checkbox"/> Open with Subcontracting Set Aside		
5A. ISSUED BY: Government of the District of Columbia (District) Office of Contracting and Procurement Information Technology Group 441 4 th Street N.W., Suite 971 North Washington, D.C. 20001		6. DELIVERY 20 Days ARO			
5B. FOR INFORMATION CALL: (Name and telephone no.) (No collect calls) Quentin Blanchard, Contract Specialist, Phone (202) 724-2353, fax (202) 727-1679 quentin.blanchard@dc.gov		7. DELIVERY METHOD <input checked="" type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)			
8A. TO: NAME AND ADDRESS, INCLUDING ZIP CODE, OF QUOTER		9. DESTINATION FOR DELIVERY OF GOODS OR SERVICES ORDERED Emergency Management Agency 2720 Martin Luther King, Jr. Ave., SE Washington, DC 20032			
8B. TAX ID NO. OF QUOTER:					
10. PLEASE FURNISH QUOTATIONS ON OR BEFORE: November 25, 2008 , 2:00 PM (BID ROOM ONLY) 441 4 th Street. N.W. Suite 703 or e mail: Quentin.blanchard@dc.gov		11A. PLEASE STATE YOUR LSDBE CERTIFICATION NUMBER BELOW (Attach Copy)			
		11B. IF YOU HAVE A DISTRICT OF COLUMBIA SUPPLY SCHEDULE (DCSS) CONTRACT FOR THESE ITEMS, PLEASE ENTER THE CONTRACT NUMBER BELOW:			
12. INSTRUCTIONS TO QUOTERS AND TERMS AND CONDITIONS					
<p>Instructions to Quoters: Please complete Blocks 8B, 11A, 11(B) if applicable, 13(E), 13(F), 14, 15, 16, 17, 18, as well as submission of technical and price quotations as outlined in this solicitation, submit one (1) original and three (3) copies of <u>signed</u> quotations to Office of Contracting and Procurement, 441 4th Street, NW, Suite 703 (Bid Room), Washington, D.C. 20001. This is the <u>only</u> authorized method of submitting a quotation for this RFQ. All quotations must be received no later than the date and time stated in block 10 of this RFQ.</p> <p>Terms and Conditions: SEE ATTACHED.</p>					
13. SCHEDULE (Include applicable Federal, State and local taxes and all delivery charges)					
ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	See attached Statement of Work				
0001	<p>Datapath Vision RGB-X Dual Channel RGB/DVI Capture Card.</p> <p>Half size 64 bit PCI-X Card. Dual Channel real-time Analog or DVI capture with high speed 500MB/s DMA transfer. Capture resolutions up to 2048 x1536 Analog or 1920 x1080 DVI.</p> <p>Support for non-interlace video sources. On board processor providing auto-sync and capture mode detection. 32MB per channel DDR capture memory. Software compatible with the Vision RGB-PRO product range.</p> <p>Includes WDM streaming drivers and the Data path Vision RGB application software. Fully integrated with the Data path Wall Control software for video wall applications. Vision RGB-X is also optimized for operation with the Data path range of graphics cards. Support for multiple cards allowing up to 64 capture channels. (32 cards) Support for Windows XP/ Server 2003. Datapath SDK included for software</p>	12	Each	\$	\$

	developers.				
0002	<p>HP Proliant DL165 G5 Hot Plug SAS/SATA Server. Product HP ProLiant DL165 G5 Hot Plug SAS/SATA Server</p> <p>Processor Quad-Core AMD Opteron" Processor Model 2360SE (25GHz, 105W ACP) [445983-L21]</p> <p>2nd processor 2nd processor must match 1st processor Quad-Core AMD Opteron" Processor Model 2360SE (25GHz, 105W ACP) [445983-B21] Memory HP 4GB REG PC2-5300 8x512MB 1Rank Memory [408850-4GB]</p> <p>Microsoft Windows Operating Systems One operating system allowed per server. RAID is required if a Smart Array controller (embedded or in a slot) is present and a pre-installed operating system is selected Microsoft® Windows® Server 2003 R2, Standard Edition + 5 CALS (Pre-Installed) 100 Series [409165-B21]</p> <p>Storage controller P400/256 requires battery kit upgrade in controller upgrade category to support ADG HP Smart Array E200/128 BBWC Controller [411508-B21]</p> <p>1st hard drive HP 160GB SATA 72K Hot Plug SATA ETY Hard Drive - 1-year warranty [458945-B21]</p> <p>2nd hard drive HP 160GB SATA 72K Hot Plug SATA ETY Hard Drive - 1-year warranty [458945-B21] 650W Power Supply HP Care Pack, 3 Years, Next Business Day, Hardware, DL14x/DL16x [U9508E] Warranty</p> <p>Multimedia drive HP 1U 95mm 24X Combo Kit [447891-B21]</p> <p>RAID setting RAID 1 drive set (requires matching 2 hard drives) [339778-B21]</p> <p>PCI express card If two PCI-X cards have already been selected then the PCI-e card cannot be selected NVIDIA Quadro FX3500 256MB PCIe [435681-B21]</p>	3	Each	\$	\$

	<p>Network card Integrated NC326i PCIe Dual Port Gigabit Server Adapter</p> <p>Power supply 650W Power Supply (Non-Hot Plug, Autoswitching) [n/a 0 power 3]</p> <p>Server management HP Lights-Out 100i Remote Management</p> <p>Warranty Protected by HP Services, including a one-year, limited warranty, Next Business Day 1, year on-site limited Global warranty - Certain restrictions and exclusions apply</p> <p>Service, support and upgrades HP Care Pack, 3 Years, Next Business Day, Hardware, DL14x/DL16x [U9508E]</p>				
0003	<p>Chief RPMUW</p> <p>RPA Elite Series Inverted Custom Projector Mounts Focusing on speed of installation, the all-new Elite Series of custom and universal projector mounts is a first-class upgrade to our industry-leading RPA Series. The RPM mounts are packed with new easy-to-use features that save time and maximize projector security.</p>	3	Each	\$	\$
0004	<p>dVision 30sx+XC Series Projector</p> <p>dVision 30sx+ • dVision 30-1080p • dVision 30-WUXGA</p> <p>Digital Projection International proudly offers the dVision 30 series, ultra-quiet, dual lamp projectors based on single-chip DLP™ technology. Available in four distinct resolution platforms including SXGA+, 1080p, 720p and WUXGA. dVisions employ dual 300-watt lamps, producing up to 6500 ANSI lumens. Contrast ratios up to 7500:1 can be achieved using the motorized lens aperture, which allows the user to accurately define contrast and brightness to match venue and content requirements.</p> <p>Color Wheel Options: (XB): Balanced Luminance and Chroma (XL): Enhanced Luminance (XC): Enhanced Chroma Brightness (±10%) / Contrast (full on/off) sx+ (XB): 5,500 ANSI / 7500:1</p>	3	Each	\$	\$

	<p>sx+ (XL): 6,500 ANSI / 7500:1 sx+ (XC): 4,500 ANSI / 7500:1 1080p (XB): 5,100 ANSI / 7500:1 1080p (XL): 6,000 ANSI / 7500:1 1080p (XC): 4,100 ANSI / 7500:1 WUXGA (XC): 4,300 ANSI / 7500:1 Display Type Dark Chip" DMD Sequential Color Management Six-segment color wheel with Brilliant Color" Native Resolution SX +: 1400 x 1050 pixels 1080p: 1920 x 1080 pixels WUXGA: 1920 x 1200 Computer Compatibility Up to 1920 x 1200</p> <p>Video Compatibility HDTV, NTSC, NTSC 4.43, PAL, PAL-M,PAL-N, SECAM; HDCP on DVI; HDMI 1.3 Aspect Ratio (native) SX+: 4x3 1080p: 16x9 WUXGA: 16x10 Bandwidth (up to) 205 MHz on Analog RGB 160 MHz on DVI 75 MHz on Component 225 MHz on HDMI Lens Shift motorized)* sx+: Vert: ±0.54 frame; Hor: ±0.46 1080p: Vert: ±0.75 frame; Hor: ±0.45 WUXGA: Vert: ±0.67 frame; Hor: ±0.34</p> <p>Motorized Iris Enables the user to optimize lumen/contrast performance Lenses Image Size 0.7-5.5 meters (2.5- 18ft) wide Lamp Type Dual 300W UHP" Lamp Life (Typical per lamp)1 1,700 hours-lamp high, per lamp 2,200 hours- lamp low , per lamp</p> <p>Mechanical Mounting Front/rear table Front/rear ceiling Adjustable front/rear feet Operating Noise Level 30dB (typical) Dimensions (excluding lens)14.8in(L) x 20in(W) x 8.8in(H) 376mm(L) x 510mm(W) x 223mm(H)Weight (chassis only)27.8lbs (12.6kg)</p>				
0005	DVision Adjustable ceiling Mount-Part Number 106310	3	Each	\$	\$
0006	DVision 30 Lens- Part Number 104-085	3	Each	\$	\$
TOTAL AMOUNT					\$
14. NAME AND ADDRESS OF QUOTER (<i>Street, city, county, State and ZIP Code</i>)		15. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION (ELECTRONIC SIGNATURES NOT ACCEPTABLE)			16. DATE OF QUOTATION
		17. NAME AND TITLE OF SIGNER (<i>Type or print</i>)			18. TELEPHONE NO. (<i>Include area code</i>)

